

**GEDORE** 

2021 | EN



# COMPENDIUM



temporary  
raw material  
and procurement  
surcharge in the  
amount of  
**+ 5,8%**

[gedore.com](http://gedore.com)



**16**

**MOBILE TOOL STORAGE**

---



**22**

**SPANNERS**

---



**60**

**TORQUE WRENCHES**

---



**50**

**SOCKET SETS**

---



**62**

**SCREWDRIVERS**

---



# CONTENTS



**TOOL MODULES**

**4 – 15**



**MOBILE TOOL STORAGE**

**16 – 21**



**SPANNERS**

**22 – 29**



**RANGE OF SOCKETS**

**30 – 49**



**SOCKET SETS**

**50 – 59**



**TORQUE WRENCHES**

**60 – 61**



**SCREWDRIVERS AND BITS**

**62 – 69**



**PLIERS**

**70 – 75**



**STRIKING TOOLS**

**76 – 81**



**MEASURING / MARKING**

**82 – 83**



**CUTTING / FILING / DRILLING**

**84 – 89**



**1000 V**

**90 – 93**



**AUTOMOTIVE**

**94 – 99**

**ARTICLE INDEX**


**100 – 109**

**DISCLAIMER**

**110**

# TOOL MODULES

*FULLY  
EQUIPPED*




## COMBINABLE ALL-ROUND CAREFREE PACKAGES

- Assortments and modules can be combined with GEDORE red tool storage
- The perfect equipment for different areas of application, ready to use



**FOAM MODULES ARE CUSTOMISABLE**

- All shown foam modules are customisable to all common workshop trolleys.
- Simply cut to the desired size:  
**W 485 - 570 mm, D 345 - 410 mm, H up to 70 mm**



**R22150000**  
Double ended ring spanner set  
in 1/3 module 8 pieces



> In foam module



Code	No.	Contents	kg	€ excl. VAT
<b>3301697</b>	R22150000	Double ring spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	1,6	37,18

**R22150001**  
Double open ended spanner set  
in 1/3 module 8 pieces



> In foam module



Code	No.	Contents	kg	€ excl. VAT
<b>3301698</b>	R22150001	Double open ended spanner Size 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	1,115	25,09

**R22150002**  
Combination ratchet spanner set  
in 1/3 module 9 pieces



> In foam module



Code	No.	Contents	kg	€ excl. VAT
<b>3301701</b>	R22150002	Combination ratchet wrench SW 8 10 12 13 14 15 16 17 19 mm	1,43	108,81

**R22150003**  
Combination ratchet spanner set  
in 1/3 module 10 pieces



> In foam module



Code	No.	Contents	kg	€ excl. VAT
<b>3301702</b>	R22150003	Combination ratchet wrench SW 8 10 12 13 14 15 16 17 18 19 mm	1,68	86,54

**WWW.GEDORE.COM**


Tool Modules

**R22150006**

Socket set 1/4"  
im 1/3 module  
37 pieces



> In foam module

Code	No.	Contents		€ excl. VAT
<b>3301705</b>	R22150006	1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 1/4" screwdriver bit socket hexagon socket 3 4 5 6 8 10   37 mm 1/4" screwdriver bit socket slotted 5.5 6.5   37 mm 1/4" screwdriver bit socket cross-slotted PH 1 2 3   37 mm 1/4" screwdriver bit socket cross recess PZ 1 2   37 mm 1/4" screwdriver bit socket TX with bore T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" socket wrench extension 100 mm 1/4" T-handle with sliding piece   115 mm 1/4" universal joint   32 mm	0,87	74,45

**R22150008**

Ratchet with  
accessories 1/2"  
im 1/3 module 5 pieces



> In foam module


Code	No.	Contents		€ excl. VAT
<b>3301707</b>	R22150008	1/2" 2C lever reversible ratchet fine toothed, 72 teeth   250 mm 1/2" socket wrench extension 125 250 mm 1/2" cross handle with sliding piece 250 mm 1/2" universal joint   66 mm	1,88	47,25

**R22150009**

Socket set 1/2"  
im 1/3 module 26 pieces



> In foam module


Code	No.	Contents		€ excl. VAT
<b>3301708</b>	R22150009	1/2" hexagon socket wrench SW 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 1/2" hexagon socket 6 7 8 9 10 12 14   55 mm	1,7	71,53

**R22150011**

Screwdriver bit  
socket set 1/2"  
im 1/3 module 15 pieces



> In foam module


Code	No.	Contents		€ excl. VAT
<b>3301710</b>	R22150011	Screwdriver bit socket with hexagon socket 5 6 7 8 9 10 12 14 17   55 mm screwdriver bit socket, hexagon socket 5 6 8   80 mm screwdriver bit socket, hexagon socket 10 12 14   140 mm	2,124	72,44

**R22150012**

Impact socket  
set 1/2"  
in 1/3 module  
32 pieces



> In foam module

Code	No.	Contents		€ excl. VAT
<b>3301711</b>	R22150012	Power screwdriver bit socket 10 11 12 13 14 15 16 17 19 21 22 24   78 mm locking ring and pin (1 piece each)	2,84	75,46


**R22150013**  
Screwdriver set  
im 1/3 module 6 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301712</b>	R22150013	Screwdriver slotted 4 5.5 6.5 8 mm screwdriver Phillips PH 1 2	0,854	23,68

**R22150014**  
Screwdriver set  
im 1/3 module 6 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301713</b>	R22150014	Screwdriver slotted 4 5.5 6.5 8 mm screwdriver cross-slotted PZ 1 2	0,82	23,68

**R22150015**  
Screwdriver set  
im 1/3 module 6 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301714</b>	R22150015	Screwdriver T10 T15 T20 T25 T30 T40	0,8	24,08

**R22150016**  
VDE Screwdriver set  
im 1/3 module 6 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301715</b>	R22150016	VDE screwdriver slotted 2.5 3 4 5.5 mm VDE screwdriver Phillips PH 1 2	0,68	40,20

**R22150017**  
Retaining ring  
pliers set  
im 1/3 module 4 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301716</b>	R22150017	External circlip pliers, straight 19-60 mm External circlip pliers, angled 19-60 mm Internal circlip pliers, straight 19-60 mm Internal circlip pliers, angled 19-60 mm	1,136	43,27

**R22150018**  
Pliers set  
im 1/3 module 4 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301717</b>	R22150018	Water pump pliers 10"   250 mm Combination pliers 180 mm Flat nose pliers, straight 160 mm side cutter 160 mm	1,238	38,18

**R22150019**  
Hammer/chisel set  
in 1/3 CT-module  
7 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301718</b>	R22150019	Engineers' hammer 300 g flat chisel 125 mm 150 mm cross chisel 125 mm center punch 4 mm   120 mm pin punch 4 mm   120 mm punch 3 mm   150 mm	1,222	33,15

Tool Modules

**R22250000**

Combination spanner set and hexagon socket key set in the 3/3 foam module, 26 pieces




> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301699</b>	R22250000	Combination wrench SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 mm offset screwdriver 1.5 2 2.5 3 4 5 6 8 10 mm	2,232	68,41

**R22250001**

Combination ratchet spanner set im 2/3 module 23 pieces



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301700</b>	R22250001	Combination ratchet wrench SW 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm offset screwdriver 1.5 2 2.5 3 4 5 6 8 10 mm	3,297	148,00

**R22350000**

Tool set sockets, ratchet, accessories 1/4"-1/2" in 3/3 foam module, 84 pieces



> For hand-operated screw work  
> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301681</b>	R22350000	1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert, hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 1/4" hexagon socket wrench SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13   50 mm 1/4" screwdriver bit socket hexagon socket 3 4 5 6 8 10   37 mm 1/4" screwdriver bit socket, slotted 5.5 6.5   37 mm 1/4" screwdriver bit socket, Phillips PH 1 2 3   37 mm 1/4" screwdriver bit socket, Phillips PZ 1 2   37 mm 1/4" screwdriver bit socket TX with bore T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" socket wrench extension 100 mm 1/4" T-handle with slide piece   115 mm 1/4" universal joint   32 mm 1/2" 2K lever reversible ratchet, fine-toothed, 72 teeth   250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 1/2" Screwdriver bit socket hexagon socket 6 7 8 9 10 12 14   55 mm 1/2" spark plug insert SW 16 21 mm   65 mm 1/2" socket wrench extension 125 250 mm 1/2" T-handle with sliding piece   250 mm 1/2" universal joint   66 mm adjustable wrench, adjustable 8" 200 mm	5,9	288,15

**R22350001**

Pliers, hammer, chisel set in 3/3 foam module, 29 parts



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301682</b>	R22350001	Circlip pliers, external, straight 19-60 mm Circlip pliers, external, angled 19-60 mm Circlip pliers, internal, straight 19-60 mm Circlip pliers, internal, angled 19-60 mm Set of feeler gauges, 13 pcs. Grip pliers 10"   225 mm Combination pliers 180 mm Telephone pliers, straight 160 mm side cutter 160 mm Water pump pliers 10"   250 mm Engineer's hammer 300 g Flat chisel 125 mm, 150 mm Cross cut chisel 125 mm Grains 4 mm   120 mm Pin punch 4 mm   120 mm Drift punch 3 mm   150 mm	3,08	167,00



**R22350004**

Measuring and cutting tools set  
in 3/3 foam module,  
30 parts



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301685</b>	R22350004	Digital caliper Professional cutter with 5 replacement blades 175 mm Tape measure 3 m (de-) magnetizer Multifunctional saw 300 mm Spirit level 300 mm Wooden folding rule 2 m Construction pencil 175 mm Hard metal scriber 145 mm LED torch 130 mm	2,5	152,00

**R22350005**

Screwdriver, pliers,  
hammer and chisel set  
in 3/3 foam module,  
23 parts



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301686</b>	R22350005	Combination pliers 180 mm side cutters 160 mm needle nose pliers, straight 200 mm screwdriver slotted 3 4 5.5 6.5 mm screwdriver Phillips PH 1 2 screwdriver TX T10 T15 T20 T25 T30 T40 water pump pliers 10"250 mm Engineers' hammer 300 g flat chisel 125 mm, 150 mm cross chisel 125 mm punch 4 mm   120 mm pin punch 4 mm   120 mm punch 3 mm   150 mm	2,8	156,93

**R22350006**

Ratchet wrench and  
double open-ended  
spanner set  
in 3/3 foam module,  
22-part



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301687</b>	R22350006	Combination ratchet wrench SW 8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm Double wrench SW 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	3,4	205,53

**R22350002**

Screwdriver and  
file set  
in 3/3 foam module,  
26 parts



> In foam module

Code	No.	Contents	kg	€ excl. VAT
<b>3301683</b>	R22350002	Slotted screwdriver 4 5.5 6.5 8 mm Phillips screwdriver PH 1 2 Screwdriver TX T10 T15 T20 T25 T30 T40 Test screwdriver 3 mm   135 mm bit screwdriver 1/4" offset screwdriver 1.5 2 2.5 3 4 5 6 8 10 mm half-round file 310 mm triangular file 310 mm round file 310 mm	2	120,24

R21000072

Universal tool set basic  
72 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
3301627	R21000072	Double open-end wrench 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm Engineer's hammer 300 g Combination pliers 180 mm Power side cutter 200 mm Pincers 200 mm Multifunction saw 300 mm Roll tape measure 3 m Construction pencil 175 mm Screwdriver slot 4 5.5 6.5 mm Screwdriver cross recess PZ1 2 Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm VDE screwdriver slot 3 mm 170 mm VDE screwdriver cross recess PH 2   210 mm Flat chisel 125 mm Water pump pliers 10" 250 mm Phase tester 3 mm   135 mm VDE cable knife 185 mm Half-round file 310 mm Cutter knife with pencil sharpener 175 mm Open-end wrench 8" 200 mm Bit-Box, 32 pcs. Bit-Screwdriver 210 mm Spirit level 300 mm	72	5,56	167,01

R21000059

Universolset ALLROUND  
59 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
3301632	R21000059	Combination wrench 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 mm Adjustable wrench 6" 12" Tungsten carbide scriber 150 mm Wooden folding rule 2 m Screwdriver slot 4 5.5 6.5 mm Screwdriver cross recess PH 1 2 Screwdriver cross recess PZ 1 2 Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm Offset screwdriver set, 9-piece TX T10 T15 T20 T25 T27 T30 T40 T45 T50 Phase tester 3 mm 135 mm Combination pliers 180 mm Side cutter 160 mm Water pump pliers 10" 250 mm Fitter's hammer 300 g 800 g Flat chisel 250 mm Cross chisel 150 mm Drift punch 3 4 5 mm   150 mm Grains 5 mm   120 mm Flat file 310 mm Round file 310 mm	59	8,56	204,00

R21000057

Universal set MECHANIC  
57 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
3301637	R21000057	Combination wrench 6 7 8 9 10 11 12 13 14 15 16 17 18 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver Phillips PH 0 1 2 Phase tester 3 mm   144 mm Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm 1/2" hexagon socket wrench insert 8 10 11 12 13 14 15 16 17 18 19 22 24 mm 2C reversible ratchet 1/2" Extension 1/2" 125 250 mm Cardan joint 1/2" 66 mm Spark plug insert 1/2" 16 21 mm   65 mm Plug-in strip 8" Insert holder 1/2" for plug-in strip Combination pliers 180 mm Side cutter 160 mm Water pump pliers 10" 250 mm Engineer's hammer 300 g Tape measure 3 m	57	5,84	208,79

**R21000108**  
 Universalsset ALL-IN  
 108 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301642</b>	R21000108	2K reversible ratchet 1/2" 250 mm Extension 1/2" 125 250 mm Cardan joint 1/2" 66 mm 1/2" hexagon socket wrench insert 8 10 11 12 13 14 15 16 17 18 19 22 24 27 30 32 mm 2C reversible ratchet 1/4" 150 mm Extension 1/4" 100 mm Socket wrench insert 1/4" hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm Bit-Box, 32 pcs. Bit-Screwdriver 210 mm Cardan joint 1/4" 33 mm 2 x 8" plug-in Strip Insert holder 1/4" + 1/2" for plug-in strip Ring ratchet openend wrench set 8 9 10 11 12 13 14 15 17 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver cross-head PH 1 2 Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm Combination pliers 180 mm Power side cutter 200 mm Flat nose pliers, straight 200 mm Water pump pliers 10" 250 mm Engineer's hammer 500 g Flat chisel 150 mm Center punch 4 mm   120 mm Pin punch 4 mm   120 mm Drift punch 4 mm   150 mm Cutter knife with pencil sharpener 175 mm Tape measure 5 m	108	8,6	274,11

**R21000042**  
 Special set ELECTRO-TECHNICS  
 42 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301646</b>	R21000042	Double open-end wrench 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 mm Engineer's hammer 300 g Sledgehammer 1000 g Carbide scriber with clip 150 mm Grains 5 mm   120 mm Flat chisel 250 mm Pointed chisel 250 mm Electrician chisel 250 mm Voltage tester 6-400 V AC/DC Phase tester 3 mm   135 mm Wooden folding rule 2 m Spatula 60 mm VDE screwdriver slot 2.5 3 4 5.5 mm VDE Screwdriver Cross-recess PH 1 2 VDE combination pliers 180 mm VDE side cutter 160 mm VDE Flat nose pliers, angled 200 mm VDE cable knife 185 mm Offset screwdriver set, 9 pcs. 1.5 2 2.5 3 4 5 6 8 10 mm Spirit level 300 mm Construction pencil 175 mm	42	7,02	209,00

**R21010000**  
 Tool set  
 in foam modules 81 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301655</b>	R21010000	R22150013 Screwdriver set in 1/3 foam module R22150018 Set of pliers in 1/3 foam module R22150019 Hammer and chisel set in 1/3 foam module R22150009 Socket wrench set 1/2" in foam module R22150008 Ratchet with accessories 1/2" in 1/3 in foam module R22150015 Screwdriver set in 1/3 in foam module R22250000 Combination wrench set and offset screwdriver in 2/3 foam module R93200025 Cutter knife with 5 spare blades	81	13,58	269,00

R21010001

Tool set  
in foam modules 119 parts



Code	No.	Contents	Pieces	kg	€ excl. VAT
3301656	R21010001	R22150018 Set of pliers in 1/3 in foam module R22150006 Socket wrench set 1/4" in 1/3 in foam module R22150009 Socket wrench set 1/2" in 1/3 in foam module R22150013 Screwdriver set in 1/3 in foam module R22150019 Hammer and chisel set in 1/3 in foam module R22150008 Ratchet with accessories 1/2" in 1/3 in foam module R22150015 Screwdriver set in 1/3 in foam module R22250000 Combination wrench set and offset screwdriver in 2/3 in foam module R93200025 Cutter knife with 5 spare blades R94550003 Roll tape measure 3 m	119	14,46	359,00

R21010002

tool assortment  
in foam modules 166 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
3301657	R21010002	R22150006 1/4" socket wrench set in 1/3 foam module R22150000 Double ring wrench set in 1/3 foam module R22150018 Set of pliers in 1/3 foam module R22150019 Hammer and chisel set in 1/3 foam module R22150009 Socket wrench set 1/2" in 1/3 foam module R22150008 Ratchet with accessories 1/2" in 1/3 foam module R22250001 Ring ratchet open-end wrench set and offset screwdriver in 2/3 foam module R22150014 Screwdriver set in 1/3 foam module R22150015 Screwdriver set in 1/3 foam module R22150017 Set of circlip pliers in 1/3 foam module R27200010 Grip pliers 10" 225 mm R33005031 Bit-Box 1/4" 32 pieces R38990000 (De)magnetizer R94420021 Digital caliper R93200025 Cutter knife with 5 spare blades 175mm R94650013 Set of feeler gauges R93160052 Half-round file 310 mm R94550003 Roll tape measure 3 m	166	19,24	639,00

**R21010004**

Tool set in foam modules  
129 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301679</b>	R21010004	R22350000 Tool set sockets, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner	129	13,6	509,00

**R21600072**

Universal set BASIC  
in tool case, 72 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301628</b>	R21600072	Double open-ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm Locksmith's hammer 300 g Combination pliers 180 mm Power side cutter 200 mm Nippers 200 mm Multifunctional saw 300 mm Rolling tape measure 3 m Construction pencil 175 mm Screwdriver slot 4 5,5 6,5 mm Screwdriver cross recess PZ 1 2 Offset screwdriver 1.5 2.2 5 3 4 5 6 8 10 mm VDE-Screwdriver slot 3 mm 170 mm VDE-Screwdriver cross recess PH 2   210 mm Flat chisel 125 mm Water pump pliers 10" 250 mm Phase tester 3 mm   135 mm VDE cable knife 185 mm Half-round file 310 mm Cutter knife with pencil sharpener 175 mm Roller fork spanner 8" 200 mm Bit box, 32 pcs. Bit screwdriver 210 mm Spirit level 300 mm	72	10,56	196,90

**WWW.GEDORE.COM**

**R21650072**

Universal set BASIC  
in tool case, 72 pieces



Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301630</b>	R21650072	Double open-ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm Locksmith's hammer 300 g Combination pliers 180 mm Power side cutter 200 mm Nippers 200 mm Multifunctional saw 300 mm Rolling tape measure 3 m Construction pencil 175 mm Screwdriver slot 4,5,6,5 mm Screwdriver cross recess PZ 1 2 Offset screwdriver 1.5 2.2.5 3 4 5 6 8 10 mm VDE-Screwdriver slot 3 mm 170 mm VDE-Screwdriver cross recess PH 2   210 mm Flat chisel 125 mm Water pump pliers 10" 250 mm Phase tester 3 mm   135 mm VDE cable knife 185 mm Half-round file 310 mm Cutter knife with pencil sharpener 175 mm Roller fork spanner 8" 200 mm Bit box, 32 pcs. Bit screwdriver 210 mm Spirit level 300 mm	72	10,36	239,00

**R21650059**

Universal set ALLROUND  
in tool case, 59 pieces



> All tools are stored in a tool case

> Made of ABS, high thickness ABS vacuum formed shells

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301635</b>	R21650059	Combination spanner 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 mm Roller fork spanner 6" 12" Carbide drawing needle 150 mm Wooden ruler 2 m Screwdriver slot 4,5,6,5 mm Screwdriver cross recess PH 1 2 Screwdriver cross recess PZ 1 2 Offset screwdriver 1.5 2.2.5 3 4 5 6 8 10 mm Offset screwdriver TX T10 T15 T20 T25 T27 T30 T40 T45 T50 Phase tester 3 mm 135 mm Combination pliers 180 mm Side cutters 160 mm Water pump pliers 10" 250 mm Metalworker's hammer 300 g 800 g Flat chisel 250 mm Cross chisel 150 mm Punch 3 4 5 mm   150 mm Centre punch 5 mm   120 mm Flat file 310 mm Round file 310 mm	59	10,4	289,00

**R21650057**

Universal set MECHANIC  
57 pieces



> All tools are stored in a tool case

> Made of ABS, high thickness ABS vacuum formed shells

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301640</b>	R21650057	Combination wrench 6 7 8 9 10 11 12 13 14 15 16 17 18 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver cross-head PH 0 1 2 Phase tester 3 mm   144 mm Offset screwdriver set, 8 pcs. 2.2.5 3 4 5 6 8 10 mm 1/2" hexagon socket wrench insert 8 10 11 12 13 14 15 16 17 18 19 22 24 mm Ratchet 1/2" Extension 1/2" 125 250 mm Cardan joint 1/2" 66mm Spark plug insert 1/2" 16 21 mm   65mm Plug-in strip 8" Insert holder 1/2" for plug-in strip Combination pliers 180 mm Side cutter 160 mm Water pump pliers 10" 250 mm Engineer's hammer 300 g Tape measure 3 m	57	13,36	275,00

**R21650108**

Universal set ALL-IN  
in tool box, 108 pieces



> All tools are stored in a tool case

> Made of ABS, high thickness ABS vacuum formed shells

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301645</b>	R21650108	2C reversible ratchet 1/2" 250 mm Extension 1/2" 125 250 mm Cardan joint 1/2" 66 mm Socket 1/2" hexagonal 8 10 11 12 13 14 15 16 17 18 19 22 24 27 30 32 mm CK reversible ratchet 1/4" 150 mm Extension 1/4" 100 mm Socket 1/4" hexagonal 4.4.5 5.5 6 7 8 9 10 11 12 13 14 mm Bit box, 32 pcs. Bit screwdriver 210 mm Cardan joint 1/4" 33 mm 2x plug-in bar 8" Insert holder 1/4" + 1/2" for plug-in bar Combination ratchet spanner 8 9 10 11 12 13 14 15 17 19 mm Screwdriver slot 3 4 5,5 6,5 mm Screwdriver cross recess PH 1 2 Offset screwdriver 1.5 2.2.5 3 4 5 6 8 10 mm Combination pliers 180 mm Power side cutter 200 mm Flat-nose pliers, straight 200 mm Water pump pliers 10" 250 mm Metalworker's hammer 500 g Flat chisel 150 mm Centre punch 4 mm   120 mm Pin punch 4 mm   120 mm Piercing punch 4 mm   150 mm Cutter knife with pencil sharpener 175 mm Tape measure 5 m	108	13,4	339,90

# MOBILE TOOL STORAGE



## SMART ORGANISATIONAL TALENTS

### i

#### STORE, ORGANISE AND TRANSPORT

- The right tool storage for every application, from simple transport solutions to mobile workstations
- Robust materials and stable constructions for a long service life
- Tool trolleys and workbenches can be combined with foam modules for optimum workplace organisation




**R20600073**

Tool box  
5 compartments, empty



- > Made from sheet steel, red powder coated
- > Lockable with padlock

Code	No.	W	D	H	 kg	€ excl. VAT
<b>3301658</b>	R20600073	535	210	260	5	47,90

**R20650066**

Tool case



- > Sturdy aluminium frame with edge protector, trays of impact-resistant plastic
- > Lockable metal locks, 2 keys
- > 1 lid tool pallet with pouches on 2 sides
- > 1 bottom tool pallet with pouches on one side

- > Bottom tray with variable dividers (large or small parts)

Code	No.	W	D	H	 kg	€ excl. VAT
<b>3301660</b>	R20650066	445	180	380	4,5	99,00

**R20802012**

Tool wallet  
empty



- > Water-repellent surface
- > Stable lock with adjustable strap
- > For tools up to 240 mm in length

Code	No.	W	D	H	 kg	€ excl. VAT
<b>3301626</b>	R20802012	160	260	25	0,2	15,90

**R20702069**

Tool/laptop bag



- > Laptop bag up to 17"
- > Padded compartment for safe transport of laptop and accessories
- > Trolley holder

- > Separate carrying handles
- > Padded shoulder strap

Code	No.	W	D	H	 kg	€ excl. VAT
<b>3301662</b>	R20702069	480	370	140	2,1	46,87

**R20150006**

Tool trolley MECHANIC  
with 6 drawers



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)

- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Code	No.	Content	H	W	D	kg	€ excl. VAT
<b>3301663</b>	R20150006	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	910	628	418	56	319,00

**R21560004**

Tool set in  
workshop trolley MECHANIC  
129 pieces



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)

- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Code	No.	Contents	H	W	D	kg	€ excl. VAT
<b>3301673</b>	R21560004	R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdriver, pliers, hammer, chisel R22350006 Tool set ring ratchet wrench, double open-end wrench	910	628	418	0,07	729,00

**R21560001**

Tool set in  
workshop trolley MECHANIC  
119 pieces



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)

- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Code	No.	Contents	H	W	D	kg	€ excl. VAT
<b>3301667</b>	R21560001	R22150018 Pliers set in 1/3 module R22150006 Socket wrench set 1/4" in 1/3 module R22150009 Socket wrench set 1/2" in 1/3 module R22150013 Screwdriver set in 1/3 module R22150019 Hammer and chisel set in 1/3 module R22150008 ratchet with accessories 1/2" in 1/3 module R22150015 screwdriver set in 1/3 module R22250000 combination spanner set and offset screwdriver in 2/3 module R93200025 cutter knife with 5-fold blades R94550003 tape measure 3 m	910	628	418	70	659,00

**R21560002**

Tool set in  
workshop trolley MECHANIC  
166 pieces



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Code	No.	Contents	H	W	D		€ excl. VAT
<b>3301668</b>	R21560002	R22150006 Socket spanner set 1/4" in 1/3 module R22150000 Double-ended ring spanner set in 1/3 module R22150018 Pliers set in 1/3 module R22150019 Hammer and chisel set in 1/3 module R22150009 Socket spanner set 1/2" in 1/3 module R22150008 Ratchet with accessories 1/2" in 1/3 module R22250001 Combination ratchet spanner set in 2/3 module R22150014 Screwdriver set in 1/3 module R22150015 Screwdriver set in 1/3 module R22150017 Circlip pliers set in 1/3 module R27200010 Grip pliers 10" R33005031 Bit box 1/4" R38990000 (De)magnetiser R94420021 Measuring caliper R93200025 Cutter knife with 5 blades R94650013 Feeler gauge set, 13 pcs. R93160052 Half-round file R94550003 Tape measure 3 m	910	628	418	75	829,00

**R20400006**

Tool trolley MECHANIC  
with 6 drawers



- > Large storage space with adjustable shelf, separately lockable
- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 6 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Code	No.		H	W	D		€ excl. VAT
<b>3301818</b>	R20400006	4 x H 69 mm 1 x H 144 mm 1 x 218 mm	935	988	431	81	519,00

**R20152006**

Workshop trolley MECHANIC  
6 drawers, black, matt



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 6 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys
- > Max. load capacity 210 kg

Code	No.		H	W	D		€ excl. VAT
<b>3300012</b>	R20152006	4 x H 69 mm 1 x H 144 mm 1 x H 218 mm	910	628	418	56	319,00

**R21562002**

Workshop trolley MECHANIC with 6 drawers R20152006 + set R21010002  
166 pieces



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 6 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Code	No.	Contents	H	L	D	Pieces	kg	€ excl. VAT
<b>3300013</b>	R21562002	R22150006 1/4" socket wrench set in 1/3 foam module R22150000 Double ring wrench set in 1/3 foam module R22150018 Set of pliers in 1/3 foam module R22150019 Hammer and chisel set in 1/3 foam module R22150009 Socket wrench set 1/2" in 1/3 foam module R22150008 Ratchet with accessories 1/2" in 1/3 foam module R22250001 Combination ratchet wrench set in 2/3 foam module R22150014 Screwdriver set in 1/3 foam module R22150015 Screwdriver set in 1/3 foam module R22150017 Set of circlip pliers in 1/3 foam module R27200010 Grip pliers 10" R33005031 Bit-Box 1/4" R38990000 (De)magnetizer R94420021 Caliper gauge R93200025 Cutter knife with 5-fold blades R94650013 Feeler Gauge Set, 13 pcs. R93160052 Half-round file R94550003 Tape measure 3 m	910	628	418	166	75,24	829,00

**R20901500**

Set of lengthwise dividers for the MECHANIC workshop trolley  
6 pieces



- > For individual drawer partitioning in workshop trolleys

Code	No.	Pieces	kg	€ excl. VAT
<b>3301665</b>	R20901500	6	0,35	15,50

**R20200004**

Tool trolley WINGMAN with 4 drawers



- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 4 drawers telescopically fully extendable with individual locking (one-hand operation)
- > Load capacity 35 kg per drawer
- > Large compartment with 2 lockable wing doors
- > Central locking with cylinder lock with 2 keys

Code	No.	Dimensions	H	W	D	kg	€ excl. VAT
<b>3301688</b>	R20200004	4 x H = 83 mm compartment: H 386 x W 612 mm	1.034	724	470	68	429,00

### R22041004

Workshop trolley WINGMAN  
with tool set  
129 pieces



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 4 drawers telescopically fully extendable with individual locking (one-hand operation)

- > Load capacity 35 kg per drawer
- > Large compartment with 2 lockable hinged doors
- > Central locking with cylinder lock with 2 keys

Code	No.	Contents	H	W	D	kg	€ excl. VAT
3301689	R22041004	R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ring ratchet wrench, double open-end wrench	1.034	724	470	81,64	834,56

### R20200007

Workshop trolley WINGMAN  
with 7 drawers



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)

- > Load capacity 35 kg per drawer
- > Central locking with cylinder lock with 4 keys

Code	No.	mm	H	W	D	kg	€ excl. VAT
3301690	R20200007	5 x H = 83 mm 2 x H = 155 mm	1.034	724	470	80	529,00

### R22071004

Tool set in  
workshop trolley WINGMAN  
129 pieces



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)

- > Load capacity 35 kg per drawer
- > Central locking with cylinder lock with 4 keys

Code	No.	Contents	H	W	D	kg	€ excl. VAT
3301694	R22071004	R22350000 Tool set sockets, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner	1.034	724	470	93,64	939,00

### R20240003

Tool chest WINGMAN  
with 3 drawers



- > Combinable with the WINGMAN workshop trolley
- > Strong, sheet steel construction, torsionally rigid, designed to take high loads
- > 3 drawers with telescopic full extension and individual locking device (single-hand operation)

- > Load capacity 35 kg per drawer
- > Generous storage under lid, lid with brake, opening angle 90 degrees, usable as work surface
- > Central locking with cylinder lock with 2 keys

Code	No.	mm	H	W	D	kg	€ excl. VAT
3301696	R20240003	Drawers: 3x H 83 mm compartment: H 70 x W 520 x D 400 mm	446	724	470	40	309,00

# SPANNERS

**MAXIMUM  
TRANSMISSION**



## **TOOLS WITH BRAINS**

- Large assortment with versatile solutions from open-end to ring and ratchet spanners
- Optimised head heights and widths as well as jaw positions for efficient working angles
- Matt-satin surfaces for glare-free work

**R0710XXXX**Combination ratchet  
spanner

- > Based on DIN 3113,  
ISO 3318
- > Straight pattern
- > Jaw set at 15°

Code	No.	Ø mm	l mm	kg	€ excl. VAT
<b>3300828</b>	R07100080	8	136	0,047	7,15
<b>3300829</b>	R07100090	9	143	0,065	7,76
<b>3300830</b>	R07100100	10	160	0,066	8,16
<b>3300831</b>	R07100110	11	168	0,077	8,97
<b>3300832</b>	R07100120	12	174	0,085	9,27
<b>3300833</b>	R07100130	13	180	0,1	9,47
<b>3300834</b>	R07100140	14	193	0,11	9,87
<b>3300835</b>	R07100150	15	200	0,149	10,28
<b>3300836</b>	R07100160	16	216	0,18	11,08
<b>3300837</b>	R07100170	17	233	0,2	11,28
<b>3300838</b>	R07100180	18	239	0,22	11,99
<b>3300839</b>	R07100190	19	250	0,248	12,29
<b>3300840</b>	R07100200	20	285	0,41	15,01
<b>3300841</b>	R07100210	21	285	0,412	16,52
<b>3300842</b>	R07100220	22	285	0,402	17,73
<b>3300843</b>	R07100240	24	325	0,504	20,65
<b>3300844</b>	R07100270	27	359	0,64	28,71
<b>3300845</b>	R07100300	30	425	1,19	34,05
<b>3300846</b>	R07100320	32	425	1,15	38,29
<b>3300848</b>	R07100360	36	482	1,757	57,33

**R0710XXXX**Combination ratchet  
spanner set  
metric

- > Based on DIN 3113,  
ISO 3318
- > Straight pattern
- > Ratchet mechanism  
with 72 teeth
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300849</b>	R07105005	8 10 13 17 19 mm	5	0,699	39,90
<b>3300850</b>	R07105012	8 9 10 11 12 13 14 15 16 17 18 19 mm	12	1,569	89,90

**R0720XXXX**Combination ratchet  
spanner  
reversible

- > Based on DIN 3113,  
ISO 3318
- > Ring offset to 15°,  
reversible for right and  
left hand operation
- > Ratchet mechanism  
with 72 teeth
- > Jaw set at 15°

Code	No.	Ø mm	l mm	kg	€ excl. VAT
<b>3300851</b>	R07200080	8	135	0,042	8,97
<b>3300852</b>	R07200090	9	142	0,07	9,97
<b>3300853</b>	R07200100	10	158	0,07	10,58
<b>3300854</b>	R07200110	11	167	0,08	11,59
<b>3300855</b>	R07200120	12	173	0,08	11,79
<b>3300856</b>	R07200130	13	179	0,101	11,99
<b>3300857</b>	R07200140	14	189	0,116	13,00
<b>3300858</b>	R07200150	15	199	0,15	13,60
<b>3300859</b>	R07200160	16	215	0,171	13,80
<b>3300860</b>	R07200170	17	232	0,197	14,00
<b>3300861</b>	R07200180	18	238	0,219	15,41
<b>3300862</b>	R07200190	19	247	0,25	16,02
<b>3300863</b>	R07200200	20	285	0,4	19,65
<b>3300864</b>	R07200210	21	285	0,401	20,65
<b>3300865</b>	R07200220	22	285	0,4	21,86
<b>3300866</b>	R07200240	24	325	0,5	24,68
<b>3300867</b>	R07200270	27	359	0,65	33,15
<b>3300868</b>	R07200300	30	425	1,14	43,22
<b>3300869</b>	R07200320	32	425	1,14	45,24
<b>3300871</b>	R07200360	36	482	1,671	64,98

## Spanners

### R0720XXXX

Combination ratchet spanner set, reversible



- > Based on DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300872</b>	R07205005	8 10 13 17 19 mm	5	0,688	45,90
<b>3300873</b>	R07205012	8 9 10 11 12 13 14 15 16 17 18 19 mm	12	1,576	109,90

### R07203012

Combination ratchet spanner set 12 pieces



- > In accordance with DIN 3113 ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In rugged plastic case

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300059</b>	R07203012	Combination ratchet spanners 8 10 12 13 15 17 18 19 mm Square end drive adaptor 1/4" for Size 10 mm, 3/8" for Size 13 mm, 1/2" for Size 19 mm Bit adaptor 1/4" for Size 10mm	12	15,68	79,90

### R07203016

Combination ratchet spanner set metric, 16 pieces



- > Based on DIN 3113, ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In rugged plastic case

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300060</b>	R07203016	Combination ratchet wrench SW 8 9 10 11 12 13 14 15 16 17 18 19 mm Square drive adapter 1/4" for SW 10 mm, 3/8" for SW 13 mm, 1/2" for SW 19 mm Bit adapter 1/4" for SW 10 mm	16	2,1	99,90

### R0730XXXX

Flexible head combination ratchet spanner metric



- > Based on DIN 3113, ISO 3318
- > With 180° swivel head
- > Jaw set at 15°

Code	No.	mm	mm	kg	€ excl. VAT
<b>3300874</b>	R07300080	8	136	0,05	11,21
<b>3300876</b>	R07300100	10	160	0,08	12,53
<b>3300879</b>	R07300130	13	180	0,12	12,84
<b>3300883</b>	R07300170	17	233	0,33	16,92
<b>3300885</b>	R07300190	19	250	0,289	17,22
<b>3300889</b>	R07300240	24	325	0,56	28,43

### R07305005

Flexible head combination ratchet spanner set 5 pieces



- > In accordance with DIN 3113 ISO 3318
- > With 180° swivel head
- > Ratchet mechanism with 72 teeth
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300890</b>	R07305005	SW 8 10 13 17 19	5	1,158	64,10



**R05905010**

Open ended ratchet spanner set metric, 10 pieces



- > In accordance with DIN 3113 ISO 3318
- > Straight pattern
- > Open end with ratchet function
- > In the holder

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301003</b>	R05905010	10 11 12 13 14 15 16 17 18 19 mm	10	1,758	76,02

**R0740XXXX**

Double ring ratchet spanner



- > Based on DIN 3113, ISO 3318
- > Straight pattern

Code	No.				€ excl. VAT
<b>3300891</b>	R07400809	8 x 9	128	0,06	11,41
<b>3300892</b>	R07400810	8 x 10	128	0,06	11,82
<b>3300893</b>	R07401011	10 x 11	150	0,08	12,94
<b>3300894</b>	R07401213	12 x 13	170	0,11	15,59
<b>3300895</b>	R07401415	14 x 15	190	0,15	16,81
<b>3300896</b>	R07401618	16 x 18	230	0,2	17,22
<b>3300897</b>	R07401719	17 x 19	230	0,22	18,24

**R07405006**

Double ring ratchet spanner set straight, metric, 6 pieces



- > Based on DIN 3113, ISO 3318
- > Straight pattern
- > Ratchet mechanism with 72 teeth
- > In the holder

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300898</b>	R07405006	Double ring ratchet wrench 8x9 10x11 12x13 14x15 16x18 17x19 mm	6	0,865	70,21

**R07501002**

Double ring ratchet spanner set 2 pieces



- > 63 in 2
- > Straight pattern
- > With lever change
- > Ratchet mechanism with 72 teeth

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300900</b>	R07501002	Screw profiles and sizes: hexagonal/12-edged 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 SPLINE hexagon/12-edge 8 10 11 13 14 16 17 19 mm TX E10 E12 E14 E16 E18 E20 E22 E24 square 9/32 11/32 3/8 7/16 15/32 9/16 5/8" - square square 7 9 11 12 13 14 16 mm	2	0,398	31,49

**R07501019**

Double ring ratchet spanner 4in1



- > The four most common sizes in one tool:  
10, 13, 17, 19 mm
- > Straight pattern
- > With lever change

Code	No.				€ excl. VAT
<b>3300899</b>	R07501019	10 x 13 x 17 x 19	210	0,21	23,90

## Spanners

### R0110XXXX

Double ended ring spanner metric



- > Acc. to DIN 838, ISO 3318, ISO 1085, ISO 10104
- > 5° offset
- > Thin walled rings

Code	No.	Ø mm	l mm	kg	€ excl. VAT
3300901	R01100607	6 x 7	175	0,055	3,56
3300902	R01100809	8 x 9	185	0,07	3,76
3300904	R01101011	10 x 11	198	0,09	4,17
3300906	R01101213	12 x 13	215	0,115	4,67
3300908	R01101415	14 x 15	228	0,15	5,28
3300909	R01101617	16 x 17	246	0,19	5,69
3300910	R01101719	17 x 19	268	0,235	5,99
3300911	R01101819	18 x 19	268	0,235	6,20
3300913	R01102022	20 x 22	292	0,315	7,21
3300914	R01102123	21 x 23	315	0,35	7,72
3300916	R01102426	24 x 26	328	0,45	8,64
3300917	R01102427	24 x 27	328	0,5	9,14
3300918	R01102430	24 x 30	342	0,6	10,06
3300919	R01102528	25 x 28	342	0,5	10,16
3300921	R01102732	27 x 32	365	0,6	10,97
3300922	R01103032	30 x 32	370	0,63	11,48
3300924	R01103641	36 x 41	445	1,05	16,26

### R0110XXXX

Double ended ring spanner set metric



- > Acc. to DIN 838, ISO 3318, ISO 1085, ISO 10104
- > 5° offset
- > Thin walled rings
- > Chrome-vanadium steel
- > Matt satin chrome-plated finish
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
3300926	R01105008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	1,4	29,90
3300928	R01105012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	12	3,55	50,10

### R0135XXXX

Half-moon ring spanner metric



- > For tight spaces
- > Thin walled rings

Code	No.	Ø mm	l mm	kg	€ excl. VAT
3301113	R01351012	10 x 12	128	0,045	8,46
3301114	R01351113	11 x 13	150	0,075	9,68
3301115	R01351315	13 x 15	168	0,1	10,19
3301116	R01351416	14 x 16	184	0,115	11,41
3301117	R01351517	15 x 17	184	0,115	12,33

### R0512XXXX

Double open ended spanner



- > Acc. to DIN 895, ISO 3318, ISO 1085
- > Short version
- > Jaw set at 15°

Code	No.	Ø mm	l mm	kg	€ excl. VAT
3301067	R05120607	6 x 7	97	0,017	2,04
3301068	R05120809	8 x 9	106	0,023	2,55
3301069	R05121011	10 x 11	125	0,04	2,65
3301070	R05121213	12 x 13	135	0,06	2,85
3301071	R05121415	14 x 15	150	0,083	3,06
3301072	R05121617	16 x 17	160	0,095	3,16
3301073	R05121819	18 x 19	176	0,13	3,26
3301074	R05122022	20 x 22	196	0,19	3,36
3301075	R05122123	21 x 23	212	0,235	3,46
3301076	R05122426	24 x 26	245	0,288	3,87
3301077	R05122427	24 x 27	245	0,288	4,59
3301078	R05122528	25 x 28	245	0,283	5,60
3301079	R05122732	27 x 32	259	0,4	6,62
3301080	R05123032	30 x 32	259	0,4	7,34

**R05126008**

Double open ended  
spanner set in wallet,  
metric, 8 pieces



- > Acc. to DIN 895,  
ISO 3318, ISO 1085
- > Jaw set at 15°
- > In practical roll-up bag

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301081</b>	R05126008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	0,64	16,99

**R0512XXXX**

Double open ended  
spanner set  
short



- > Acc. to DIN 895,  
ISO 3318, ISO 1085
- > Jaw set at 15°
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300958</b>	R05125006	6x7 8x9 10x11 12x13 14x15 16x17 mm	6	0,3	14,00
<b>3300961</b>	R05125012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x26 25x28 27x32 mm	12	2	25,00

**R0510XXXX**

Double open ended  
spanner



- > Acc. to DIN 3110,  
ISO 3318, ISO 1085,  
ISO 10102
- > Jaw set at 15°

Code	No.	mm	mm	kg	€ excl. VAT
<b>3300930</b>	R05100607	6 x 7	122	0,025	2,54
<b>3300931</b>	R05100809	8 x 9	140	0,04	2,74
<b>3300933</b>	R05101011	10 x 11	157	0,057	2,84
<b>3300934</b>	R05101013	10 x 13	172	0,06	3,65
<b>3300935</b>	R05101213	12 x 13	172	0,055	3,86
<b>3300940</b>	R05101415	14 x 15	188	0,1	4,06
<b>3300942</b>	R05101617	16 x 17	205	0,11	4,16
<b>3300943</b>	R05101719	17 x 19	222	0,155	4,36
<b>3300944</b>	R05101819	18 x 19	222	0,155	4,67
<b>3300946</b>	R05102022	20 x 22	236	0,21	5,07
<b>3300947</b>	R05102123	21 x 23	247	0,24	5,38
<b>3300948</b>	R05102224	22 x 24	247	0,24	5,58
<b>3300949</b>	R05102426	24 x 26	266	0,3	6,09
<b>3300950</b>	R05102427	24 x 27	266	0,3	6,19
<b>3300952</b>	R05102528	25 x 28	280	0,46	7,31
<b>3300954</b>	R05102732	27 x 32	302	0,46	8,42
<b>3300955</b>	R05103032	30 x 32	302	0,46	9,34
<b>3300957</b>	R05103641	36 x 41	360	0,83	18,27

**R0510XXXX**

Double open ended  
spanner set  
long, metric



- > Acc. to DIN 3110,  
ISO 3318, ISO 1085,  
ISO 10102
- > Jaw set at 15°
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300959</b>	R05105008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	0,7	20,00
<b>3300960</b>	R05105012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm	12	2,42	30,10

## Spanners

### R0910XXXX

Combination spanner with same size each end metric



- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Ring offset to 15°
- > Jaw set at 15°

Code	No.	Ø mm	↳ mm ▷	kg	€ excl. VAT
3300962	R09100060	6	95	0,016	2,44
3300963	R09100070	7	105	0,018	2,44
3300964	R09100080	8	110	0,024	2,64
3300965	R09100090	9	120	0,031	2,74
3300966	R09100100	10	130	0,035	2,94
3300967	R09100110	11	140	0,035	3,04
3300968	R09100120	12	153	0,05	3,35
3300969	R09100130	13	163	0,072	3,65
3300970	R09100140	14	173	0,075	3,70
3300971	R09100150	15	185	0,09	3,76
3300972	R09100160	16	198	0,105	3,81
3300973	R09100170	17	210	0,12	3,86
3300974	R09100180	18	220	0,155	4,06
3300975	R09100190	19	230	0,17	4,26
3300976	R09100200	20	240	0,2	4,87
3300977	R09100210	21	252	0,24	5,18
3300978	R09100220	22	262	0,22	5,38
3300980	R09100240	24	282	0,3	5,89
3300983	R09100270	27	310	0,4	7,71
3300986	R09100300	30	340	0,5	9,13
3300987	R09100320	32	360	0,7	11,67

### R0910XXXX

Combination spanner set metric



- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Jaw set at 15°
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
3300988	R09105008	8 9 10 11 13 14 17 19 mm	8	0,6	20,00
3300989	R09105010	8 10 11 12 13 14 15 17 19 22 mm	10	1,366	27,00
3300992	R09105112	6 7 8 9 10 11 12 13 14 17 19 22 mm	12	1,1	24,00
3300990	R09105012	10 11 12 13 14 17 19 22 24 27 30 32 mm	12	2,5	45,20
3300993	R09105015	6 7 8 10 11 12 13 14 17 19 22 24 27 30 32 mm	15	3,1	50,10
3300994	R09105017	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm	17	1,8	35,10
3300991	R09105021	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm	21	4,712	65,20
3300995	R09105024	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm	24	5,4	72,30

### R0911XXXX

Combination spanner with same size each end inch



- > Ring offset to 15°
- > Jaw set at 15°

Code	No.	Ø "AF"	↳ mm ▷	kg	€ excl. VAT
3301026	R09110016	1/4"	95	0,02	5,07
3301027	R09110020	5/16"	110	0,02	5,28
3301028	R09110024	3/8"	130	0,03	5,79
3301029	R09110028	7/16"	140	0,045	5,89
3301030	R09110032	1/2"	163	0,07	5,99
3301031	R09110036	9/16"	173	0,085	7,00
3301032	R09110040	5/8"	198	0,095	7,51
3301033	R09110044	11/16"	210	0,15	7,82
3301034	R09110048	3/4"	230	0,18	8,32
3301035	R09110052	13/16"	252	0,206	8,63
3301036	R09110056	7/8"	262	0,254	9,03
3301037	R09110060	15/16"	282	0,295	11,06
3301038	R09110064	1"	302	0,373	13,09
3301039	R09110068	1.1/16"	310	0,375	16,14
3301040	R09110072	1.1/8"	320	0,435	17,15
3301041	R09110080	1.1/4"	360	0,634	20,20

**R09115016**

Combination  
spanner set  
inch (AF), 16 pieces



- > Ring offset to 15°
- > Jaw set at 15°
- > In the holder

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301043</b>	R09115016	1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1 1.1/16 1.1/8 1.1/4"	16	3,8	101,40

**R0310XXXX**

Single open ended  
spanner adjustable



- > Acc. to DIN 3117, Form A
- > Jaw set at 15°
- > Polished head with lasered scale
- > High torque

Code	No.	inch	mm	inch	mm		€ excl. VAT
<b>3300996</b>	R03100006	6	150	15/16	24	0,14	8,04
<b>3300997</b>	R03100008	8	200	1.3/16	30	0,25	10,07
<b>3300998</b>	R03100010	10	250	1.11/32	34	0,42	11,70
<b>3300999</b>	R03100012	12	300	1.19/32	41	0,7	15,16

**R0380XXXX**

Adjustable spanner



- > Acc. to DIN 3117, Form A
- > Jaw set at 15°
- > Swedish pattern, roller with left hand thread
- > With mm-scale

Code	No.	inch	mm	inch	mm		€ excl. VAT
<b>3301064</b>	R03800015	15	385	1.11/16	43	1,4	27,37
<b>3301065</b>	R03800018	18	460	2.11/64	55	2,1	45,69
<b>3301066</b>	R03800024	24	610	2.7/16	62	3,7	81,30

**R0391XXXX**

Single open ended  
spanner with ratchet



- > Jaw set at 15°
- > Swedish pattern, roller with left hand thread
- > Ratchet function
- > With mm-scale

Code	No.	inch	mm	inch	mm		€ excl. VAT
<b>3301001</b>	R03910008	8	205	1.18	30	0,412	15,16
<b>3301002</b>	R03910010	10	256	1.42	36	0,66	20,25

**R01700057**

Wheel cross wrench



- > Chrome-vanadium steel
- > chrome-plated

Code	No.	mm		€ excl. VAT
<b>3301453</b>	R01700057	17 x 19 (3/4") x 21 x 11/16"	0,974	16,50

WWW.GEDORE.COM

# RANGE OF SOCKETS



**ROBUST  
MULTI-TALENT**



## **DONE IN THE TWINKLING OF AN EYE**

- Ratchets in 1/4", 3/8" and 1/2" with right/left rotation and reversing lever
- Ratchet mechanism with fine tothing and oval heads for minimum return angle and easy access to the workpiece
- Extensive range of inserts, extensions and adapters



## LEGEND



## R4000027

Reversible ratchet 1/4"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	□ "	■	∠ °	↳ mm ↳	⚖ kg	€ excl. VAT
3300158	R4000027	1/4"	6,3	5	150	0,122	19,90

## R4005009

Reversible ratchet 1/4"  
cranked

- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	□ "	■	∠ °	↳ mm ↳	⚖ kg	€ excl. VAT
3300159	R4005009	1/4"	6,3	10	145	0,1	17,50

## R40120027

2C swivel head reversible ratchet



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	□ "	■	∠ °	↳ mm ↳	⚖ kg	€ excl. VAT
3300156	R40120027	1/4"	6,3	5	163	0,13	27,90

## R40150027

Bit ratchet 1/4"  
reversible, with drive adaptor

- > Lever for reversible clockwise/anticlockwise operation
- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3
- > With retention spring

- > Square connection according to DIN 3120 - A 6.3, ISO 1174, with ball locking
- > External hexagonal drive according to DIN 3126 - C 6.3 (1/4"), with ball lock

Code	No.	○ "	○	∠ °	↳ mm ↳	⚖ kg	€ excl. VAT
3300161	R40150027	1/4"	6,3	6°	91	0,034	18,90

## R40170027

2C swivel head bit ratchet  
reversible

- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > With magnetic holder

- > Lever for reversible clockwise/anticlockwise operation
- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3

Code	No.	○ "	○	∠ °	↳ mm ↳	⚖ kg	€ excl. VAT
3300160	R40170027	1/4"	6,3	5°	163	0,13	27,90

## Range of Sockets

### R4100XXXX

Socket 1/4"  
hexagon, metric,  
short



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg	€ excl. VAT
3300064	R41000403	4	25	6,7	12,0	0,012	1,88
3300065	R41004503	4,5	25	7,2	12,0	0,013	1,88
3300066	R41000503	5	25	7,8	12,0	0,013	1,88
3300067	R41005503	5,5	25	8,5	12,0	0,013	1,88
3300068	R41000603	6	25	9,1	12,0	0,014	1,98
3300069	R41000703	7	25	10,5	12,0	0,012	1,98
3300070	R41000803	8	25	11,3	12,0	0,014	1,98
3300071	R41000903	9	25	12,0	13,0	0,012	2,04
3300072	R41001003	10	25	12,7	14,5	0,014	2,09
3300073	R41001103	11	25	14,0	16,0	0,017	2,19
3300074	R41001203	12	25	15,0	17,0	0,02	2,19
3300075	R41001303	13	25	16,0	18,0	0,02	2,49
3300076	R41001403	14	25	18,0	19,7	0,018	2,59

### R4100XXXX

Socket 1/4"  
hexagon,  
long pattern



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg	€ excl. VAT
3300077	R41000409	4	50	6,7	12,0	0,028	2,19
3300078	R41004509	4,5	50	7,2	12,0	0,026	2,29
3300079	R41000509	5	50	7,8	12,0	0,03	2,34
3300080	R41005509	5,5	50	8,5	12,0	0,03	2,39
3300081	R41000609	6	50	9,1	12,0	0,029	2,44
3300082	R41000709	7	50	10,5	12,0	0,025	2,49
3300083	R41000809	8	50	11,3	12,0	0,024	2,54
3300084	R41000909	9	50	12,0	13,2	0,032	2,70
3300085	R41001009	10	50	12,7	14,7	0,039	2,75
3300086	R41001109	11	50	14,0	16,0	0,05	2,80
3300087	R41001209	12	50	15,0	17,0	0,055	2,85
3300088	R41001309	13	50	16,0	18,0	0,055	3,05

### R4711XXXX

Socket  
1/4" hexagon,  
with magnet



- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks

Code	No.	mm	kg	€ excl. VAT
3300517	R47110012	65	0,026	3,22
3300518	R47110112	65	0,03	3,22
3300519	R47110212	65	0,036	3,22

### R4255XXXX

Screwdriver  
bit socket 1/4"  
for in-hex screws



- > Hand-operated, knurled grip
- > Acc. to DIN 7423
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	mm	Ø	kg	€ excl. VAT
3300123	R42550306	3	37	15,0	12	0,016	1,98
3300124	R42550406	4	37	15,0	12	0,016	2,04
3300125	R42550506	5	37	15,0	12	0,017	2,09
3300126	R42550606	6	37	15,0	12	0,015	2,19
3300127	R42550806	8	37	15,0	12	0,02	2,24
3300128	R42551006	10	37	15,0	12	0,02	2,29

### R4120XXXX

Socket 1/4"  
for external TX  
screws



- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg	€ excl. VAT
3300102	R41200203	E5	25	7,2	12,0	0,013	4,27
3300103	R41200303	E6	25	8,2	12,0	0,014	4,32
3300104	R41200403	E7	25	9,0	12,0	0,014	4,38
3300105	R41200503	E8	25	13,3	12,0	0,015	4,43
3300106	R41200703	E10	25	12,5	13,2	0,015	4,58



**R4245XXXX**  
 Screwdriver  
 bit socket 1/4" TX®


- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.		↳ mm ↲		∅		€ excl. VAT
<b>3300107</b>	R42451106	T10	37	15,0	12	0,015	2,85
<b>3300108</b>	R42451206	T15	37	15,0	12	0,016	2,90
<b>3300109</b>	R42451306	T20	37	15,0	12	0,016	2,95
<b>3300110</b>	R42451406	T25	37	15,0	12	0,016	3,00
<b>3300111</b>	R42451506	T27	37	15,0	12	0,016	3,05
<b>3300112</b>	R42451606	T30	37	15,0	12	0,016	3,10
<b>3300113</b>	R42451806	T40	37	15,0	12	0,017	3,15

**R4246XXXX**  
 Screwdriver bit socket  
 1/4" TX®  
 with hole


- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.		↳ mm ↲		∅		€ excl. VAT
<b>3300116</b>	R42461106	T10	37	15,0	12	0,015	2,85
<b>3300117</b>	R42461206	T15	37	15,0	12	0,016	2,90
<b>3300118</b>	R42461306	T20	37	15,0	12	0,016	2,90
<b>3300119</b>	R42461406	T25	37	15,0	12	0,016	3,00
<b>3300120</b>	R42461506	T27	37	15,0	12	0,016	3,05
<b>3300121</b>	R42461606	T30	37	15,0	12	0,016	3,15

**R45200022**  
 Sliding T-bar with slider 1/4"


- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets

- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	■ "	■ mm	↳ mm ↲		€ excl. VAT
<b>3300143</b>	R45200022	1/4"	6,3	115	0,038	4,52

**R38950001**  
 Square plug-in handle 1/4"


- > For hand-operated sockets and accessories with square drive as per DIN 3120, ISO 1174, ball locking device
- > 2-component-handle for a hands-friendly transfer of force

- > Coupler in acc. with DIN 3120 - A 6.3, ISO 1174, with ball locking device
- > square socket in handle suitable for ratchet drive with DIN 3120 - C 6.3, ISO 1174, with ball catch groove

Code	No.	■ "	■ mm	↳ mm ↲		€ excl. VAT
<b>3301344</b>	R38950001	1/4"	6,3	171	0,12	5,43

**R4510XXXX**  
 Extension 1/4"


- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	■ "	■ mm	↳ mm ↲		€ excl. VAT
<b>3300140</b>	R45100009	1/4"	6,3	50	0,025	2,91
<b>3300141</b>	R45100019	1/4"	6,3	100	0,05	3,12
<b>3300142</b>	R45100029	1/4"	6,3	150	0,065	3,62

## Range of Sockets

### R45300005 Universal joint 1/4"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 6,4
- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	■"	■ mm	↳ mm ▶		€ excl. VAT
<b>3300144</b>	R45300005	1/4"	6,3	33	0,024	5,23

### R47001004 Adapter set 4 pieces



- > For secure connection of ratchet wrench and socket
- > Push-button release
- > Square drive according to DIN 3120, ISO 1174, with ball locking device
- > Bit holder for bits with external hexagon drive according to DIN 3126 - C 6.3 (1/4")

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300061</b>	R47001004	Outer hexagon 19 mm x outer square 1/2" for sockets Outer hexagon 13 mm x outer square 3/8" for sockets Outer hexagon 10 mm x outer square 1/4" for sockets Outer hexagon 10 mm x inner hexagon 1/4" suitable for all 1/4" bits	4	0,1	11,96

### R47100103 Bit adaptor 1/4"



- > Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove
- > For 1/4" bits with hexagon drive as per DIN 3126, ISO 1173
- > With retention spring

Code	No.	○"	○	□"	□	↳ mm ▶		€ excl. VAT
<b>3300151</b>	R47100103	1/4"	6	1/4"	6,0	25	0,018	2,51

### R47110009 Drive adapter 1/4"



- > For driving sockets and screwdriver bit sockets
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock
- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks

Code	No.	■"	■	●"	●	↳ mm ▶		€ excl. VAT
<b>3300150</b>	R47110009	1/4"	6,3	1/4"	6,3	50	0,016	2,31

### R47100003

Drive adapter 1/4"



- > For driving sockets and screwdriver bit sockets
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock
- > Hexagon drive acc. to DIN 3126 - C 6.3 (1/4")

Code	No.	■ "	■	■	kg	€ excl. VAT
3300149	R47100003	1/4"	6,3	6,3	0,008	1,91

### R47120011

Quick-change bit holder 1/4" with magnet



- > Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Hex drive as per DIN 3126 - C 6.3 (1/4") for use in chucks
- > Release for bit ejection

Code	No.	■ "	■	○ "	mm	kg	€ excl. VAT
3300148	R47120011	1/4"	6,3	1/4"	60	0,03	7,74

### R4711XXXX

Bit holder 1/4" with magnet



- > Acc. to DIN 7427
- > For bits with external hexagon drive to DIN 3126 - C 6.3 E 6.3 (1/4"), external hexagon drive to DIN 3126 - C 6.3 (1/4") for use in chucks

Code	No.	■ "	■	○ "	mm	kg	€ excl. VAT
3300146	R47110011	1/4"	6,3	1/4"	60	0,022	3,01
3300147	R47110014	1/4"	6,3	1/4"	75	0,03	4,02

### R50000027

Reversible ratchet 3/8"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	■ "	■	°	mm	kg	€ excl. VAT
3300224	R50000027	3/8"	10	5	180	0,282	21,90

### R50050009

Reversible ratchet 3/8" cranked



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation

- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	■ "	■	°	mm	kg	€ excl. VAT
3300225	R50050009	3/8"	10	10	210	0,226	22,90

**R50120027**

2C swivel head reversible ratchet 3/8"



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	10mm 3/8"	mm	°	mm	kg	€ excl. VAT
<b>3301819</b>	R50120027	3/8"	10	5	246	0,339	27,50

**R5100XXXX**

Socket 3/8"  
hexagon, metric,  
short



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove

Code	No.	10mm 3/8"	mm	mm	mm	mm	kg	€ excl. VAT
<b>3300164</b>	R51000604		6	28	10,0	17,0	0,019	2,74
<b>3300165</b>	R51000704		7	28	10,6	17,0	0,019	2,84
<b>3300166</b>	R51000804		8	28	11,8	17,0	0,02	2,89
<b>3300167</b>	R51000904		9	28	13,2	17,0	0,021	2,94
<b>3300168</b>	R51001004		10	28	14,2	17,0	0,021	2,99
<b>3300169</b>	R51001104		11	28	15,6	17,0	0,021	3,04
<b>3300170</b>	R51001204		12	28	17,0	18,0	0,024	3,14
<b>3300171</b>	R51001304		13	28	18,0	18,0	0,029	3,19
<b>3300172</b>	R51001404		14	28	19,5	19,0	0,032	3,24
<b>3300173</b>	R51001504		15	28	21,0	20,0	0,036	3,34
<b>3300174</b>	R51001604		16	28	22,0	21,0	0,039	3,40
<b>3300175</b>	R51001704		17	30	23,5	22,0	0,053	3,45
<b>3300176</b>	R51001804		18	30	24,5	23,0	0,057	3,50
<b>3300177</b>	R51001904		19	30	26,0	24,0	0,061	3,55
<b>3300178</b>	R51002004		20	32	28,0	25,0	0,06	3,65
<b>3300179</b>	R51002104		21	32	28,0	26,0	0,074	3,70
<b>3300180</b>	R51002204		22	32	30,0	28,0	0,088	3,75

**R55200039**

Sliding T bar  
with slider 3/8"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

Code	No.	10mm 3/8"	mm	mm	kg	€ excl. VAT
<b>3300242</b>	R55200039	3/8"	10	200	0,19	6,31

**R5510XXXX**

Extension 3/8"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

Code	No.	10mm 3/8"	mm	mm	kg	€ excl. VAT
<b>3300218</b>	R55100024	3/8"	10	125	0,1	3,64
<b>3300219</b>	R55100029	3/8"	10	150	0,15	4,34

**R57300008**

Convertor  
3/8" to 1/2"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock
- > Additional socket extension turns the convertor into a sliding T-bar with slider

Code	No.	□"	□ mm	■"	■ mm	- mm		€ excl. VAT
<b>3300243</b>	R57300008	3/8"	10,0	1/2"	12,5	44	0,068	4,75

**R57500004**

Reducer  
3/8" to 1/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 6.3, ISO 1174, with ball lock

Code	No.	□"	□ mm	■"	■ mm	- mm		€ excl. VAT
<b>3300244</b>	R57500004	3/8"	10,0	1/4"	6,3	27	0,021	4,54

**R60050009**

2C reversible ratchet 1/2"  
cranked



- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	■"	■ mm	∠°	- mm		€ excl. VAT
<b>3300411</b>	R60050009	1/2"	12,5	10	255	0,514	22,90

**R60120027**

2C swivel head reversible ratchet



- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	■"	■ mm	∠°	- mm		€ excl. VAT
<b>3300409</b>	R60120027	1/2"	12,5	5	292	0,633	37,90

**R60600006**

2C-Ratchet handle with coupler 1/2"



- > Square coupler for clockwise/anti-clockwise operation
- > Acc. to DIN 3122, ISO 3315
- > Also suitable for use with stepped keys and radiator nipple keys
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	■"	■ mm	∠°	- mm		€ excl. VAT
<b>3300412</b>	R60600006	1/2"	12,5	12	270	0,56	17,90

## Range of Sockets

### R60010027

2C reversible ratchet 1/2"  
reversible



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Telescopic shaft lockable in 5 positions
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	1/2"	12,5	5	460-600	40	1,099	€ excl. VAT
3300522	R60010027	1/2"	12,5	5	460-600	40	1,099	32,50

### R60110009

2C swivel-head telescopic ratchet  
reversible



- > Telescopic shaft lockable in 5 positions
- > Ratchet head swivels through 180°
- > Ring for reversing clockwise/anticlockwise direction

- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	1/2"	12,5	10	430-580	70	1,292	€ excl. VAT
3300523	R60110009	1/2"	12,5	10	430-580	70	1,292	33,90

### R60000027

2C reversible ratchet 1/2"



- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release

- > Fine-toothed
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	1/2"	12,5	5	250		0,586	€ excl. VAT
3300410	R60000027	1/2"	12,5	5	250		0,586	25,30

### R6255XXXX

Screwdriver  
bit socket 1/2"  
for in-hex screws



- > Hand-operated, knurled grip
- > Acc. to DIN 7422
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	mm	Ø		€ excl. VAT
3300358	R62550410	4	55	17,0	22	0,06	4,96
3300359	R62550510	5	55	17,0	22	0,064	5,01
3300360	R62550610	6	55	17,0	22	0,064	5,06
3300361	R62550710	7	55	17,0	22	0,068	5,26
3300362	R62550810	8	55	17,0	22	0,068	5,36
3300363	R62550910	9	55	17,0	22	0,078	5,46
3300364	R62551010	10	55	17,0	22	0,08	5,62
3300365	R62551110	11	55	17,0	24	0,112	5,72
3300366	R62551210	12	55	17,0	24	0,112	5,82
3300367	R62551410	14	55	17,0	24	0,136	6,07
3300368	R62551710	17	55	17,0	26	0,174	6,38
3300369	R62551910	19	55	17,0	28	0,22	6,78

### R6255XXXX

Screwdriver  
bit socket 1/2"  
for in-hex screws



- > Hand-operated, knurled grip
- > Acc. to DIN 7422
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	mm	Ø		€ excl. VAT
3300377	R62550519	5	100	62,0	22	0,07	5,01
3300378	R62550619	6	100	62,0	22	0,075	5,06
3300379	R62550719	7	100	62,0	22	0,084	5,46
3300380	R62550819	8	100	62,0	22	0,09	5,62
3300381	R62551019	10	100	62,0	22	0,15	5,72
3300382	R62551219	12	100	62,0	24	0,19	6,12
3300383	R62551419	14	100	62,0	24	0,22	6,43
3300384	R62551719	17	100	62,0	26	0,228	7,79

**R6120XXXX**Socket 1/2"  
for external  
TX screws

- › Hand-operated, knurled grip
- › Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg	€ excl. VAT
<b>3300348</b>	R61200506	E8	38	11,1	22,0	0,045	5,40
<b>3300349</b>	R61200706	E10	38	13,1	22,0	0,052	5,45
<b>3300350</b>	R61200806	E11	38	13,8	22,0	0,054	5,50
<b>3300351</b>	R61200906	E12	38	14,9	22,0	0,052	5,55
<b>3300352</b>	R61201106	E14	38	16,7	22,0	0,052	5,61
<b>3300353</b>	R61201306	E16	38	18,7	22,0	0,056	5,66
<b>3300354</b>	R61201506	E18	38	20,3	22,0	0,054	5,71
<b>3300355</b>	R61201706	E20	38	22,3	24,0	0,062	5,76
<b>3300356</b>	R61201807	E22	40	24,3	26,0	0,078	5,86
<b>3300357</b>	R61201907	E24	41	26,3	28,0	0,094	6,01

**R6100XXXX**Socket 1/2"  
hexagon

- › Hand-operated, knurled grip
- › Acc. to DIN 3124, ISO 2725-1
- › Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg	€ excl. VAT
<b>3300257</b>	R61000806	8	38	12,4	22,2	0,05	2,74
<b>3300258</b>	R61000906	9	38	14,2	22,2	0,05	2,79
<b>3300259</b>	R61001006	10	38	15,3	22,2	0,05	2,84
<b>3300260</b>	R61001106	11	38	16,5	22,2	0,051	2,89
<b>3300261</b>	R61001206	12	38	17,8	22,2	0,052	2,94
<b>3300262</b>	R61001306	13	38	19,0	22,2	0,052	2,99
<b>3300263</b>	R61001406	14	38	20,2	22,2	0,054	3,04
<b>3300264</b>	R61001506	15	38	21,3	22,2	0,054	3,34
<b>3300265</b>	R61001606	16	38	23,2	22,2	0,06	3,34
<b>3300266</b>	R61001706	17	38	24,2	23,0	0,063	3,39
<b>3300267</b>	R61001806	18	38	25,0	23,0	0,066	3,44
<b>3300268</b>	R61001906	19	38	27,0	24,0	0,08	3,55
<b>3300269</b>	R61002006	20	38	28,0	24,0	0,077	3,65
<b>3300270</b>	R61002106	21	38	29,0	24,0	0,091	3,85
<b>3300271</b>	R61002206	22	38	30,0	26,0	0,092	4,05
<b>3300272</b>	R61002306	23	38	31,0	28,0	0,102	4,15
<b>3300273</b>	R61002406	24	38	32,0	28,0	0,105	4,36
<b>3300274</b>	R61002507	25	42	34,0	28,0	0,147	4,56
<b>3300275</b>	R61002607	26	42	35,0	29,0	0,15	4,76
<b>3300276</b>	R61002707	27	42	36,0	30,0	0,175	4,96
<b>3300277</b>	R61002807	28	42	37,0	30,0	0,2	5,06
<b>3300278</b>	R61003007	30	42	40,0	34,0	0,219	5,27
<b>3300279</b>	R61003207	32	42	42,0	36,0	0,192	5,47

**R6100XXXX**Socket 1/2"  
hexagon,  
long pattern

- › Hand-operated, knurled grip
- › Acc. to DIN 3124, ISO 2725-1
- › Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code	No.	mm	mm	Ø1	Ø2	kg	€ excl. VAT
<b>3300304</b>	R61001014	10	77	15,3	22,2	0,073	5,72
<b>3300305</b>	R61001114	11	77	16,5	22,2	0,08	5,77
<b>3300306</b>	R61001214	12	77	17,8	22,2	0,09	5,82
<b>3300307</b>	R61001314	13	77	19,0	22,2	0,096	5,93
<b>3300308</b>	R61001414	14	77	20,2	22,2	0,1	5,93
<b>3300309</b>	R61001514	15	77	21,3	22,2	0,11	6,03
<b>3300310</b>	R61001614	16	77	23,2	22,2	0,114	6,03
<b>3300311</b>	R61001714	17	77	24,2	23,0	0,126	6,08
<b>3300312</b>	R61001814	18	77	25,0	23,0	0,131	6,08
<b>3300313</b>	R61001914	19	77	27,0	24,0	0,161	6,13
<b>3300314</b>	R61002014	20	77	28,0	24,0	0,167	6,23
<b>3300315</b>	R61002114	21	77	29,0	24,0	0,192	6,33
<b>3300316</b>	R61002214	22	77	30,0	26,0	0,192	6,53
<b>3300318</b>	R61002414	24	77	32,0	28,0	0,214	6,74
<b>3300319</b>	R61002714	27	77	36,0	30,0	0,31	6,99
<b>3300320</b>	R61003014	30	77	40,0	34,0	0,355	7,19
<b>3300321</b>	R61003214	32	77	42,0	36,0	0,408	7,90

**R6110XXXX**  
Socket 1/2"  
bi-hexagon



- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.	⊙	↳ mm ←	Ø1	Ø2		€ excl. VAT
<b>3300323</b>	R61100806	8	38	22,2	12,4	0,05	2,77
<b>3300324</b>	R61100906	9	38	22,2	14,2	0,05	2,83
<b>3300325</b>	R61101006	10	38	22,2	15,3	0,05	2,88
<b>3300326</b>	R61101106	11	38	22,2	16,5	0,051	2,93
<b>3300327</b>	R61101206	12	38	22,2	17,8	0,052	2,98
<b>3300328</b>	R61101306	13	38	22,2	19,0	0,052	3,03
<b>3300329</b>	R61101406	14	38	22,2	20,2	0,054	3,33
<b>3300330</b>	R61101506	15	38	22,2	21,3	0,054	3,33
<b>3300331</b>	R61101606	16	38	22,2	23,2	0,06	3,38
<b>3300332</b>	R61101706	17	38	23,0	24,2	0,063	3,43
<b>3300333</b>	R61101806	18	38	23,0	25,0	0,066	3,53
<b>3300334</b>	R61101906	19	38	24,0	27,0	0,08	3,63
<b>3300335</b>	R61102006	20	38	24,0	28,0	0,077	3,83
<b>3300336</b>	R61102106	21	38	24,0	29,0	0,091	4,04
<b>3300337</b>	R61102206	22	38	26,0	30,0	0,092	4,14
<b>3300338</b>	R61102306	23	38	28,0	31,0	0,102	4,34
<b>3300339</b>	R61102406	24	38	28,0	32,0	0,105	4,54
<b>3300341</b>	R61102607	26	42	29,0	35,0	0,147	4,74
<b>3300342</b>	R61102707	27	42	30,0	36,0	0,15	4,94
<b>3300343</b>	R61102807	28	42	30,0	37,0	0,175	5,04
<b>3300345</b>	R61103007	30	42	34,0	40,0	0,2	5,25
<b>3300346</b>	R61103207	32	42	36,0	42,0	0,219	5,45

**R61021612**  
Spark plug socket 1/2"



- > Hand-operated, knurled grip
- > Rubber insert for holding the spark plug
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.	⊙ mm	□ "	□	↳ mm ←	Ø		€ excl. VAT
<b>3300401</b>	R61021612	16,0	1/2"	12,5	65	21,7	0,09	6,39

**R61022112**  
Spark plug socket 1/2"  
Square drive



- > Drive hexagon with 23 mm wrench size
- > Hand-operated, knurled grip
- > Rubber insert for holding the spark plug
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.	⊙ mm	□ "	□	↳ mm ←	Ø		€ excl. VAT
<b>3300402</b>	R61022112	21,0	1/2"	12,5	65	27,7	0,138	7,61



**R6110XXXX**Socket 1/2"  
bi-hexagon

- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.	○	l- mm -l	Ø1	Ø2		€ excl. VAT
<b>3300413</b>	R61101014	10	77	22,2	15,3	0,073	5,80
<b>3300414</b>	R61101114	11	77	22,2	16,5	0,08	5,80
<b>3300415</b>	R61101214	12	77	22,2	17,8	0,09	5,90
<b>3300416</b>	R61101314	13	77	22,2	19,0	0,096	6,00
<b>3300417</b>	R61101414	14	77	22,2	20,2	0,1	6,10
<b>3300418</b>	R61101514	15	77	22,2	21,3	0,11	6,31
<b>3300419</b>	R61101614	16	77	22,2	23,2	0,114	6,46
<b>3300420</b>	R61101714	17	77	23,0	24,2	0,126	7,16
<b>3300421</b>	R61101814	18	77	23,0	25,0	0,131	7,21
<b>3300422</b>	R61101914	19	77	24,0	27,0	0,161	7,26
<b>3300423</b>	R61102014	20	77	24,0	28,0	0,167	7,67
<b>3300424</b>	R61102114	21	77	24,0	29,0	0,192	7,77
<b>3300425</b>	R61102214	22	77	26,0	30,0	0,192	8,17
<b>3300426</b>	R61102414	24	77	28,0	32,0	0,214	8,32
<b>3300427</b>	R61102714	27	77	30,0	36,0	0,31	9,28
<b>3300428</b>	R61103014	30	77	34,0	40,0	0,355	10,19
<b>3300429</b>	R61103214	32	77	36,0	42,0	0,408	11,60

**R6245XXXX**Screwdriver  
bit socket 1/2" TX®

- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.		l- mm -l		Ø		€ excl. VAT
<b>3300391</b>	R62451310	T20	55	17,0	22	0,058	5,61
<b>3300392</b>	R62451410	T25	55	17,0	22	0,058	5,71
<b>3300393</b>	R62451510	T27	55	17,0	22	0,059	5,81
<b>3300394</b>	R62451610	T30	55	17,0	22	0,059	6,06
<b>3300395</b>	R62451810	T40	55	17,0	22	0,063	6,46
<b>3300396</b>	R62451910	T45	55	17,0	22	0,064	6,57
<b>3300397</b>	R62452110	T50	55	17,0	22	0,065	6,87
<b>3300398</b>	R62452210	T55	55	17,0	22	0,074	7,17
<b>3300399</b>	R62452310	T60	55	17,0	24	0,1	7,78

**R6245XXXX**Screwdriver  
bit socket 1/2"  
for recessed TX head  
screws, long pattern

- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.		l- mm -l		Ø		€ excl. VAT
<b>3300450</b>	R62451319	T20	100	62,0	22	0,08	6,41
<b>3300451</b>	R62451419	T25	100	62,0	22	0,085	6,62
<b>3300452</b>	R62451519	T27	100	62,0	22	0,085	6,67
<b>3300453</b>	R62451619	T30	100	62,0	22	0,085	6,97
<b>3300454</b>	R62451819	T40	100	62,0	22	0,085	8,13
<b>3300455</b>	R62451919	T45	100	62,0	22	0,09	8,59
<b>3300456</b>	R62452119	T50	100	62,0	22	0,12	9,34
<b>3300457</b>	R62452219	T55	100	62,0	22	0,155	9,49
<b>3300458</b>	R62452319	T60	100	62,0	24	0,155	10,91

**R6270XXXX**Screwdriver  
bit socket 1/2"  
for multi-point screws  
XZN

- > Hand-operated, knurled grip
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	No.		l- mm -l		Ø		€ excl. VAT
<b>3300471</b>	R62700519	M5	100	62,0	22	0,07	8,30
<b>3300472</b>	R62700619	M6	100	62,0	22	0,075	8,60
<b>3300473</b>	R62700819	M8	100	62,0	22	0,09	9,21
<b>3300474</b>	R62701019	M10	100	62,0	22	0,15	9,77
<b>3300475</b>	R62701219	M12	100	62,0	24	0,19	9,97
<b>3300476</b>	R62701419	M14	100	62,0	24	0,17	10,93
<b>3300477</b>	R62701619	M16	100	62,0	26	0,19	11,94

## Range of Sockets

### R65200049

Sliding T bar 1/2"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	■ "	■ mm	↳ mm ▶	⚖️	€ excl. VAT
3300408	R65200049	1/2"	12,5	250	0,368	8,04

### R6510XXXX

Extension 1/2"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	■ "	■ mm	↳ mm ▶	⚖️	€ excl. VAT
3300403	R65100014	1/2"	12,5	75	0,1	4,72
3300404	R65100024	1/2"	12,5	125	0,18	5,02
3300406	R65100049	1/2"	12,5	250	0,43	6,53

### R65300012

Universal joint 1/2"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 12,6
- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	□ "	□ mm	■ "	■ mm	↳ mm ▶	⚖️	€ excl. VAT
3300407	R65300012	1/2"	12,5	1/2"	12,5	66	0,134	7,54

### R67131002

Adapter- and extension set 6in2  
2 pieces



- > Push-through type square for dual-side use
- > Enlarging adaptor and extension
- > Reducing adaptor and extension
- > For hand-operated sockets

Code	No.	Contents	Pieces	⚖️	€ excl. VAT
3300524	R67131002	Reducing and enlarging adapters 1/2" - 3/8" and 3/8" - 1/2" Extension 65 mm Reduction and enlarging adapter 3/8" - 1/4" and 1/4" - 3/8" Extension 50 mm	2	0,24	18,04

### R6730XXXX

Convertor  
1/2" to 3/4"  
square



- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

Code	No.	□ "	□ mm	■ "	■ mm	↳ mm ▶	⚖️	€ excl. VAT
3300449	R67300009	1/2"	12,5	3/4"	20	49	0,125	7,74

**R6750XXXX**Reducer  
1/2" to 3/8"  
square

- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Coupler based on DIN 3120 - A 10, ISO 1174, with ball lock

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300430</b>	R67500007	1/2"	12,5	3/8"	10	40	0,05	5,58

**R67100006**Bit adaptor  
1/2" x 5/16"

- > For hand-operated sockets
- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > Hexagon socket DIN 3126 - D 8 (5/16") for bits
- > With clamping ring

Code	No.	□"	□ mm	□"	□ mm	↳ mm ▷		€ excl. VAT
<b>3300521</b>	R67100006	5/16"	8	1/2"	12,0	38	0,056	2,71

**R70000003**

Reversible ratchet 3/4"



- > Lever for reversible clockwise/anticlockwise operation
- > Acc. to DIN 3122, ISO 3316

- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	No.	■"	■ mm	∠°	↳ mm ▷		€ excl. VAT
<b>3300514</b>	R70000003	3/4"	20	15	503	1,94	49,90

**R7100XXXX**Socket 3/4"  
hexagon

- > Hand-operated, knurled grip
- > Acc. to DIN 3124, ISO 2725-1
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin

Code	No.	□ mm	↳ mm ▷	Ø1	Ø2		€ excl. VAT
<b>3300491</b>	R71001909	19	50	29,0	36,0	0,16	6,28
<b>3300492</b>	R71002109	21	50	31,0	36,0	0,21	6,73
<b>3300493</b>	R71002209	22	50	32,0	36,0	0,21	6,83
<b>3300494</b>	R71002409	24	51	34,0	36,0	0,22	7,43
<b>3300495</b>	R71002709	27	52	38,0	36,0	0,21	8,63
<b>3300496</b>	R71002809	28	52	40,0	36,0	0,258	8,73
<b>3300497</b>	R71003010	30	54	42,0	36,0	0,25	9,14
<b>3300498</b>	R71003210	32	56	44,0	36,0	0,26	10,29
<b>3300499</b>	R71003310	33	56	46,0	36,0	0,28	10,54
<b>3300500</b>	R71003410	34	56	46,0	36,0	0,29	11,04
<b>3300501</b>	R71003611	36	58	50,0	45,0	0,35	11,95
<b>3300502</b>	R71003811	38	60	52,0	45,0	0,46	12,35
<b>3300503</b>	R71004112	41	64	56,0	45,0	0,55	13,65
<b>3300504</b>	R71004613	46	68	62,0	45,0	0,6	15,26
<b>3300505</b>	R71005013	50	72	68,0	45,0	0,81	18,02
<b>3300506</b>	R71005514	55	76	74,0	45,0	0,93	22,04
<b>3300507</b>	R71006014	60	78	80,0	45,0	1,114	25,80

**R75200091**

Sliding T bar 3/4"



- > Acc. to DIN 3122, ISO 3315
- > For hand-operated sockets
- > Coupler as per DIN 3120 - D 20, ISO 1174, with locking pin

Code	No.	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300513</b>	R75200091	3/4"	20	458	1,164	20,19

## Range of Sockets

### R75300021 Universal joint 3/4"



- > Screwed-on joint
- > Acc. to DIN 3123 - C 21
- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300512</b>	R75300021	3/4"	20,0	3/4"	20	107	0,584	25,75

### R7510XXXX Extension 3/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

Code	No.	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300509</b>	R75100039	3/4"	20	200	0,64	14,29
<b>3300510</b>	R75100079	3/4"	20	400	1,054	19,59

### R77300011 Convertor 3/4" to 1"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 25, ISO 1174, with locking pin

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300511</b>	R77300011	3/4"	20,0	1"	25	58	0,326	16,46

### R77500009 Reducer 3/4" to 1/2"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 20, ISO 1174, with drill hole for locking pin
- > Coupler based on DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300515</b>	R77500009	3/4"	20,0	1/2"	12,5	55	0,14	12,63

### R87500012 Reducer 1" to 3/4"



- > For hand-operated sockets
- > Square drive as per DIN 3120 - D 25, ISO 1174, with drill hole for locking pin
- > Coupler as per DIN 3120 - B 20, ISO 1174, with locking pin

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300516</b>	R87500012	1"	25,0	3/4"	20	69	0,4	14,29

**R63003012**Impact socket set 1/2"  
12 pieces

- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300574</b>	R63003012	Size 10 11 12 13 14 15 16 17 19 21 22 24 mm	12	1,598	38,90

**R63003008**Power wrench socket set 1/2"  
8 pieces

- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300575</b>	R63003008	Impact wrench 10 12 13 14 17 19 21 24 mm	8	1,100	29,00

**R63043003**Impact wrench socket set 1/2"  
3 pieces

- > Specially for fitting / removing wheels of vehicles
- > Plastic sleeves for damage-free work on aluminium wheel rims
- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In robust plastic case

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300578</b>	R63043003	Power wrench insert SW 17 19 21 mm   86 mm	3	0,830	24,50

**R6300XXXX**

Impact socket 1/2"



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

Code	No.	□"	□mm	○mm	↳mm▶	Ø 1	Ø 2		€ excl. VAT
<b>3300525</b>	R63001006	1/2"	12,5	10	38,0	17,0	25,0	0,068	3,84
<b>3300526</b>	R63001106	1/2"	12,5	11	38,0	18,5	25,0	0,075	3,94
<b>3300527</b>	R63001206	1/2"	12,5	12	38,0	19,5	25,0	0,072	3,99
<b>3300528</b>	R63001306	1/2"	12,5	13	38,0	21,0	25,0	0,072	4,04
<b>3300529</b>	R63001406	1/2"	12,5	14	38,0	22,0	25,0	0,076	4,09
<b>3300530</b>	R63001506	1/2"	12,5	15	38,0	23,5	30,0	0,076	4,14
<b>3300531</b>	R63001606	1/2"	12,5	16	38,0	24,5	30,0	0,080	4,19
<b>3300532</b>	R63001706	1/2"	12,5	17	38,0	26,0	30,0	0,088	4,29
<b>3300533</b>	R63001906	1/2"	12,5	19	38,0	28,5	30,0	0,096	4,54
<b>3300534</b>	R63002106	1/2"	12,5	21	38,0	31,0	30,0	0,114	4,70
<b>3300535</b>	R63002208	1/2"	12,5	22	38,0	32,0	30,0	0,148	4,90
<b>3300536</b>	R63002408	1/2"	12,5	24	45,0	35,0	30,0	0,154	5,10
<b>3300537</b>	R63002708	1/2"	12,5	27	50,0	38,0	30,0	0,174	5,81
<b>3300538</b>	R63003009	1/2"	12,5	30	50,0	41,0	30,0	0,240	6,67
<b>3300539</b>	R63003209	1/2"	12,5	32	50,0	44,0	30,0	0,232	7,27

## Range of Sockets

### R6300XXXX

Impact socket 1/2"  
long pattern



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

Code	No.	□"	□mm	○mm	↳mm↳	Ø 1	Ø 2	⚖️	€ excl. VAT
<b>3300540</b>	R63001016	1/2"	12,5	10	78,0	16,7	25,0	0,126	6,01
<b>3300541</b>	R63001116	1/2"	12,5	11	78,0	18,0	25,0	0,132	6,11
<b>3300542</b>	R63001216	1/2"	12,5	12	78,0	19,0	25,0	0,144	6,16
<b>3300543</b>	R63001316	1/2"	12,5	13	78,0	20,2	25,0	0,146	6,31
<b>3300544</b>	R63001416	1/2"	12,5	14	78,0	21,5	25,0	0,170	6,41
<b>3300545</b>	R63001516	1/2"	12,5	15	78,0	23,0	25,0	0,178	6,51
<b>3300546</b>	R63001616	1/2"	12,5	16	78,0	24,0	25,0	0,218	6,62
<b>3300547</b>	R63001716	1/2"	12,5	17	78,0	26,0	25,0	0,224	7,17
<b>3300699</b>	R63001815	1/2"	12,5	18	78,0	27,0	25,0	0,215	6,87
<b>3300548</b>	R63001916	1/2"	12,5	19	78,0	28,0	25,0	0,244	7,17
<b>3300700</b>	R63002015	1/2"	12,5	20	78,0	29,0	25,0	0,235	7,17
<b>3300549</b>	R63002116	1/2"	12,5	21	78,0	30,0	25,0	0,260	7,27
<b>3300550</b>	R63002216	1/2"	12,5	22	78,0	32,0	30,0	0,338	7,47
<b>3300701</b>	R63002315	1/2"	12,5	23	78,0	33,0	30,0	0,292	7,68
<b>3300551</b>	R63002416	1/2"	12,5	24	78,0	33,0	30,0	0,350	7,88
<b>3300703</b>	R63002715	1/2"	12,5	27	78,0	38,0	30,0	0,389	8,28
<b>3300705</b>	R63003015	1/2"	12,5	30	78,0	42,0	30,0	0,453	10,05
<b>3300706</b>	R63003215	1/2"	12,5	32	78,0	44,0	30,0	0,484	12,63

### R6304XXXX

Impact socket 1/2"  
hexagon, with protective sleeve



- > Specially for fitting / removing wheels of vehicles
- > Plastic sleeves for damage-free work on aluminium wheel rims
- > Machine-operated, fixing with safety ring / pin
- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2

Code	No.	□"	□mm	○mm	↳mm↳	Ø 1	Ø 2	RAL	⚖️	€ excl. VAT
<b>3300585</b>	R63041716	1/2"	12,5	17	85,0	25,6	30,0	blue	0,182	8,81
<b>3300586</b>	R63041916	1/2"	12,5	19	85,0	28,8	30,0	yellow	0,225	8,61
<b>3300587</b>	R63042116	1/2"	12,5	21	85,0	30,8	30,0	red	0,252	9,02

### R6610XXXX

Impact extension 1/2"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 12,5, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

Code	No.	□"	□mm	■"	■mm	↳mm↳	⚖️	€ excl. VAT
<b>3300570</b>	R66100024	1/2"	12,5	1/2"	12,5	125	0,240	8,90
<b>3300571</b>	R66100049	1/2"	12,5	1/2"	12,5	250	0,435	13,90

### R66300014

Impact universal joint  
1/2"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 12,5, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

Code	No.	□"	□mm	■"	■mm	↳mm↳	⚖️	€ excl. VAT
<b>3300650</b>	R66300014	1/2"	12,5	1/2"	12,5	63	0,194	14,00

**R67400008**Impact socket  
extension piece  
1/2" - 3/4"

- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300573</b>	R67400008	1/2"	12,5	3/4"	20	49	0,140	8,00

**R67600005**Impact socket reducer  
1/2" - 3/8"

- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 10, ISO 1174
- > Square drive as per DIN 3121 - G 12,5, ISO 1174

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷		€ excl. VAT
<b>3300572</b>	R67600005	1/2"	12,5	3/8"	10	38	0,075	10,90

**R6398XXXX**

Safety ring



- > Consisting of safety ring and safety pin
- > For securing impact sockets

Code	No.	■"	■ Use	Version		€ excl. VAT
<b>3300576</b>	R63981005	1/2"	12,5 for 8-14 mm	pin 20 x 3 mm, ring 19 x 4 mm	0,003	6,05
<b>3300577</b>	R63981105	1/2"	12,5 for 15-32 mm	pin 25 x 3 mm, ring 24 x 4 mm	0,005	7,10

**R7300XXXX**

Impact socket 3/4"



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 20, ISO 1174

Code	No.	□"	□ mm	○ mm	↳ mm ▷	Ø 1	Ø 2		€ excl. VAT
<b>3300591</b>	R73001909	3/4"	20,0	19	51,0	32,5	44,0	0,340	8,66
<b>3300593</b>	R73002209	3/4"	20,0	22	51,0	36,0	44,0	0,354	9,52
<b>3300594</b>	R73002309	3/4"	20,0	23	51,0	37,5	44,0	0,360	9,62
<b>3300595</b>	R73002409	3/4"	20,0	24	51,0	38,5	44,0	0,260	9,72
<b>3300598</b>	R73002710	3/4"	20,0	27	53,0	42,5	44,0	0,388	10,37
<b>3300599</b>	R73002810	3/4"	20,0	28	53,0	44,0	44,0	0,400	11,08
<b>3300601</b>	R73003010	3/4"	20,0	30	53,0	46,0	44,0	0,428	11,28
<b>3300602</b>	R73003210	3/4"	20,0	32	57,0	48,0	44,0	0,472	11,88
<b>3300603</b>	R73003310	3/4"	20,0	33	57,0	50,0	44,0	0,482	12,84
<b>3300606</b>	R73003610	3/4"	20,0	36	57,0	53,0	44,0	0,514	14,10
<b>3300608</b>	R73003810	3/4"	20,0	38	57,0	56,0	44,0	0,564	15,41
<b>3300609</b>	R73004110	3/4"	20,0	41	58,0	59,0	44,0	0,594	16,82
<b>3300610</b>	R73004611	3/4"	20,0	46	62,0	66,0	44,0	0,700	17,62

## Range of Sockets

### R7300XXXX

Impact socket 3/4" hexagon long



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 20, ISO 1174

Code	No.	□ "	□ mm	○ mm	↳ mm ▷	∅ 1	∅ 2	⚖️	€ excl. VAT
<b>3300612</b>	R73001919	3/4"	20,0	19	90,0	32,0	44,0	0,390	15,10
<b>3300614</b>	R73002119	3/4"	20,0	21	90,0	35,0	44,0	0,425	15,10
<b>3300615</b>	R73002219	3/4"	20,0	22	90,0	37,0	44,0	0,496	15,61
<b>3300617</b>	R73002419	3/4"	20,0	24	90,0	39,0	44,0	0,475	16,11
<b>3300620</b>	R73002719	3/4"	20,0	27	90,0	43,0	44,0	0,506	16,11
<b>3300623</b>	R73003019	3/4"	20,0	30	90,0	46,0	44,0	0,585	18,63
<b>3300624</b>	R73003219	3/4"	20,0	32	90,0	49,0	44,0	0,670	21,15
<b>3300651</b>	R73003318	3/4"	20,0	33	90,0	50,0	44,0	0,770	23,66
<b>3300652</b>	R73003618	3/4"	20,0	36	90,0	53,0	44,0	0,850	24,67
<b>3300654</b>	R73004118	3/4"	20,0	41	90,0	59,0	44,0	0,950	26,69
<b>3300655</b>	R73004619	3/4"	20,0	46	90,0	66,0	44,0	1,100	29,71

### R73981005

Safety ring



- > Consisting of safety ring and safety pin
- > For securing impact sockets

Code	No.	■ "	■ Use	Version	⚖️	€ excl. VAT
<b>3300634</b>	R73981005	3/4"	20 for 17-50 mm	pin 35 x 4 mm, ring 36 x 5 mm	0,01	7,50

### R7610XXXX

Impact extension 3/4"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - H 20, ISO 1174

Code	No.	□ "	□ mm	■ "	■ mm	↳ mm ▷	⚖️	€ excl. VAT
<b>3300631</b>	R76100040	3/4"	20,0	3/4"	20	205	0,91	21,00
<b>3300632</b>	R76100059	3/4"	20,0	3/4"	20	300	1,22	27,00

### R77400011

Impact socket extension piece 3/4" - 1"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - H 20, ISO 1174

Code	No.	□ "	□ mm	■ "	■ mm	↳ mm ▷	⚖️	€ excl. VAT
<b>3300637</b>	R77400011	3/4"	20,0	1"	25	65	0,435	13,50

### R77600010

Impact socket reducer 3/4" - 1/2"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 12,5, ISO 1174
- > Square drive as per DIN 3121 - H 20, ISO 1174

Code	No.	□ "	□ mm	■ "	■ mm	↳ mm ▷	⚖️	€ excl. VAT
<b>3300633</b>	R77600010	3/4"	20,0	1/2"	12,5	56	0,445	11,00



### R8300XXXX

Impact socket 1"  
hexagon long



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 25, ISO 1174

Code	No.	□"	□ mm	○ mm	↳ mm ▷	Ø 1	Ø 2	⚖ kg	€ excl. VAT
<b>3300674</b>	R83002419	1"	25,0	24	108,0	42,5	54,0	1,02	30,30
<b>3300675</b>	R83002719	1"	25,0	27	108,0	46,2	54,0	1,12	31,25
<b>3300676</b>	R83003019	1"	25,0	30	108,0	50,0	54,0	1,20	32,20
<b>3300677</b>	R83003219	1"	25,0	32	108,0	52,5	54,0	1,22	33,15
<b>3300678</b>	R83003319	1"	25,0	33	108,0	54,0	54,0	1,23	34,10
<b>3300679</b>	R83003619	1"	25,0	36	108,0	57,5	54,0	1,28	36,95
<b>3300680</b>	R83003819	1"	25,0	38	108,0	59,5	54,0	1,33	37,90
<b>3300681</b>	R83004119	1"	25,0	41	108,0	62,0	54,0	1,47	41,70
<b>3300682</b>	R83004619	1"	25,0	46	108,0	68,0	54,0	1,64	43,60

### R8300XXXX

Impact socket 1"  
hexagon



- > Machine-operated, fixing with safety ring / pin
- > Acc. to DIN 3129, ISO 2725-2
- > Square drive as per DIN 3121 - H 25, ISO 1174

Code	No.	□"	□ mm	○ mm	↳ mm ▷	Ø 1	Ø 2	⚖ kg	€ excl. VAT
<b>3300657</b>	R83002711	1"	25,0	27	59,0	46,2	54,0	0,54	18,90
<b>3300659</b>	R83003011	1"	25,0	30	61,0	50,0	54,0	0,68	21,75
<b>3300660</b>	R83003211	1"	25,0	32	62,0	52,5	54,0	0,69	23,27
<b>3300661</b>	R83003311	1"	25,0	33	62,0	54,0	54,0	0,69	24,60

### R86100059

Impact extension 1"



- > Machine-operated, fixing with safety ring / pin
- > Coupler in acc. with DIN 3121 - F 25, ISO 1174
- > Square drive as per DIN 3121 - H 25, ISO 1174

Code	No.	□"	□ mm	■"	■ mm	↳ mm ▷	€ excl. VAT
<b>3300685</b>	R86100059	1"	25,0	1"	25	300	39,90

### R83981105

Safety ring and safety pin




- > Consisting of safety ring and safety pin
- > For securing impact sockets

Code	No.	■"	■ Use	Version	€ excl. VAT
<b>3300708</b>	R83981105	1"	20 for 24-80 mm	pin 45 x 5 mm; ring 45 x 7 mm	9,00

WWW.GEDORE.COM

# SOCKET SETS

*PERFECT  
SELECTION*



**i**

## **ALWAYS THE RIGHT SOLUTION AT HAND**

- Large selection of practical socket sets in 1/4", 3/8" and 1/2" for universal or specialised use
- Available in a robust sheet steel case with foam insert or in a lightweight moulded case
- Organised storage and safe transport

**R49004033**Socket set 1/4"  
33 pieces

- > For hand-operated screw work
- > Red sheet-steel case with foam insert

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300000</b>	R49004033	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13   25 mm 1/4" screwdriver bit socket hexagon 3 4 5 6 8 10   37 mm 1/4" screwdriver bit slot 4 5.5 6.5   37 mm 1/4" screwdriver bit insert cross recess PH 0 1 2 3   37 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece   115 mm 1/4" universal joint   32 mm Drive adaptor 1/4" hexagon x 1/4" square   50 mm	33	1,14	59,90

**R49014033**Socket set 1/4"  
33 pieces

- > For hand-operated screw work
- > Red sheet-steel case with foam insert

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300001</b>	R49014033	1/4" 2C lever-action ratchet fine-toothed, 72 teeth   150 mm 1/4" square socket 165 mm 1/4" hexagon socket SW 4 4.5 5.5 6 7 8 9 10 11 12 13   25 mm 1/4" Screwdriver bit socket hexagonal 3 4 5 6 8 10   37 mm 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" socket extension 50 100 mm 1/4" Cross handle with slide   115 mm 1/4" universal joint   32 mm Drive adapter 1/4" hexagon x 1/4" square   50 mm	33	1,136	59,90

**R49044033**Socket set 1/4"  
33 pieces

- > For hand-operated screw work
- > Red sheet-steel case with foam insert

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300004</b>	R49044033	1/4" 2K jointed reversible ratchet fine toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13   25 mm 1/4" screwdriver bit socket hexagon 3 4 5 6 8 10   37 mm 1/4" screwdriver bit socket TX with bore hole T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece   115 mm 1/4" universal joint   32 mm Drive adaptor 1/4" hexagonal x 1/4" square   50 mm Bit adaptor 1/4" 4ct x 1/4" 6ct   25 mm	33	1,164	64,90

**R49003016**Socket set 1/4"  
16 pieces

- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300050</b>	R49003016	1/4" 2C lever-action ratchet fine-toothed, 72 teeth   150 mm 1/4" Socket spanner hexagonal SW 4 4.5 5.5 6 7 8 9 10 11 12 13   25 mm 1/4" socket extension 100 mm 1/4" cross handle with slide   115 mm Bit adapter 1/4" square x 1/4" hex   25 mm	16	0,62	23,90

**R49003033**Socket set 1/4"  
33 pieces

- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces		€ excl. VAT
<b>3300051</b>	R49003033	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket in-hex 3 4 5 6   37 mm 1/4" screwdriver bit socket slotted 4 5.5 6.5   37 mm 1/4" screwdriver bit socket cross-head PH 1 2   37 mm 1/4" screwdriver bit socket cross-head PZ 1 2   37 mm 1/4" screwdriver bit socket TX T15 T20 T25 T30   37 mm 1/4" socket extension 50 100 mm 1/4" universal joint   32 mm Bit adapter 1/4" sq. x 1/4" hex   25 mm	33	1,31	32,90

## Socket wrench sets

### R49003046

Socket set 1/4"  
46 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
3300052	R49003046	1/4" 2K reversible lever ratchet fine-toothed, 72 teeth   150 mm 1/4" square socket 165 mm 1/4" socket hexagon SW 4 4,5 5,5 6 7 8 9 10 11 12 13 14   25 mm 1/4" screwdriver bit socket hexagon socket inner 3 4 5 6 7 8   37 mm 1/4" screwdriver bit socket slot 4 5,5 6,5   37 mm 1/4" Screwdriver bit socket Phillips PH 1 2 3   37 mm 1/4" Screwdriver bit socket Phillips PZ 1 2   37 mm 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" Socket wrench extension 50 100 mm 1/4" Flexible socket wrench extension 150 mm 1/4" Cross handle with slide   115 mm 1/4" Cardan joint   32 mm Bit-Adapter 1/4" square x 1/4" hexagon   25 mm Allen wrench set hexagon SW 1,27 1.5 2.2 2.5 mm	46	1,414	39,90

### R49005037

Tool set T-handle  
with ratchet 1/4"  
37 pieces



- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3
- > Ring for reversing clockwise/anticlockwise direction
- > 9x long all-steel blades with square drive and sockets
- > 1x long all-steel blade with square drive as bit holder or extension
- > Bits in extra plastic holders

Code	No.	Contents	Pieces	kg	€ excl. VAT
3300025	R49005037	2C ratchet hand grip with swivel 1/4" in-hex blade, ring change Socket hexagon 6 7 8 9 10 11 12 13 14 135 mm Bit holder 1/4" hex x 1/4" hex   135 mm 1/4" bit hexagon 3 4 5 6 8 mm   25 mm 1/4" bit slotted 4.5 5.5 6.5   25 mm 1/4" bit cross-head PH 1 2 2 3   25 mm 1/4" bit cross-head PZ 1 2 2 3   25 mm 1/4" bit TX T10 T15 T20 T25 T30 T40   25 mm 1/4" bit TX with drill hole T10 T15 T20 T25   25 mm	37	1,335	38,90

### R49005023

Bit-ratchet-Set 1/4"  
with adaptor compact  
23 pieces



- > For hand-operated screw work
- > Rugged plastic box with belt clip

Code	No.	Contents	Pieces	kg	€ excl. VAT
3300026	R49005023	Bit ratchet 1/4" reversible, with drive adapter Socket wrench insert hexagon SW 6 7 8 10 11 12 13 mm 1/4" bits hexagon socket 4 5 6 mm 1/4" bits slot 5,5 mm 1/4" bits cross recess PH 1 2 1/4" bits cross recess PZ 1 2 1/4" bits TX T15 T20 T25 T27 T30 Adapter 1/4" 4kt x 1/4" 6kt bit holder 1/4" 6kt x 1/4" 6kt, with magnet   67 mm	23	0,38	28,90

### R59003026

Socket set 3/8"  
26 pieces




- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
3300053	R59003026	3/8" 2K lever reversible ratchet fine-toothed, 72 teeth   180 mm 3/8" socket wrench insert hexagon SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" spark plug insert SW 16 21 mm   65 mm 3/8" socket wrench extension 75 150 mm 3/8" cross handle with sliding piece 200 mm 3/8" Cardan joint 48 mm Reducer 3/8" - 1/4"   27 mm	26	2,44	50,90

### R59003059

Socket set 3/8"  
59 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces		€ excl. VAT
3300054	R59003059	3/8" 2K lever reversible ratchet, fine-toothed, 72 teeth   180 mm 3/8" socket hexagon bi-hex 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" socket hexagon hex long 8 9 10 11 12 13 14 15 17 19   L.63mm 3/8" spark plug socket 16 21 mm   65 mm 3/4" screwdriver bit socket in-hex 3 4 5 6 7 8 10   48 mm 3/4" screwdriver bit socket slotted 5.5 7 8   48 mm 3/8" screwdriver bit socket cross-head PH 1 2   48 mm 3/8" screwdriver bit socket cross-head PZ 1 2   48 mm 3/8" screwdriver bit socket TX T25 T27 T30 T40 T45 T50 T55   48 mm 3/8" socket extension 75 250 mm 3/8" universal joint   49 mm Reducer 3/8" - 1/4"   27 mm Socket extension piece/slider 3/8" x 1/2"   44 mm	59	4,8	69,90

### R58003002

Screwdriver bit sockets 3/8"  
10 pieces



- > Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- > Long blades
- > Sturdy plastic case

Code	No.	Contents	Pieces		€ excl. VAT
3301576	R58003002	TX T10 T15 T20 T25 T27 T30 T40 T45 T50 T55   200 mm	10	0,8	59,90

### R69004024

Socket set 1/2"  
24 pieces




- > For hand-operated screw work
- > Red sheet-steel case with foam insert

Code	No.	Contents	Pieces		€ excl. VAT
3300006	R69004024	1/2" 2K lever reversible ratchet fine-toothed, 72 teeth   250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" socket wrench extension 75 125 250 mm 1/2" universal joint   66 mm 1/2" cross handle with sliding piece 250 mm Bit adaptor 1/2" square x 5/16" hexagon   38 mm	24	5,344	89,90

### R46004049

Socket set 1/2" + 1/4"  
49 pieces



- > For hand-operated screw work
- > Red sheet-steel case with foam insert

Code	No.	Contents	Pieces		€ excl. VAT
3300010	R46004049	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth   150 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13   25 mm 1/4" screwdriver bit socket hexagon socket 4 5 6 8   37 mm 1/4" screwdriver bit slot 5.5   37 mm 1/4" screwdriver bit insert cross recess PH 2   37 mm 1/4" screwdriver bit insert cross recess PZ 2   37 mm 1/4" screwdriver bit socket TX with bore hole T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" socket wrench extension 50 100 mm 1/4" universal joint   32 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth   250 mm 1/2" hexagon socket wrench insert SW 10 11 12 13 14 15 16 17 18 19 21 22 24 1/2" socket wrench extension 75 125 250 mm 1/2" universal joint   66 mm Bit adaptor 1/2" square x 5/16" hexagon   38 mm	49	5,142	116,90

### R69003024

Socket set 1/2"  
24 pieces hexagon



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces		€ excl. VAT
3300055	R69003024	1/2" 2K lever reversible ratchet fine toothed, 72 teeth   250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" spark plug insert SW 16 21 mm   65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint   66 mm 1/2" cross handle with sliding piece 250 mm	24	4,43	59,90

Socket wrench sets

**R69013024**  
Socket set 1/2"  
24 pieces bi-hexagon



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300056</b>	R69013024	1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth   250 mm 1/2" socket bi-hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 1/2" socket extension 125 250 mm Socket extension piece/slider 3/8" x 1/2"   44 mm	24	4,75	59,90


**R46003092**  
Socket set 1/4" + 1/2"  
92 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300062</b>	R46003092	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle   165 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket wrench insert hexagon SW 4 5 6 7 8 9 10 11 12 13 mm   50 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece   115 mm 1/4" universal joint   32 mm bit holder 1/4" hexagonal x 1/4" hexagonal, with magnet   60 mm Bit adaptor 1/4" square x 1/4" hexagon   25 mm Drive adaptor 1/4" hexagon x square with ball lock   25 mm 1/4" bits inner hexagon 3 4 5 6 8 10   25 mm 1/4" bits slot 4 5 5 7   25 mm 1/4" bits cross recess PH 0 1 2 3 4   25 mm 1/4" bits cross recess PZ 1 2 3   25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40   25 mm 5/16" bits TX T45 T50 T55   30 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth   250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 17 19 22 24 27 30 32 mm 1/2" spark plug insert 21 mm (13/16")   65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint   65 mm Enlarging/sliding piece 3/8" x 1/2"   44 mm Bit adaptor 1/2" square x 5/16" hexagon   38 mm Double-jointed key SW 8x9 10x11 12x13 14x15 mm Combination wrench SW 8 10 12 13 14 17 mm Hexagon Key Wrenches, hexagon SW 1.5 2 2.5 mm	92	5,85	87,50

**R46003094**  
Socket set 1/4" + 1/2"  
94 pieces





- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300057</b>	R46003094	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14   25 mm 1/4" socket hexagon 6 7 8 9 10 11 12 13 mm   50 mm 1/4" screwdriver bit socket in-hex 4 4 5 6   37 mm 1/4" screwdriver bit socket slotted 4 5 5 6 5   37 mm 1/4" screwdriver bit socket cross-head PH 1 2   37 mm 1/4" screwdriver bit socket cross-head PZ 1 2   37 mm 1/4" screwdriver bit socket TX T8 T10 T15 T20 T25 T27 T30   37 mm 1/4" socket extension 50 100 mm 1/4" sliding T-bar with slider   115 mm 1/4" universal joint   32 mm 5/16" bits in-hex 8 10 12 14   30 mm 5/16" bits slotted 8 10 12   30 mm 5/16" bits cross-head PH 3 4   30 mm 5/16" bits cross-head PZ 3 4   30 mm 5/16" bits TX T40 T45 T50 T55   30 mm 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth   250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 28 30 32 1/2" socket hexagon 14 15 17 19   77 mm 1/2" spark plug socket 16 21 mm   65 mm 1/2" socket extension 125 250 mm 1/2" universal joint   66 mm Socket extension piece/slider 3/8" x 1/2"   44 mm Bit adapter 1/4" square x 5/16" hex   38 mm Hexagon Allen key set 1.5, 2 2.5 mm	94	6,77	72,90

**R46003100**Socket set 1/4" + 1/2"  
100 pieces

> Plastic case in  
GEDORE red Design

**R45603172**Socket set  
1/2"-3/8"-1/4"  
172 pieces

> For hand-operated  
screw work  
> Plastic case in  
GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300063</b>	R46003100	1/4" 2C lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket extension 50 100 mm 1/4" sliding T-bar with slider   115 mm 1/4" universal joint   32 mm Bit adapter 1/4" sq. x 1/4" hex   25 mm 1/4" bits in-hex 3 4 5 6 8 10   25 mm 1/4" bits slotted 4 5 5 7   25 mm 1/4" bits cross-head PH 1 2 3 4   25 mm 1/4" bits cross-head PZ 1 2 3   25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40   25 mm 1/2" 2C lever reversible ratchet, fine-toothed, 72 teeth   250 mm 1/2" socket hex 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 26 27 28 30 32 mm 1/2" socket extension 125 250 mm 1/2" universal joint   65 mm Socket extension piece/slider 3/8" x 1/2"   44 mm Combination spanners 8 9 10 11 12 13 14 15 16 17 18 19 mm Hexagon Allen key set 1.5 2 2.5 3 4 5 6 8 10 mm Adjustable spanner 10" 250 mm Screwdriver slotted 4 5 5 6.5 Screwdriver cross-head PH 1 2 3 Side cutter 180 mm Telephone pliers 200 mm Water pump pliers 10" 250 mm Hammer 500 g	100	10	164,90

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300058</b>	R45603172	1/4" 2K lever reversible ratchet, fine-toothed, 72 teeth   150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert, hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14   25 mm 1/4" socket wrench insert hexagon SW 4 5 6 7 8 9 10   50 mm 1/4" socket wrench insert TX E4 E5 E6 E7 E8   25 mm 1/4" screwdriver bit socket hexagon socket 3 4 5 6   37 mm 1/4" screwdriver bit socket slotted 4 5 5 6 5 7   37 mm 1/4" screwdriver bit socket cross-slotted PH 0 1 2   37 mm 1/4" screwdriver bit socket cross recess PZ 0 1 2   37 mm 1/4" screwdriver bit socket TX T8 T9 T10 T15 T20 T25 T27 T30   37 mm 1/4" screwdriver bit socket TX with bore T8 T9 T10 T15 T20 T25 T27 T30   37 mm 1/4" socket wrench extension 50 100 mm 1/4" T-handle with slider   115 mm 1/4" universal joint   32 mm bit adapter 1/4" square x 1/4" hex.   25 mm 1/4" bits TX T5 T6 T7   25 mm 1/4" bits TX with hole T7   25 mm 1/4" bits TX plus security T10 T15 T20 T25 T27 T30 T40 T45   25 mm 1/4" bits multi-tooth XZN M5 M6 M8   25 mm 1/4" bits keyway M5 M6 M7 M8 M9   25 mm 5/16" bits hexagon socket 7 8 10 12 14   30 mm 5/16" bits slotted 8 10 12   30 mm 5/16" bits cross recess PH 3 4   30 mm 5/16" bits cross recess PZ 3 4   30 mm 5/16" bits TX T40 T45 T50 T55 T60 T70   30 mm 5/16" bits TX with bore T40 T45 T50 T55 T60 T70   30 mm 3/8" 2K lever reversible ratchet, fine-toothed, 72 teeth   180 mm 3/8" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 3/8" socket wrench insert hexagon SW 10 11 12 13 14 15   63 mm 3/8" socket wrench insert TX E10 E11 E12 E14 E16 E18 3/8" spark plug insert SW 18 mm   65 mm 3/8" socket wrench extension 150 mm 3/8" universal joint   49 mm bit adapter 3/8" square x 5/16" hex   30 mm 1/2" 2K lever reversible ratchet, fine-toothed, 72 teeth   250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" socket wrench insert 6-kant SW 16 17 18 19 22   77 mm 1/2" socket wrench insert TX E20 E24 1/2" spark plug insert SW 16 21 mm   65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint   66 mm enlarging piece / sliding piece 3/8" x 1/2"   44 mm bit adapter 1/2" square x 5/16" hex   38 mm offset screwdriver set hexagon SW 1.5 2 2.5 3 4 5 6 mm	172	10,5	104,90

Socket wrench sets

**R68003016**  
Socket set 1/2" TX®  
16 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300009</b>	R68003016	Socket wrench insert TX E10 E11 E12 E14 E16 E18 E20 E22 E24 Screwdriver bit socket TX T30 T40 T45 T50 T55 T60 T70	16	1,69	63,00

**R68003020**  
Socket set 3/8" + 1/2"  
20 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300045</b>	R68003020	3/8" socket wrench insert TX E6 E7 E8 E10 3/8" screwdriver bit socket TX T10 T15 T20 T25 T27 1/2" socket wrench insert TX E12 E14 E16 E18 E20 1/2" screwdriver bit socket TX T30 T40 T45 T50 T55 Reducer 1/2" 4kt x 3/8" 4kt	20	2	62,90

**R61003114**  
Socket set 1/2"  
14 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300008</b>	R61003114	SW 10 12 13 14 15 17 19 21 22 23 24 27 30 32   77 mm	14	3,746	74,30

**R68003030**  
Set of screwdriver inserts 1/2" IN  
30 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301573</b>	R68003030	5 6 7 8 10 12 14 17 19   55 mm 5 6 7 8 10 11 12 13   100 mm 5 6 7 8 10 12 14   140 mm 5 6 7 8 10 12   200 mm	30	5,4	61,90



### R68003032

Set of screwdriver sockets 1/2" TX  
32 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301577</b>	R68003032	TX T20 T25 T27 T30 T40 T45 T50 T55 T60 T70   55 mm TX T20 T25 T27 T30 T40 T45 T50 T55 T60 T70   100 mm TX T40 T45 T50 T55 T60 T70   140 mm TX T40 T45 T50 T55 T60 T70   200 mm	32	5,4	65,90

### R68003026

Set of screwdriver inserts 1/2" XZN  
26 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301574</b>	R68003026	XZN M5 M6 M8 M9 M10 M12 M14 M16   55 mm XZN M5 M6 M8 M9 M10 M12 M14   100 mm XZN M5 M6 M8 M9 M10 M12 M14   140 mm XZN M8 M10 M12 M14   200 mm	26	5,4	64,90

### R68003075

Assembly tool set TX 1/4" + 1/2"  
75 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301575</b>	R68003075	1/4" socket TX E4 E5 E6 E7 E8 E10 E11   25 mm 1/4" screwdriver bit socket TX T7 T8 T9 T10 T15 T20 T25 T27 T30 T40   37 mm 1/4" bit adaptor square x hex   25 mm 1/4" bits TX with hole T7 T8 T9 T10 T15 T20 T25 T27 T30 T40   25 mm 1/2" socket TX E12 E14 E16 E18 E20 E22 E24 Bit adaptor 1/2" 4kt x 10 mm 6kt   38 mm 10mm bits TX T40 T45 T50 T55 T60   30 mm 10mm bits TX T15 T20 T25 T30 T40 T45 T50 T55 T60   75 mm Screwdriver TX T8x60 T10x80 T15x80 T20x100 T25x100 T27x125 T30x125 T40x150 mm Double-ended ring spanner TX E6xE8 E10xE12 E14xE18 E20xE24 Hexagon socket key TX T8 T10 T15 T20 T25 T27 T30 T40 T45 T50 T55 T60 Telescopic magnetic lifter with scriber 126 - 636 mm	75	3,5	99,00

### R78004014

Socket set 3/4"  
14 pieces



- > For hand-operated screw work
- > Plastic case in GEDORE red Design

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300011</b>	R78004014	3/4" reversible ratchet, coarse-cogged, 24 teeth   510 mm 3/4" socket hexagon 22 24 27 30 32 36 38 41 46 50 mm 3/4" socket extensions 200 - 400 mm 3/4" sliding T-bar with slider   460 mm	14	14,2	199,00

## Socket wrench sets

### R41008012

1/4" socket wrench inserts  
on socket strip  
12 pieces



> Sockets 1/4", hexagon, design according to  
DIN 3124, ISO 2725

> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300021</b>	R41008012	Socket wrench insert hexagon SW 4,5 5,5 6 7 8 9 10 11 12 13 mm   50 mm	12	0,537	28,02

### R48008013

Screwdriver bit sockets 1/4"  
on holding rail  
13 pieces



> Screwdriver bit socket 1/4", for hex screws,  
with pressed-in, phosphated pin  
> Screwdriver bit socket 1/4", slotted,  
with pressed-in, phosphated pin

> Screwdriver bit socket 1/4" PH with pressed-in,  
phosphated pin  
> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300022</b>	R48008013	Inside hexagon: SW 3 4 5 6 8 10   37 mm slot: 4 5 5 6 5   37 mm Phillips PH: 0 1 2 3   37 mm	13	0,3	23,95

### R58018012

Socket set  
12 pieces



> Sockets 3/8" and 1/2", TX  
> Hand-operated, knurled grip  
> Cross-handle with sliding block 3/8", type acc. to  
DIN 3122, ISO 3315, Matt chrome plated,  
For hand-operated sockets, Connecting square drive  
acc. to DIN 3120 - A 10, ISO 1174, with ball locking

> Enlarging adaptor/slide 3/8", for driving socket  
wrench and screwdriver sockets, square drive  
according to DIN 3120 - C 10, ISO 1174, with ball  
catch groove, connecting square according to  
DIN 3120 - A 12.5, ISO 1174, with ball lock

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300048</b>	R58018012	3/8" socket wrench inserts: TX E4 E5 E6 E8   28 mm 3/8" cross handle with sliding piece   150 mm 1/2" socket wrench inserts: TX E10 E12 E14 E16 E18 E20   38 mm Adapter Enlarger 3/8" x 1/2"   44 mm	12	0,76	30,47

### R61208007

Socket set 1/2" on holding rail  
7 pieces



> Sockets 1/2", TX

> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300028</b>	R61208007	TX E10 E11 E12 E14 E16 E18 E20	7	0,46	28,02

### R62558010

Screwdriver bit sockets 1/2" on holding rail  
10 pieces



> Screwdriver bit socket 1/2", hexagon socket,  
design according to DIN 7422

> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300023</b>	R62558010	5 6 7 8 9 10 11 12 14 17   55 mm	10	1,1	49,42

**R62558110**

Screwdriver bit sockets 1/2"  
In-hexagon on holding rail,  
10 pieces



> Screwdriver bit socket 1/2", hexagon socket,  
design according to DIN 7422

> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300027</b>	R62558110	5 6 7 8 9 10 12 14 17 19   55 mm	10	1,14	47,79

**R62458017**

Screwdriver bit sockets 1/2"  
7 pieces



> Sockets 1/2", TX

> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300029</b>	R62458107	TX T20 T25 T27 T30 T40 T45 T50   55 mm	7	0,56	30,37

**R68008009**

Sockets/Screwdriver bit sockets 1/2"  
9 pieces



> Socket wrench insert 1/2", hexagon,  
design according to DIN 3124, ISO 2725

> Screwdriver bit socket 1/2", hexagon socket,  
design according to DIN 7422  
> Hand-operated, knurled grip

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301872</b>	R68008009	Socket wrench insert SW 10 13 15 17 19 mm Screwdriver set SW 4 5 6 8 mm	9	0,61	43,66

**R69008012**

Socket set 1/2"  
on holding rail 12 pieces



> 2C reversible ratchet 1/2"  
> Socket extension 1/2", 75 mm

> Socket 1/2", hex

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300030</b>	R69008012	2C reversible ratchet 1/2"   250 mm Socket wrench extension 1/2"   75 mm Sockets 1/2" SW 10 11 12 13 14 15 16 17 18 19   38 mm	12	1,3	38,52

**R2085 / R2094**

Socket holder



R2085



R2094

> For use on R20852031 and R20852052  
tool holding rails

> 10 piece Value pack

Code	No.	↳ mm ↳	↳ inch ↳	kg	€ excl. VAT
<b>3300014</b>	R20852031	200	8	0,04	7,03
<b>3300015</b>	R20852052	305	12	0,06	7,74

Code	No.	■ "	■	W	H	kg	€ excl. VAT
<b>3300017</b>	R20940004	1/4"	6,3	26	18,5	0,02	5,96
<b>3300018</b>	R20940005	3/8"	10	26	20,5	0,02	5,86
<b>3300019</b>	R20940006	1/2"	12,5	26	23	0,05	5,66

# TORQUE WRENCHES

*PURE  
PRECISION*



## CONTROLLED BOLT TIGHTENING

- For controlled right and left hand tightening from 5 to 550 N·m
- Precision confirmed with test certificate according to DIN EN ISO 6789
- Tripping accuracy:  $\pm 3\%$  tolerance of the set scale value, higher than required by the standard

## RX890XXX

Torque wrench



3301214

- > Controlled screw tightening from 5 to 550 N-m
- > Torque triggering clearly to be heard and felt
- > Clockwise and anti-clockwise tightening from switching over the mushroom head/ push-through square
- > Adjustable torque wrench with square drive and integrated ratchet function

- > Tripping accuracy: +/-3 % tolerance of the set scale value



3301871

3301216

3301217

3301218

3301219

3301220

Code	No.	"	mm	N-m	نـم	mm	kg	€ excl. VAT
3301214	R48900025	1/4"	6,3	5-25	0,1	285	0,515	94,90
3301871	R58900050	3/8"	10	10-50	0,25	334,5	0,476	95,90
3301216	R68900100	1/2"	12,5	20-100	0,5	395	1,176	96,90
3301217	R68900200	1/2"	12,5	40-200	1	485	1,420	97,90
3301218	R68900300	1/2"	12,5	60-300	1	577,5	1,541	112,90
3301219	R78900400	3/4"	20	80-400	1	684	2,390	174,90
3301220	R78900550	3/4"	20	110-550	1	957,5	4,184	279,00

## RX899XXX

Mushroom head /  
connecting square



- > For use with tools with a square ratchet function
- > Coupler in acc. with DIN 3120
- > Chrome-vanadium steel

Code	No.	Designation	"	mm	kg	€ excl. VAT
3301221	R48990000	Connecting square 1/4 w.knob L.33mm	1/4"	6,3	0,021	9,50
3301222	R58990000	Connecting square 3/8 with button L.47mm	3/8"	10	0,022	9,50
3301223	R68990000	Connecting square 1/2 w.knob L.51mm	1/2"	12,5	0,060	9,50
3301224	R78991000	Coupler 3/4"	3/4"	20	0,133	9,50

# WWW.GEDORE.COM

# SCREWDRIVERS



*RAPID  
ROTATIONS*



## FOR SLOT, PH, PZ, TX AND IN-HEX

- High-quality blades guarantee long service life
- Low-wear drive tips against round turned screw heads
- Comfortable handles and practical additional functions

**R3810XXXX**  
 2C-Screwdriver  
 for slotted head screws


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	⊖	mm	mm	kg	€ excl. VAT
<b>3301225</b>	R38100315	3,0	75	145	0,03	2,26
<b>3301226</b>	R38100419	4,0	100	170	0,04	2,44
<b>3301228</b>	R38105519	5,5	100	200	0,08	3,56
<b>3301235</b>	R38100829	5,5	150	272	0,16	5,49
<b>3301233</b>	R38106529	6,5	150	260	0,11	4,68
<b>3301237</b>	R38101039	10,0	200	322	0,22	6,31

**R3820XXXX**  
 2C-Screwdriver  
 for cross slotted screws  
 PH


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	⊕ PH	mm	mm	kg	€ excl. VAT
<b>3301242</b>	R38200011	0	75	145	0,04	2,75
<b>3301245</b>	R38200119	1	100	200	0,07	3,15
<b>3301247</b>	R38200219	2	100	210	0,1	4,68
<b>3301250</b>	R38200329	3	150	272	0,1	5,49

**R3830XXXX**  
 2C-Screwdriver  
 PZ


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	PZ	mm	mm	kg	€ excl. VAT
<b>3301251</b>	R38300119	1	100	200	0,08	4,07
<b>3301252</b>	R38300219	2	100	210	0,1	4,99
<b>3301253</b>	R38300329	3	150	272	0,16	5,80

**R38002006**  
 Screwdriver set  
 6 pieces


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301270</b>	R38002006	Slotted screwdriver 3 5.5 6.5 mm Cross-slotted screwdriver PH 0 1 2	6	0,435	15,57

**R38002106**  
 Screwdriver set  
 6 pieces


- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301271</b>	R38002106	Slotted screwdriver 3 5.5 6.5 mm Cross-head screwdriver PH 0 1 2	6	0,435	15,57

**R38002012**Screwdriver set XXL  
12 pieces

- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301273</b>	R38002012	Slotted screwdriver 3 4 5.5 6.5 8 mm Phillips screwdriver PH 1 2 Phillips screwdriver PZ 1 2 VDE slotted screwdriver 2.5 mm VDE Phillips screwdriver PH 1 Phase tester 3 mm	12	0,927	34,49

**R3840XXXX**2C-Screwdriver  
for recessed TX  
head screws

- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	mm	mm	kg	€ excl. VAT
<b>3301262</b>	R38401115	T10	100	200	0,025 3,66
<b>3301263</b>	R38401215	T15	100	200	0,039 4,17
<b>3301264</b>	R38401319	T20	100	200	0,044 4,48
<b>3301265</b>	R38401419	T25	100	210	0,062 4,58
<b>3301266</b>	R38401522	T27	100	210	0,08 4,88
<b>3301267</b>	R38401622	T30	100	210	0,101 5,19
<b>3301268</b>	R38401825	T40	100	210	0,125 5,80

**R38402006**Screwdriver set TX  
6 pieces

- > Blade of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handle forms a firm unit with the blade
- > 5-edge handle head stops it rolling off when put down

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301272</b>	R38402006	TX screwdriver T10 T15 T20 T25 T30 T40	6	0,55	17,60

**R38005906**2C-Electronic  
Screwdriver set  
6 pieces

- > 2C-handles, ergonomically formed, with quick-turning end caps
- > Screwdriver blades of chrome-molybdenum steel, chrome-plated


Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301351</b>	R38005906	Slotted screwdrivers 1.5x60 2.0x60 2.5x60 3.0x60 mm Cross-head screwdriver PH 00x60 0x60	6	0,37	15,87



**R38120419**  
Voltage tester  
220-250V sl. 4mm




- > Integrated glow lamp and series resistor for networks from 220 to a max. 250 volt
- > Impact-resistant, transparent plastic
- > Clip for fastening

Code	No.	Measuring range	mm $\frac{+}{-}$				€ excl. VAT
<b>3301421</b>	R38120419	220-250	4,0	190	190	0,036	5,09

**R38120312**  
Voltage tester





- > Integrated glow lamp and series resistor for networks from 105 to a max. 250 volt
- > Impact-resistant, transparent plastic
- > Metal clip for fastening

Code	No.	Measuring range	mm $\frac{+}{-}$				€ excl. VAT
<b>3301420</b>	R38120312	105 - 250	3,0	70	144	0,03	2,65

**R38121312**  
Voltage tester  
max 250 V






- > Integrated glow lamp and series resistor for networks to a max. 250 volt
- > Anti-slip handle surface
- > Metal clip for fastening

Code	No.	mm $\frac{+}{-}$			€ excl. VAT
<b>3301419</b>	R38121312	3,0	135	0,028	2,85

**R38910000**  
Ratchet screwdriver  
1/4"  
with telescopic blade



- > Telescopic blade infinitely adjustable
- > Quick-grip system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Reversible clockwise/anticlockwise ratchet function
- > Ratchet lock in central position



Code	No.	$\frac{+}{-}$ "	$\frac{+}{-}$				€ excl. VAT
<b>3301341</b>	R38910000	1/4"	6,3	0 - 100	183-287	0,223	17,30

**R38920000**  
Extendable shank screwdriver 13in1



- > 13 Screwdriver profiles in magazine
- > Screwdriver handle with integrated ratchet function, reversible
- > Hex recess drive as per DIN 3126 - D 6.3 (1/4"), for bits

- > Lockable telescopic blade, continuously adjustable
- > Reversible clockwise/anticlockwise ratchet function

Code	No.	$\frac{+}{-}$ "	$\frac{+}{-}$	Contents			€ excl. VAT
<b>3301337</b>	R38920000	1/4"	6,3	Magazine screwdriver with 1/4" bits Slot 4 4,5 5,5 mm Cross recess PH 1 2 3 Cross recess PZ 1 2 TX T10 T15 T20 T25 Inside hexagon 4 mm	128	0,28	14,14

## Screwdriver /Bits

### R3867XXXX

Screwdriver hexagon socket in-hex




- > Two-way profile
- > 2-component-handles for a hands-friendly transfer of force

Code	No.	mm	Blade length 1	Blade length 2	kg	€ excl. VAT
<b>3301274</b>	R38672509	2,5	100	52	0,05	3,76
<b>3301275</b>	R38670309	3	100	52	0,044	4,68
<b>3301276</b>	R38670409	4	150	52	0,063	5,19
<b>3301277</b>	R38670512	5	150	65	0,08	5,85
<b>3301278</b>	R38670612	6	150	65	0,108	6,26
<b>3301279</b>	R38670814	8	200	75	0,217	6,82
<b>3301280</b>	R38671015	10	200	80	0,28	7,73

### R38672006

2C-T-Screwdriver set  
In-hex, 6 pieces



- > Two-way profile
- > 2-component-handle for a hands-friendly transfer of force

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301281</b>	R38672006	SW 2,5 3 4 5 6 8 mm	6	0,731	24,32

### R3660XXXX

Offset screwdriver  
in-hex, short



Code	No.	mm	Blade length 1	Blade length 2	kg	€ excl. VAT
<b>3301282</b>	R36601508	1,5	50	16	0,002	0,86
<b>3301283</b>	R36600209	2	56	18	0,002	1,07
<b>3301284</b>	R36602511	2,5	63	20	0,003	1,07
<b>3301285</b>	R36600311	3	70	25	0,004	1,27
<b>3301286</b>	R36600413	4	80	28	0,01	1,32
<b>3301287</b>	R36600515	5	90	32	0,018	1,48
<b>3301288</b>	R36600617	6	95	34	0,03	1,58
<b>3301290</b>	R36600819	8	100	36	0,058	1,58
<b>3301291</b>	R36601020	10	112	40	0,102	1,88

### R36605009

Hexagon allen key set  
in-hex, 9 pieces



- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301331</b>	R36605009	Hexagon allen key 1,5 2 2,5 3 4 5 6 8 10	9	0,25	10,07

### R36675009

Hexagon allen key set  
in-hex, long, 9 pieces



- > With ball end
- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301335</b>	R36675009	Size 1.5 2 2.5 3 4 5 6 8 10	9	0,404	13,13

**R36405009**Hexagon allen key set  
9 pieces

- > Short version
- > In the holder

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301354</b>	R36405009	Hexagon allen key TX T10 T15 T20 T25 T27 T30 T40 T45 T50	9	0,24	19,84

**R3850XXX**2C-Socket wrench set  
for in-hex screws

- > 2-component-handle  
for a hands-friendly  
transfer of force
- > With hanging hole

Code	No.	mm	mm	mm	Ø 1		€ excl. VAT
<b>3301368</b>	R38500417	4	190	90	6,8	0,065	6,36
<b>3301369</b>	R38500517	5	190	90	7,8	0,065	6,72
<b>3301370</b>	R38500617	6	190	90	9,8	0,07	7,02
<b>3301371</b>	R38500719	7	210	100	10,3	0,09	7,22
<b>3301372</b>	R38500819	8	210	100	11,8	0,095	7,63
<b>3301373</b>	R38500919	9	210	100	12,8	0,1	7,83
<b>3301374</b>	R38501023	10	240	120	13,8	0,1	7,94
<b>3301375</b>	R38501123	11	240	120	15,8	0,145	8,14
<b>3301376</b>	R38501223	12	240	120	16,8	0,15	9,16
<b>3301377</b>	R38501323	13	240	120	17,8	0,155	10,12

**R38950000**

Bit screwdriver 1/4"



- > Hex recess drive as  
per DIN 3126 -  
D 6.3 (1/4"), for bits
- > Bit holder with  
powerful magnet

Code	No.	"	mm	mm	mm		€ excl. VAT
<b>3301343</b>	R38950000	1/4"	6,3	100	210	0,11	6,43

**R38990000**

(De)magnetiser



- > Magnetises tools  
and grippers
- > Demagnetises all tools  
which are used on  
electronic devices

Code	No.	L	H	W		€ excl. VAT
<b>3301340</b>	R38990000	29	50	52	0,082	10,07

# WWW.GEDORE.COM

**R38004006**Screw remover set  
6 pieces

- > Hammer-actuating screw remover for extracting stiff screws!
- > Clockwise/anticlockwise rotating direction, reversible
- > 1/2" square drive in acc. with DIN 3120 - A 12.5, ISO 1174, with ball locking device for sockets

- > 1/2" adaptor, snap-on with hex recess drive in acc. with DIN 3126 - D 8 (5/16") with retention spring for bits
- > In robust sheet metal case

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301399</b>	R38004006	Bit adapter 1/2" square to 5/16" hexagon socket 5/16" slot bit 6.8 mm 5/16" cross recess PH 2.3	6	1,022	27,41

**R33005007**Bit box 1/4"  
7 pieces

- > Bit box with the usual bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

- > In the holder

Code	No.	Contents	Pieces	€ excl. VAT
<b>3301345</b>	R33005007	1/4" slot 4.5 6 mm 1/4" cross recess PH 1.2 3 Bit holder 1/4" hex x 1/4" hex, with magnet	7	7,03

**R33005009**Bit box 1/4"  
9 pieces

- > Bit box with the usual bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

- > In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301346</b>	R33005009	1/4" internal hexagon SW 3.4 5 mm 1/4" slot 4.5 6 mm 1/4" PH 1.2 Bit holder 1/4" hex x 1/4" hex, with magnet	9	0,086	8,05

**R33005014**Bit box 1/4"  
14 pieces

- > Bit box with the usual bit sizes and drive adaptor with bit locking
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

&gt; In the holder

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301347</b>	R33005014	1/4" hexagon SW 3 4 5 mm 1/4" slot 4 5 6 mm 1/4" cross recess PH 1 2 3 1/4" TX T10 T15 T20 T25 Bit holder 1/4" hex x 1/4" hex, with magnet	14	0,11	10,09

**R33005031**Bit box 1/4"  
32 pieces

- > Bits: Hardness: 60 HRC +/- 2, torque: 18.4 N-m
- > Drive adaptor with magnetic bit locking
- > Hexagon drive according to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated

&gt; Box with clear cover

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301338</b>	R33005031	1/4" hexagon sizes 3 4 5 1/4" slotted 0.6x4.5 1.0x5.5 1.2x6.5 2x 1/4" cross-head PH 1 2 3 2x 1/4" cross-head PZ 1 2 3 2xTX T10 T15 T20 T25 T30 T40 Quick change adaptor for 1/4" bits C 6.3 with magnet Bit adaptor 1/4" hex x 1/4" square	32	0,25	15,18

**R35003040**Bit set 10 mm SK / XZN / TX  
40 pieces

- > Reinforced bits, 10 mm
- > Hand-operated
- > Hexagon drive acc. to DIN 3126 ISO 1173 - C 10
- > In rugged plastic case

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301572</b>	R35003040	inner hexagonal bit SW 4 5 6 8 10 12   30 mm inner hexagonal bit SW 4 5 6 8 10 12   75 mm TX Bit T20 T25 T30 T40 T45 T50 T55   30 mm TX Bit T20 T25 T30 T40 T45 T50 T55   75 mm XZN bit M5 M6 M8 M10 M12   30 mm XZN bit M5 M6 M8 M10 M12   75 mm Bit adapter inner square drive 1/2" to inner hexagonal drive 10mm Bitadapter inner square drive 3/8" to inner hexagonal drive 10mm	40	1,75	50,85


# PLIERS

## ERGONOMIC POWER PACKS



### GRIPPING, HOLDING, CUTTING AND PRESSING

- Optimised gripping surfaces combined with high cutting performance ensure the best possible work results
- Virtually loss-free power transmission from the handle via the joint to the workpiece
- Easy adjustment and operation - even in the case of large pipe and water pump pliers

**R2830XXXX**  
 Combination pliers


- > Acc. to DIN ISO 5746
- > With gripping zones for flat and round stock
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	↳ mm	Hard wire Ø mm	kg	€ excl. VAT
<b>3301124</b>	R28302180	180	1,6	0,24	11,86
<b>3301125</b>	R28302200	200	1,8	0,305	14,90

**R2842XXXX**  
 Power side cutter


- > Acc. to DIN ISO 5749
- > High cutting performance with low force
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	↳ mm	Piano wire Ø mm	kg	€ excl. VAT
<b>3301127</b>	R28422180	180	1,8	0,23	15,58
<b>3301128</b>	R28422200	200	2,0	0,32	17,39

**R28402160**  
 Side cutters


- > Acc. to DIN ISO 5749
- > Slim head
- > Induction-hardened long cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	↳ mm	Hard wire Ø mm	kg	€ excl. VAT
<b>3301130</b>	R28402160	160	1,6	0,191	12,66

**R2850XXXX**  
 Bent nose telephone pliers straight


- > Acc. to DIN ISO 5745
- > Straight grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	↳ mm	Hard wire Ø mm	kg	€ excl. VAT
<b>3301131</b>	R28502160	160	1,6	0,15	11,26
<b>3301133</b>	R28502200	200	1,8	0,2	13,97

Pliers

**R2851XXXX**  
Bent nose  
telephone pliers  
offset



- > Acc. to DIN ISO 5745
- > 45° angled grip surfaces, lengthways-serrated
- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	l mm	Hard wire Ø mm	kg	€ excl. VAT
<b>3301134</b>	R28512160	160	1,6	0,166	12,86
<b>3301136</b>	R28512200	200	1,8	0,22	15,38

**R28202176**  
Wire stripper



- > Opening limitation by adjusting screw and spring
- > 2-component-handle for a hands-friendly transfer of force
- > Special tool steel, forged

Code	No.	l mm	mm <sup>2</sup>	kg	€ excl. VAT
<b>3301844</b>	R28202176	175	10	0,19	16,38

**R28002003**  
Pliers set  
3 pieces



- > Induction-hardened cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > Chrome-vanadium steel

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301155</b>	R28002003	Combination pliers 180 mm Side cutter 160 mm Telephone pliers, straight 200 mm	3	0,711	31,90

**R28904201**  
Nippers



- > Acc. to DIN ISO 9243
- > head polished
- > Pliers for heavy-duty use
- > Induction-hardened cutting edges
- > Dip-coated handle covers
- > Special tool steel, forged

Code	No.	l mm	Medium-hard wire Ø mm	kg	€ excl. VAT
<b>3301874</b>	R28904201	200	2,0	0,375	10,85

**R2892XXXX**  
Tower pincer



- > Acc. to DIN ISO 9242
- > head polished
- > Pliers for heavy-duty use
- > Induction-hardened cutting edges
- > Dip-coated handle covers
- > Special tool steel, forged

Code	No.	l mm	Medium-hard wire Ø mm	kg	€ excl. VAT
<b>3301842</b>	R28924110	250	2,4	0,395	10,75
<b>3301843</b>	R28924112	300	3,1	0,55	13,87



### R2880XXXX

Bolt cutters



- > Induction-hardened, phosphated precision cutting edges
- > Angled tubular steel leg for ease of use
- > Ergonomically formed 1-component handles
- > Chrome-molybdenum steel

Code	No.	● mm	↳ mm ↲	⚖ kg	€ excl. VAT
<b>3301150</b>	R28801018	8,0	450	1,4	33,06
<b>3301151</b>	R28801024	9,0	600	2,5	40,10
<b>3301152</b>	R28801030	11,0	750	3,9	56,18
<b>3301153</b>	R28801036	13,0	900	5,9	70,25

### R2760XXXX

Circlip pliers for external retaining rings



- > Acc. to DIN 5254 Form A
- > Straight precision tips
- > With opening spring
- > DIN 471 for retaining rings
- > DIN 983 for shaft diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

Code	No.	Size	Tip-Ø	Ring-Ø	⚖ kg	€ excl. VAT
<b>3301137</b>	R27604025	A1	1,3	10	0,098	11,01
<b>3301138</b>	R27604060	A2	1,8	19	0,18	12,02
<b>3301139</b>	R27604100	A3	2,3	40	0,234	13,04

### R2765XXXX

Circlip pliers for external retaining rings



- > Acc. to DIN 5254 Form B
- > 90° angled precision tips
- > With opening spring
- > DIN 471 for retaining rings
- > DIN 983 for shaft diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

Code	No.	Size	Tip-Ø	Ring-Ø	⚖ kg	€ excl. VAT
<b>3301140</b>	R27654025	A21	1,3	10	0,097	12,43
<b>3301141</b>	R27654060	A11	1,8	19	0,16	13,04
<b>3301142</b>	R27654100	A31	2,3	40	0,23	13,45

### R2770XXXX

Circlip pliers for internal retaining rings



- > Acc. to DIN 5256 Form C
- > Straight precision tips
- > DIN 472 for retaining rings
- > DIN 984 for drill hole diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

Code	No.	Size	Tip-Ø	Ring-Ø	⚖ kg	€ excl. VAT
<b>3301143</b>	R27704025	J1	1,3	12	0,081	10,09
<b>3301144</b>	R27704060	J2	1,8	19	0,15	11,01
<b>3301145</b>	R27704100	J3	2,3	40	0,208	12,02

### R2775XXXX

Circlip pliers for internal retaining rings



- > Acc. to DIN 5256 Form D
- > 90° angled precision tips
- > DIN 472 for retaining rings
- > DIN 984 for drill hole diameter
- > Dip-coated handle covers
- > Chrome-vanadium steel

Code	No.	Size	Tip-Ø	Ring-Ø	⚖ kg	€ excl. VAT
<b>3301146</b>	R27754025	J11	1,3	12	0,082	11,11
<b>3301147</b>	R27754060	J21	1,8	19	0,15	12,74
<b>3301148</b>	R27754100	J31	2,3	40	0,208	13,15

Pliers

**R28002004**

Pliers set  
4 pieces



- > Circlip pliers for external retaining rings, straight and angled, Size 2
- > Circlip pliers for internal retaining rings, straight and angled, Size 2
- > Dip-coated handle covers
- > Chrome-vanadium steel

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301156</b>	R28002004	External fuse tongs straight A2 External fuse tongs angled A21 Internal fuse clamp straight J2 Internal fuse tongs angled J21	4	0,68	37,60

**R2710XXXX**

Pipe wrench  
swedish model



- > Acc. to DIN 5234
- > Heavy-duty pattern
- > Mouth position 90° angled
- > Teeth offset against direction of rotation

- > Jaws polished
- > Captive adjusting nut
- > Chrome-vanadium steel

Code	No.	inch	mm	mm		€ excl. VAT
<b>3301157</b>	R27100010	1	40	320	0,78	16,20
<b>3301158</b>	R27100015	1.1/2	55	420	1,356	22,32
<b>3301159</b>	R27100020	2	67	555	2,55	30,47
<b>3301160</b>	R27100030	3	103	635	3,1	53,91

**R2714XXXX**

Pipe wrench  
S-jaw



- > Acc. to DIN 5234
- > Heavy-duty pattern
- > Mouth position 45° angled
- > Teeth offset against direction of rotation

- > Jaws polished
- > Captive adjusting nut
- > Chrome-vanadium steel

Code	No.	inch	mm	mm		€ excl. VAT
<b>3301167</b>	R27140010	1	44	325	0,8	14,98
<b>3301168</b>	R27140015	1.1/2	55	420	1,46	22,11
<b>3301169</b>	R27140020	2	67	535	2,5	31,18
<b>3301170</b>	R27140030	3	103	640	4,22	54,31

**R28154010**

Water-pump-pliers  
with automatic one-hand adjustment



- > Acc. to DIN 8976
- > Automatic setting mechanism for one-handed operation
- > Safety-box joint, substantial stability from a double guide
- > Slim design allows good access to the workpiece
- > Lengthways-serrated grip surfaces

- > head polished
- > Dip-coated handle covers
- > Chrome-vanadium steel

Code	No.	L	mm		€ excl. VAT
<b>3301172</b>	R28154010	250	35	0,374	17,22

**R2810XXXX**

Water pump pliers  
7 settings



- > Acc. to DIN 8976 Form C
- > Lengthways-serrated grip surfaces
- > With box joint
- > 7 settings
- > head and knuckle brightly ground

- > Chrome-vanadium steel
- > Red powder-coated

Code	No.	L	mm		€ excl. VAT
<b>3301174</b>	R28100007	175	25	0,16	7,64
<b>3301175</b>	R28100010	250	33	0,3	9,17
<b>3301176</b>	R28100012	300	42	0,406	13,25

**R2716XXXX**Pipe wrench  
American pattern

- > Stillson type
- > Hardened knurled nut fixes span width
- > With hanging hole

&gt; Forged steel

Code	No.	mm	inch	mm	inch	kg	€ excl. VAT
<b>3301203</b>	R27160007	200	8	38	1.1/2	0,4	14,16
<b>3301204</b>	R27160009	250	10	43	1.7/8	0,8	17,22
<b>3301205</b>	R27160011	300	12	53	2.1/8	1	23,34
<b>3301206</b>	R27160012	350	14	58	2.3/8	1,4	25,37
<b>3301207</b>	R27160016	450	18	76	3	2,1	40,66
<b>3301208</b>	R27160021	600	24	89	3.1/2	3,5	50,85
<b>3301209</b>	R27160030	900	36	140	5.1/2	7,9	71,23

**R27220065**

Long nose locking pliers



- > For clamping and gripping profiled, round and flat-section material
- > Long jaws for difficult-to-reach and tight spots
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

Code	No.	mm	inch	mm	kg	€ excl. VAT
<b>3301181</b>	R27220065	175	6,5	50	0,175	10,09

**R2720XXXX**

Locking pliers



- > For clamping and gripping profiled, round and flat-section material
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

Code	No.	mm	inch	mm	kg	€ excl. VAT
<b>3301177</b>	R27200007	185	7	35	0,375	8,66
<b>3301178</b>	R27200010	225	10	40	0,545	9,10
<b>3301179</b>	R27200012	295	12	60	0,91	12,13

**R27202003**Curved jaw locking pliers set  
3 pieces

- > For clamping and gripping profiled, round and flat-section material
- > Lengthways-serrated grip surfaces
- > With adjusting screw and release lever
- > One-handed operation
- > Chrome-plated surface
- > Chrome-vanadium steel

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301180</b>	R27202003	7" 10" 12"	3	1,95	27,00

# STRIKING TOOLS

*TOUGH  
FELLOWS*




## CONCENTRATED USE OF POWER

- Forged, robust hammer heads with induction-hardened striking surfaces are indestructible
- Secure connections between head and handle for long service life and improved safety at work
- Chisels, centre punches and drivers with tempered striking ends are particularly robust

**R9210XXXX**  
 Engineers' hammer


- › Drop-forged hammer head, black paint-finished, of heat-treated steel
- › Striking surfaces inductively case-hardened for tough long-term work
- › 360° clamping force of the tapered collar fixes the hammer head

Code	No.	g	↳ mm	kg	€ excl. VAT
<b>3300710</b>	R92100004	100	260	0,17	6,30
<b>3300711</b>	R92100008	200	280	0,264	6,55
<b>3300712</b>	R92100012	300	300	0,432	7,25
<b>3300713</b>	R92100016	400	300	0,565	7,25
<b>3300714</b>	R92100020	500	320	0,622	9,35
<b>3300715</b>	R92100032	800	350	0,95	10,35
<b>3300716</b>	R92100040	1000	360	1,164	12,50
<b>3300717</b>	R92100055	1500	380	1,72	16,60
<b>3300718</b>	R92100065	2000	400	2,2	18,75

**R9212XXXX**  
 Engineers' hammer with fibreglass


- › Drop-forged hammer head, black paint-finished, of heat-treated steel
- › Striking surfaces inductively case-hardened for tough long-term work
- › Nearly unbreakable fibreglass handle

Code	No.	g	↳ mm	kg	€ excl. VAT
<b>3300720</b>	R92120012	300	300	0,48	8,75
<b>3300722</b>	R92120020	500	320	0,73	11,20
<b>3300723</b>	R92120032	800	350	1,1	13,25

**R9220XXXX**  
 Club hammer


- › Drop-forged hammer head, black paint-finished, of heat-treated steel
- › Striking surface inductively case-hardened for tough long-term work
- › 360° clamping force of the tapered collar fixes the hammer head

Code	No.	g	↳ mm	kg	€ excl. VAT
<b>3300725</b>	R92200040	1000	260	1,164	13,25
<b>3300726</b>	R92200050	1250	260	1,35	14,30
<b>3300727</b>	R92200055	1500	280	1,69	16,30
<b>3300728</b>	R92200065	2000	300	2,11	19,35
<b>3300729</b>	R92200083	5000	810	5,5	26,50

**R92300083**  
 Sledge hammer


- › Forged hammer head, in black, of tempered steel
- › Striking surfaces inductively case-hardened for tough long-term work
- › 360° clamping force of the tapered collar fixes the hammer head

Code	No.	g	↳ mm	kg	€ excl. VAT
<b>3300737</b>	R92300083	5000	800	5,894	35,60

**R9250XXXX**  
 Rubber-mallet


- › Hammer head of hard rubber
- › One crowned face and one striking face
- › Straight ash handle

Code	No.	∅ mm	↳ mm	kg	€ excl. VAT
<b>3300740</b>	R92500163	63	330	0,058	12,43
<b>3300741</b>	R92500179	79	360	0,092	15,59

**R9250XXXX**  
 Rubber mallet, hard


- › Hammer head of hard rubber
- › One crowned face and one striking face
- › Straight ash handle

Code	No.	∅ mm	↳ mm	kg	€ excl. VAT
<b>3300738</b>	R92500048	48	315	0,37	6,16
<b>3300739</b>	R92500058	58	315	0,52	7,23

## Striking Tools

### R92600030

Nylon hammer



- > Exchangeable heads made from impact-resistant nylon
- > Straight ash handle

Code	No.	∅ mm	↳ mm	kg	€ excl. VAT
<b>3300744</b>	R92600030	30	280	0,3	11,41

### R92950030

Nylon spare head



- > Made of impact resistant nylon
- > Suitable for No. R92600030

Code	No.	∅ mm	kg	€ excl. VAT
<b>3300746</b>	R92950030	30	0,036	3,97

### R9216XXXX

Engineer's ball pein hammer



- > Drop-forged hammer head of heat-treated steel
- > Carefully ground track and ball
- > Double-curved hickory handle
- > 360° clamping force of the tapered collar fixes the hammer head

Code	No.	g	↳ mm	kg	€ excl. VAT
<b>3300766</b>	R92160002	113	255	0,176	7,64
<b>3300767</b>	R92160003	227	290	0,34	7,64
<b>3300768</b>	R92160004	340	310	0,47	8,66
<b>3300769</b>	R92160005	453	330	0,64	9,68
<b>3300770</b>	R92160008	680	350	0,92	11,11
<b>3300771</b>	R92160010	907	390	1,06	13,15

### R9243XXXX

Claw hammer, American pattern



- > Forged type from special steel
- > Pein with nail extractor
- > track and tiller brightly ground
- > Rounded edges

Code	No.	∅ mm	g	oz	lbs	↳ mm	kg	€ excl. VAT
<b>3300782</b>	R92420023	27	570	20	1.1/4 lbs	340	0,84	13,45
<b>3300783</b>	R92430023	27	570	20	1.1/4 lbs	320	0,82	12,74

### R92402024

Carpenter's hammer



- > Forged type, black paint-finished, from special steel
- > Rounded edges
- > Track with magnetic nail groove
- > Tubular steel handle with plastic grip
- > With head protection

Code	No.	g	oz	lbs	↳ mm	kg	€ excl. VAT
<b>3300784</b>	R92402024	600	21	1.1/4 lbs	330	0,81	11,72

### R91990000

Universal protective hand guard



- > Made of impact-resistant plastic
- > Avoids injuries of the hand
- > No rolling away (rectangular shape)
- > Oil-proof

Code	No.	for oval chisels	for 8-sided chisel	kg	€ excl. VAT
<b>3300827</b>	R91990000	20x12 - 26x13mm	16-20 mm	0,14	2,96

**R9114XXXX**  
 Flat cold chisel  
 flat oval


- > Chrome-vanadium steel
- > Cutting edge and head ground

Code	No.	mm	Shaft thickness	l mm		€ excl. VAT
<b>3300785</b>	R91140016	15,0	9	125	0,1	6,01
<b>3300786</b>	R91140021	18,0	11	150	0,18	5,91
<b>3300787</b>	R91140026	21,0	12	175	0,28	7,23
<b>3300788</b>	R91140031	24,0	13	200	0,4	8,25
<b>3300789</b>	R91140041	25,0	13	250	0,5	8,36
<b>3300790</b>	R91140051	26,0	13	300	0,6	9,37

**R9125XXXX**  
 Bricklayer's chisel  
 octagonal


- > Striking ends tempered
- > Chrome-vanadium steel

Code	No.	mm	8-edge	l mm		€ excl. VAT
<b>3300791</b>	R91250041	23,0	16	250	0,4	8,25
<b>3300792</b>	R91250051	23,0	16	300	0,47	9,37
<b>3300793</b>	R91250056	26,0	18	350	0,7	10,34
<b>3300794</b>	R91250061	26,0	18	400	0,791	11,41

**R9129XXXX**  
 Bricklayer's chisel  
 flat oval


- > Striking ends tempered
- > Chrome-vanadium steel

Code	No.	mm	8-edge	l mm		€ excl. VAT
<b>3300795</b>	R91290041	26,0	12	250	0,4	7,23
<b>3300796</b>	R91290051	29,0	13	300	0,6	9,68
<b>3300797</b>	R91290056	29,0	13	350	0,702	11,41

**R9149XXXX**  
 Cross cut chisel  
 flat oval


- > Striking end tempered
- > Chrome-vanadium steel

Code	No.	mm	Shaft thickness	l mm		€ excl. VAT
<b>3300799</b>	R91490016	5,0	9	125	0,1	6,62
<b>3300800</b>	R91490021	6,0	11	150	0,163	7,95

**R91370039**  
 Splitting chisel  
 flat


- > Cutting edge and head ground
- > Striking ends tempered
- > Chrome-vanadium steel

Code	No.	mm	Shaft thickness	l mm		€ excl. VAT
<b>3300802</b>	R91370039	27,0	7	240	0,26	8,15

**R9140XXXX**  
 Point chisel  
 octagonal

- > Striking end tempered
- > Made from chrome-vanadium steel



Code	No.	8-edge	l mm		€ excl. VAT
<b>3300803</b>	R91400041	16	250	0,37	8,05
<b>3300804</b>	R91400051	16	300	0,4	9,07
<b>3300805</b>	R91400056	18	350	0,665	10,09
<b>3300806</b>	R91400061	18	400	0,771	10,70

## Striking Tools

**R91310041**  
Electricians' chisel  
square



- > For mortising slots, working on masonry, cutting wood and plasterboard
- > Striking end tempered
- > Made from chrome-vanadium steel

Code	No.	mm	Shaft diameter	l mm		€ excl. VAT
<b>3300807</b>	R91310041	6	8	250	0,064	5,09

**R9020XXXX**  
Pin punch  
octagonal



- > Snake end left on
- > Made from chrome-vanadium steel

Code	No.	Ø	8-edge	l mm		€ excl. VAT
<b>3300808</b>	R90200221	2	10	150	0,065	2,85
<b>3300809</b>	R90200321	3	10	150	0,065	3,16
<b>3300810</b>	R90200421	4	10	150	0,065	3,16
<b>3300811</b>	R90200521	5	10	150	0,065	3,06
<b>3300812</b>	R90200621	6	10	150	0,075	3,16
<b>3300813</b>	R90200721	7	12	150	0,105	3,46
<b>3300814</b>	R90200821	8	12	150	0,11	3,57
<b>3300815</b>	R90201021	10	12	150	0,125	3,97

**R9010XXXX**  
Drift punch  
octagonal



- > Leave the end of the clamp on
- > Made from chrome-vanadium steel

Code	No.	Ø	8-edge	l mm		€ excl. VAT
<b>3300816</b>	R90100115	1	10	120	0,06	3,06
<b>3300817</b>	R90100215	2	10	120	0,06	2,85
<b>3300818</b>	R90100315	3	10	120	0,063	2,45
<b>3300819</b>	R90100415	4	12	120	0,091	2,96
<b>3300820</b>	R90100515	5	12	120	0,091	2,96

**R9015XXXX**  
Centre punch  
octagonal



- > Striking end tempered
- > Vanadium Steel

Code	No.	Ø	8-edge	l mm		€ excl. VAT
<b>3300821</b>	R90150415	4	10	120	0,08	2,14
<b>3300822</b>	R90150515	5	12	120	0,095	3,16

**R91901004**  
Plastic chisel set




- > For the paint-friendly removal of decorative and window mouldings
- > For removing adhesive weights from aluminium rims
- > Flexible chisel blades
- > Striking cap for light blows

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301570</b>	R91901004	3/4" 19 mm 7/8" 22 mm 1" 26 mm 1.1/2" 38 mm	4	0,528	20,28




**R90200006**Pin punch set  
6 pieces

&gt; In metal case with lid

Code	No.	Contents	Pieces	 kg	€ excl. VAT
<b>3300823</b>	R90200006	Splinter driver Ø 3 4 5 6 7 8 mm	6	0,8	17,22

**R90200106**Pin punch set  
6 pieces

&gt; In metal case with lid

Code	No.	Contents	Pieces	 kg	€ excl. VAT
<b>3300824</b>	R90200106	Pin punch Ø 3 4 5 6 8 10 mm	6	0,82	17,22


**R90100006**Drift punch set  
6 pieces

&gt; In metal case with lid

Code	No.	Contents	Pieces	 kg	€ excl. VAT
<b>3300825</b>	R90100006	Punches Ø 1 2 3 5 10 mm punch Ø 4 mm	6	0,72	16,20

**R90000006**Striking tool set  
6 pieces

- > Striking ends tempered
- > Made from chrome-vanadium steel
- > In metal case with lid

Code	No.	Contents	Pieces	 kg	€ excl. VAT
<b>3300826</b>	R90000006	Flat cold chisel-length 125 mm 150 mm Cross-cut chisel-length 125 mm Drift punch - Ø 3 mm Centre punch - Ø 4 mm Pin punch - Ø 4 mm	6	0,76	17,22

[WWW.GEDORE.COM](http://WWW.GEDORE.COM)

# MEASURING AND MARKING

*PRECISE  
ASSISTANTS*



## ACCURATE TO THE MILLIMETRE

- Easy-to-read and precise spirit levels, rulers and tapes as well as feeler gauges
- Practical additional functions for even easier and more accurate measuring and marking
- Digital measuring caliper - the solution for fast, uncomplicated, precise measurement, reading and transferring values

**R9410XXXX**  
 Spirit level


- > Smooth square alloy profile
- > One vertical and one horizontal vial, acrylic glass
- > Measurement accuracy: +/- 0.5 mm/m

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301422</b>	R94100051	300	0,170	8,15
<b>3301436</b>	R94100075	600	0,260	14,16
<b>3301423</b>	R94100087	1.000	0,480	16,20

**R9410XXXX**

 Spirit level  
 with a movable vial,  
 magnetic


- > Smooth square alloy profile
- > One vertical and one horizontal vial
- > magnetic
- > Measurement accuracy: +/- 0.5 mm/m

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301424</b>	R94100151	300	0,170	10,09
<b>3301425</b>	R94100187	1.000	0,482	17,83

**R9455XXXX**

Tape measure



- > Housing from 2-component ABS, fitted out with metal clip
- > Automatic tape rewind and lock
- > With magnetic stop
- > Accuracy class II with MID certificate

Code	No.	L m	mm		€ excl. VAT
<b>3301427</b>	R94550003	3	19	0,201	4,69
<b>3301428</b>	R94550005	5	19	0,265	7,23
<b>3301429</b>	R94550008	8	25	0,468	8,25

**R94500002**

Wood sectioned folding ruler



- > With easy to read metric dual scale
- > Accuracy class III

- > EC type-approval for continuous mm-pitch
- > Made of beechwood with through-riveted joints

Code	No.	L m		€ excl. VAT
<b>3301426</b>	R94500002	2	0,086	4,59

**R94420021**

Digital measuring calliper



- > Large LCD display 30 x 10 mm, with automatic switch-off
- > Resetting possible at any position
- > With mm/inch switching

- > With crossbill
- > Connection to PC interface
- > Measured value fixation by locking screw

Code	No.	mm	inch		€ excl. VAT
<b>3301430</b>	R94420021	153	6	0,34	36,58

**R94650013**

 Feeler gauge set  
 13 pieces


- > With protective handle, folding
- > For checking in-between spaces, contact intervals etc.
- > Blades tapering to a cone
- > Individually labelled with details of sizes

Code	No.			€ excl. VAT
<b>3301431</b>	R94650013	5 10 15 20 25 30 40 50 60 70 80 90 100	0,1	3,67

**R90950012**

 Pencil  
 in packs of 12


- > For drawing and marking on practically all materials
- > Oval shape prevents rolling away at the workplace
- > HB Mine

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301432</b>	R90950012	175	0,02	3,97

**R90900020**

 Carbide scriber  
 with clip


- > Pencil and carbide scriber in one
- > Retractable needle
- > For drawing and marking on metallic and similar surfaces

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301433</b>	R90900020	150	0,02	7,44

# CUTTING, FILING, DRILLING

*VERSATILE  
HELPERS*





## **CUTTING, SAWING, FILING, DRILLING AND MORE**

- Versatile range of large and small workshop helpers
- High-quality materials and robust designs



**R93210000**  
 Heavy-duty utility knife


- > Aluminium housing
- > Quick change mechanism of the blade
- > For right and left-handers
- > Supplied with one trapezoid blade and 4 spare trapezoid blades in cartridge

Code	No.	Designation			€ excl. VAT
<b>3301598</b>	R93210000	Heavy-duty utility knife	365	0,31	11,21
<b>3301599</b>	R93960000	Trapezoid blades for box cutter (10 pcs)		0,04	4,59
<b>3301600</b>	R93960100	Hook blades for box cutter (10 pcs)		0,05	4,59



**R93200010**  
 Utility knife small


- > Blade 9 mm wide
- > Supplied with 5 spare blades (80mm long, 0.4mm thick)

Code	No.	Designation		l mm		€ excl. VAT
<b>3301601</b>	R93200010	Utility knife small with 5 blades 10 mm	145	9	0,068	2,85
<b>3301602</b>	R93950010	Spare blades, 10 pieces, 10 mm wide		9	0,03	0,97



**R93200018**  
 Utility knife


- > Blade 18 mm wide
- > For right-handers
- > Supplied with 5 spare blades (100mm long, 0.4mm thick)
- > With built-in sharpener

Code	No.	Designation		l mm		€ excl. VAT
<b>3301603</b>	R93200018	Utility knife with 5 blades 18 mm	175	18	0,16	3,97
<b>3301604</b>	R93950018	Spare blades, 10 pieces, 18 mm wide		18	0,088	1,99




**R93200025**  
 Utility knife


- > With practical belt clip
- > Blade 25 mm wide
- > For right-handers
- > Supplied with 5 spare blades (125mm long, 0.5mm thick)

Code	No.	Designation		l mm		€ excl. VAT
<b>3301605</b>	R93200025	Utility knife with 5 blades 25 mm	205	25	0,28	8,25
<b>3301606</b>	R93950025	Spare blades, 10 pieces, 25 mm wide		25	0,17	4,08

**R93250008**  
 Pocket knife  
 2C handle


- > Blade locking feature
- > Two-handed operation
- > Secure in pocket and on belt; cannot be accidentally opened
- > With sawing function for fibrous materials e.g ropes and textiles

Code	No.				€ excl. VAT
<b>3301615</b>	R93250008	87	210	0,154	11,01

**R93300031**  
 Universal scissors



- > Suitable for cutting seals and other materials (paper, cardboard, foil, leather etc.)
- > Additional small blade for thin wires and cables
- > With wire stripper for 1.0, 1.5 and 2.0 mm cables
- > For right and left-handers

Code	No.	Length of cutting edge	Total length	kg	€ excl. VAT
<b>3301607</b>	R93300031	50	205	0,19	14,78

**R9331XXXX**  
 Ideal pattern snips


- > Self-opening with installed spring, with lock
- > Induction-hardened precision cutting edges
- > 2-component-handle for a hands-friendly transfer of force
- > for stainless steel sheet up to 0,8 mm

Code	No.	Size	Version	Cutting edge length	Total length	kg	€ excl. VAT
<b>3301741</b>	R93310041	10	Right hand cutting	30	245	0,41	26,65
<b>3301742</b>	R93310141	10	Straight cutting	30	250	0,41	26,39
<b>3301743</b>	R93310241	10	Left hand cutting	30	245	0,41	25,27

**R99800000**  
 Multifunction tool


- > Stainless steel
- > Blade locking feature
- > Ergonomic handle, gentle power transmission

Code	No.	kg	€ excl. VAT
<b>3301757</b>	R99800000	0,21	16,41

**R93XXXXXX**  
 Hacksaw


- > Made of aluminium
- > Saw blade for different materials
- > Easy to tension and adjust

Code	No.	Designation	kg	€ excl. VAT
<b>3301609</b>	R93350021	Small saw	0,22	9,27
<b>3301610</b>	R93990021	Saw blade	0,012	2,85




**R93350051**  
 Multifunction saw


- > Saw blade and bow can be turned through 90° = saw blade parallel to the wall and floor
- > Bracket can be rotated 180° = low height, therefore suitable for use in narrow places
- > Supplied with HSS bi-metal saw blade (24 tpi)
- > For metal, plastic, wood, etc.

Code	No.	Designation	↳ mm ↳	kg	€ excl. VAT
<b>3301608</b>	R93350051	Multifunctional saw	300	0,47	17,42


R931XXXXX  
Files

- > 2-component-handle for a hands-friendly transfer of force
- > 58 HRC
- > 14 teeth for every 10 mm

Code	No.	Designation	Slash				€ excl. VAT
<b>3301591</b>	R93100052	Triangular file	2	200	310	0,195	6,82
<b>3301592</b>	R93120052	Flat file	2	200	310	0,192	6,82
<b>3301593</b>	R93140052	Round file	2	200	310	0,124	5,55
<b>3301594</b>	R93160052	Half-round file	2	200	310	0,21	6,36
<b>3301595</b>	R93180052	Square file	2	200	310	0,124	5,55


R93000005  
File kit  
5 pieces

- > 2-component-handle, for easy handling
- > Made of special steel
- > In plastic bag

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301597</b>	R93000005	Triangular file Flat file Round file Half-round file	5	0,82	22,12

R93000006  
Key file set  
6 pieces

- > With wooden handle
- > Made of special steel

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301596</b>	R93000006	Triangular file Flat file Round file Half-round file Square file	6	0,85	10,61

R93700043  
Wire brush

- > With plastic handle
- > Carbon bristles

Code	No.	↳ mm ↲		€ excl. VAT
<b>3301785</b>	R93700043	290	0,085	3,16


R93710043  
Wire brush

- > with wooden handle
- > brass bristles

Code	No.	↳ mm ↲		€ excl. VAT
<b>3301786</b>	R93710043	285	0,12	3,87

R93710143  
Wire brush

- > With plastic handle
- > Carbon bristles

Code	No.	↳ mm ↲		€ excl. VAT
<b>3301787</b>	R93710143	250	0,095	4,38

**R93500025**  
Twist drill bit set, rolled  
25 pieces



- > HSS Twist drill bit  
DIN 338, type N
- > HSS Twist drill bit  
DIN 338, type N
- > Tip angle: 118°
- > In metal case

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301611</b>	R93500025	1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 mm	25	1,263	17,83

**R93510025**  
Twist drill bit set, blank  
25 pieces



- > HSS twist drills  
DIN 338, type N,  
right-hand cutting
- > Tip angle: 118°
- > In metal case

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301613</b>	R93510025	Twist drills, ground 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8,5 9.0 9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 mm	25	1,263	27,72

**R93500170**  
Twist drill bit set, rolled  
170 pieces



- > HSS twist drills  
DIN 338, type N,  
right-hand cutting
- > Tip angle: 118°
- > In metal assortment box

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301612</b>	R93500170	each 10x 1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 mm each 5x 8.5 9.0 9.5 10.0 mm	170	3,724	55,94

**R93980005**  
Cutting wheel



- > For pipe cutter  
R93600022 and  
R93600035
- > Advantage pack 5 pieces
- > Made of special steel

Code	No.	Designation		€ excl. VAT
<b>3301618</b>	R93980005	Spare cutting wheel for copper 5pcs.	0,02	15,73

**R93600035**  
Pipe cutter



- > For copper pipes  
3-35 mm
- > With retractable  
deburring tool
- > Exact telescope guide
- > Guiding rollers with  
groove for flared tubes

Code	No.	Size	∅ mm	l mm		€ excl. VAT
<b>3301617</b>	R93600035	1/8 - 1.3/8	3-35	150	0,56	27,71

**R93600022**  
Mini-Pipe cutter



- > For copper pipes  
3-22 mm
- > With 2 supporting rollers
- > Metal housing
- > With knurled adjusting  
wheel

Code	No.	Size	∅ mm	l mm		€ excl. VAT
<b>3301616</b>	R93600022	1/8-7/8	3-22	60	0,14	11,77



### R99210000

Cartridge caulking gun



- > For processing silicon, packed in bag or cartridge form, for 310 ml contents
- > With stable aluminium tube
- > Quick and easy cartridge change
- > Supplied with 3 tips

Code	No.	L	H		€ excl. VAT
<b>3301753</b>	R99210000	340	210	0,84	26,95

### R93400060

Scraper



- > For minor improvements/repair
- > Apply, spread and smooth down
- > With wooden handle

Code	No.	Blade width		€ excl. VAT
<b>3301754</b>	R93400060	60,0	0,1	5,38

### R95300017

Torch



- > 2 levels of brightness plus warning/signal function
- > 1 W LED
- > Luminous flux 55-60 lm
- > Light range 25-30 m

Code	No.	L		€ excl. VAT
<b>3301755</b>	R95300017	130	0,156	7,29

### R95700023

Work lamp



- > Housing made from ABS plastic
- > Check LED battery display in 5 steps
- > Power source 3.7 v Li-ion battery, 1200 mAh
- > Incl. MICRO USB for charging

Code	No.	L	H	W		€ excl. VAT
<b>3300002</b>	R95700023	155	20	40	0,132	15,18

### R93800125

vice rigid



- > Vise opening to the front
- > With anvil
- > Max. clamping force 25 KN

Code	No.	Version	<u>mm</u>	mm		€ excl. VAT
<b>3301737</b>	R93800125	fix	125	125	19	109,90

### R93800150

Parallel vice swiveling



- > Vise opening to the front
- > Chuck for pipes with 13.5 - 56 mm diameter
- > With anvil
- > Max. clamping force 25 KN

Code	No.	Version	<u>mm</u>	mm		€ excl. VAT
<b>3301738</b>	R93800150	with turntable	150	125	14	119,90

# 1000 VOLT

## UNCOMPROMISING PROTECTION






### ON THE SAFE SIDE

- Extensive range of VDE-insulated tools
- Tools VDE-insulated according to DIN EN 60900
- Guaranteed protection while working under voltage up to 1000V AC (alternating voltage) and 1500V DC (direct voltage)

**R3910XXXX**VDE Screwdriver  
for slotted head screws

- > Acc. to DIN 5264, DIN ISO 2380
- > VDE-insulated acc. to DIN EN 60900
- > Moulded handle forms a firm unit with the blade

- > 5-edge handle head stops it rolling off when put down

Code	No.	⊖	 i - mm - l	 l - mm	 kg	€ excl. VAT
<b>3301400</b>	R39102514	2,5	75	145	0,030	3,65
<b>3301401</b>	R39100319	3,0	100	170	0,036	4,67
<b>3301402</b>	R39100419	4,0	100	210	0,071	4,87
<b>3301403</b>	R39105524	5,5	125	235	0,091	5,58

**R3920XXXX**VDE Screwdriver  
PH

- > Acc. to DIN 7438, DIN ISO 8764
- > VDE-insulated acc. to DIN EN 60900
- > Moulded handle forms a firm unit with the blade

- > 5-edge handle head stops it rolling off when put down

Code	No.	⊕ PH	 i - mm - l	 l - mm	 kg	€ excl. VAT
<b>3301404</b>	R39200115	1	80	180	0,07	4,57
<b>3301405</b>	R39200219	2	100	210	0,105	5,53

**R3930XXXX**VDE Screwdriver  
PZ

- > Acc. to DIN 7438, DIN ISO 8764
- > VDE-insulated acc. to DIN EN 60900
- > Moulded handle forms a firm unit with the blade

- > 5-edge handle head stops it rolling off when put down


Code	No.	⊕ PZ	 i - mm - l	 l - mm	 kg	€ excl. VAT
<b>3301406</b>	R39300115	1	80	180	0,07	3,70
<b>3301407</b>	R39300219	2	100	210	0,104	4,57

**R2930XXXX**

VDE Combination pliers



- > Acc. to DIN ISO 5746
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > With gripping zones for flat and round stock

Code	No.	l - mm - l	Cutting power (max.)	 kg	€ excl. VAT
<b>3301408</b>	R29300180	180	1,6	0,275	15,40
<b>3301409</b>	R29300200	200	1,8	0,36	17,95

1000 V

**R29400180**  
VDE Side cutter



- > Acc. to DIN ISO 5749
- > Complies with VDE 0682 Part 201 and EN/IEC 60900

> Slim head

Code	No.	l mm	Cutting power (max.)	kg	€ excl. VAT
3301410	R29400180	180	1,6	0,28	17,10

**R29500200**  
VDE Telephone pliers




- > Acc. to DIN ISO 5745
- > Complies with VDE 0682 Part 201 and EN/IEC 60900

> Straight grip surfaces, lengthways-serrated

Code	No.	l mm	Cutting power (max.)	kg	€ excl. VAT
3301411	R29500200	200	1,8	0,26	17,00

**R29510200**  
VDE Telephone pliers offset



- > Acc. to DIN ISO 5746
- > Complies with VDE 0682 Part 201 and EN/IEC 60900

> 45° angled grip surfaces, lengthways-serrated

Code	No.	l mm	Cutting power (max.)	kg	€ excl. VAT
3301412	R29510200	200	1,8	0,26	17,85

**R29100010**  
VDE Water pump pliers



- > Acc. to DIN ISO 8976 Form C
- > Complies with VDE 0682 Part 201 and EN/IEC 60900
- > Lengthways-serrated grip surfaces

> With box joint

Code	No.	l mm	mm	inch	kg	€ excl. VAT
3301413	R29100010	250	39	10	0,393	19,40

**R39002005**VDE Tool assortment  
5 pieces**VDE screwdriver:**

- > For slotted head screws: Acc. to DIN 5264, DIN ISO 2380
- > For cross-head screws PH: Acc. to DIN 7438, DIN ISO 8764

**VDE Side cutter:**

- > Acc. to DIN ISO 5749

**VDE Telephone pliers, straight:**

- > Acc. to DIN ISO 5745

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301414</b>	R39002005	VDE Screwdriver slotted 3, 5.5 mm VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm VDE Telephone pliers 200 mm, straight pattern	5	0,833	39,90

**R93220028**

VDE Cable knife



- > VDE-insulated acc. to DIN EN 60900
- > with fixed, sturdy blade with straight cutter and protective cap
- > Straight cutting edge
- > With protective cap

Code	No.	kg	€ excl. VAT		
<b>3301415</b>	R93220028	45	185	0,143	11,01

**R93220128**

VDE Cable knife



- > VDE-insulated acc. to DIN EN 60900
- > with fixed, sturdy blade with straight cutter and fold-away blade protection
- > Straight cutting edge
- > With integrated protective cap

Code	No.	kg	€ excl. VAT		
<b>3301416</b>	R93220128	45	185	0,095	11,01

**R93970004**

Spare-blades



- > Straight cutting edge
- > Set of 4 pieces

Code	No.	kg	€ excl. VAT		
<b>3301417</b>	R93970004			0,1	12,02

**R38120000**

Universal voltage tester



- > Measures AC/DC
- > Display 6 / 12 / 24 / 50 / 120 / 230 / 400 V AC/DC
- > Protection classification IP65, dust-proof, hose-proof
- > Acc. to DIN ISO 0680

Code	No.	kg	€ excl. VAT		
<b>3301418</b>	R38120000			0,12	28,33

# AUTOMOTIVE

## *CLEVER AUTOMOTIVE ASSISTANTS*



### **SPECIAL TOOLS FOR MECHANICS**

- Tools for steering and steering geometry, engines, gearboxes, bodywork and interior fittings
- Tool sets especially for the automotive sector

**R11201002**

Universal ball joint puller



- > For ejecting the ball joint journal from the steering arm, steering knuckles, anti-roll bars etc.
- > Hexagon spindle, width across flats 21 mm
- > Clamping height 2-stage
- > Hand-operated

Code	No.	mm	Clamping height		€ excl. VAT
<b>3301558</b>	R11201002	20	50	1,454	60,92

**R11203003**

Dismantling and assembly fork set  
5 pieces



- > For quick release of track and push rod ends, steering levers and other control parts
- > With replaceable fork ends
- > striking handle for manual hammer use
- > In plastic case
- > Note: The separating and mounting fork will damage the rubber sleeve

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301555</b>	R11203003	Fork head opening 17,5 mm Fork head opening 23,5 mm Fork head opening 28,5 mm Impact handle l = 200 mm Adapter l = 175 mm   Ø 10 mm	5	2	60,92

**R15551000**

Oil filter wrenches  
3-arm pattern



- > For safe, rapid unscrewing of oil filters
- > Continuously adjustable, hand-operated
- > Drive 1/2" according to DIN 3120 - C 12.5, ISO 1174, and SW 19 mm
- > Holding segments stop any slipping



Code	No.	Version		€ excl. VAT
<b>3301540</b>	R15551000	65 - 120 mm Ø	0,315	20,24

**R15551001**

Oil filter-Strap wrench



- > For safe, rapid unscrewing of oil filters
- > Continuous adjustment of the filter belt
- > 1/2" Drive (12,5 mm)
- > Hand-operated



Code	No.	Ø mm	l mm		€ excl. VAT
<b>3301541</b>	R15551001	152	150	0,24	13,32

[WWW.GEDORE.COM](http://WWW.GEDORE.COM)

**R15553004**  
 Oil service  
 wrench set 3/8"  
 12 pieces


- > For fitting/removing oil draining and gear oil control screws
- > Suitable sockets for various drive types
- > Actuator 3/8" according to DIN 3120 - C 10, ISO 1174, SW 19 or rotary pin 8 mm Ø
- > Hand-operated
- > In rugged plastic case

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301544</b>	R15553004	Socket wrench insert 3/8" hexagon socket 8 mm A/F 9 3/8" (9.5 mm) 10 12 14 17 Socket wrench insert 3/8" square socket 8 mm A/F 5/16" 3/8" (9.5 mm) 11 13 Sliding handle 3/8"   165 mm	12	1,1	30,41

**R15151001**  
 Adjustable set of  
 tank filler keys


- > For loosening and tightening the plastic cap ring of the fuel tank sensor on the fuel tank
- > High-speed gear function for adjusting the diameter
- > Hexagonal drive, key width 24 mm
- > Manually operated

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301585</b>	R15151001	Tank sensor key Ø 80 - 120 mm Tank sensor key Ø 110 - 160	1	0,8	55,83

**R15151000**  
 Hose clamp pliers set


- > For disconnecting flexible hose lines
- > Adjustable locking device with latching function
- > Temperature resistant up to 160°

Code	No.	Tong lengths	for diameter	Pieces		€ excl. VAT
<b>3301539</b>	R15151000	160 mm 185 mm 225 mm	Ø up to approx. 60 mm	3	0,298	15,15

**R15203000**  
 Cylinder head drill  
 jig set  
 30 pieces


- > High time saving - 2 - 4 hours - cylinder head does not need to be removed
- > With this adjustable universal drill jig set, you can remove studs that have been torn off, especially on cylinder heads or exhaust flanges can be drilled out quickly and precisely without removing the cylinder head (bolt thread M8 and M10)

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301590</b>	R15203000	1x 3-part drilling template 3x centring pins conical 3x guide bush Ø 8 + Ø 10 2x SK collar nut M8 + M10 1x drill bush with cylindrical pin 4.0 6.5 8.5 mm 1x guide bushing M8 M10 1x drilling stop with cheese head screws 4.0 6.5 8.5 mm 1x Allen key 2 4 5 mm 1x twist drill Ø 4.0 6.5 8.5 mm	30	1,4	121,02



**R17151000**  
 Puller  
 with clamping yoke


- > Spindle with hexagonal drive, spanner size 17mm
- > U-bolt with hexagon drive, spanner size 17 mm

Code	No.	a1	b	max. t	mm	kg	€ excl. VAT
<b>3301554</b>	R17151000	90	100	1	17 mm	1	91,43

**R18101000**  
 Washing nozzle needle


- > Ideal for cleaning and adjusting windscreen washing nozzles and headlight washing nozzles
- > Ideal for cleaning and adjusting windscreen washing nozzles and headlight washing nozzles
- > With retaining clip and protective cap

Code	No.	↳ mm	kg	€ excl. VAT
<b>3301549</b>	R18101000	95	0,24	7,63

**R18201000**  
 Label scraper


- > For the quick and safe removal of labels, seals and adhesive residues
- > With stable blade holder
- > Blades replaceable
- > Safety cap

Code	No.	Blade width	↳ mm	kg	€ excl. VAT
<b>3301566</b>	R18201000	40,0	165	0,1	11,39

**R9911XXXX**  
 Work gloves


- > Grip areas for small and smooth parts
- > Palms of one piece
- > Breathable surface between the fingers
- > Adhesion to smooth surfaces ensured from internal coating

Code	No.	Glove size	kg	€ excl. VAT
<b>3301749</b>	R99110005	M/9	0,08	12,94
<b>3301750</b>	R99110010	L/10	0,095	13,55
<b>3301751</b>	R99110015	XL/11	0,09	13,86
<b>3301752</b>	R99110020	XXL/12	0,09	14,52

**R1935XXXX**  
 Strap wrench


- > With strong, non-slip fabric strap
- > Plastic-covered handle

Code	No.	∅ mm	∅ inch	↳ mm	mm	kg	€ excl. VAT
<b>3301465</b>	R19351019	140		480	15	0,055	16,20
<b>3301467</b>	R19351031	200	8"	900	15	0,212	14,52

**R19991019**  
 Spare strap


- > Replacement tape for R19351019
- > Strong, non-slip fabric tape

Code	No.	↳ mm	mm	kg	€ excl. VAT
<b>3301466</b>	R19991019	570	15	0,08	9,17


## Automotive

**R19201000**

Tyre tread depth gauge brass



- > Glare-free reading
- > Tip for depth measurement (tyre profiles)
- > Scale division in millimetres
- > 0-30 mm + 1/10 mm vernier

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301552</b>	R19201000	100	0,05	9,27

**R19101003**

Tyre lever




- > Especially suitable for bodywork and interior design
- > Chrome-plated blade
- > Special form

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301569</b>	R19101003	275	0,175	14,52

**R90610075**

Tyre lever




- > heavy duty pattern
- > Chrome-vanadium

Code	No.	↳ mm ▶		€ excl. VAT
<b>3301464</b>	R90610075	610	1,34	23,34

**R19101002**Pry-Bar-Set  
4 pieces

- > Pushing off jammed components
- > Positioning of parts
- > Hold parts in position
- > Expansion of clamping bores etc.

Code	No.	Contents	Pieces		€ excl. VAT
<b>3301568</b>	R19101002	24", 610 x 20 mm 18", 460 x 20 mm 12", 310 x 16 mm 8", 200 x 10 mm	4	1,4	36,17

**R19102000**

Magnetic tray



- > Secure storage of small metal parts
- > Stainless steel
- > 2 extra strong rubber-protected magnets

Code	No.	L	H	W		€ excl. VAT
<b>3301547</b>	R19102000	240	46	140	0,744	18,85

**R19101000**

Telescopic magnetic lifter with scribe



- > This telescopic magnet lifter enables metallic objects or particles to be removed even from hard-to-reach areas.
- > The magnetic lifter is also suitable for lifting valve wedges

Code	No.	Magnet diameter	Ω		€ excl. VAT
<b>3301546</b>	R19101000	7,5	300	0,046	11,82

**R68003010**  
 Extractor set 1/2"  
 10 pieces


- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > For slackening and removing bolts and damaged screws
- > Anticlockwise cutting thread with 6 cutting edges tapering together
- > Hand-operated

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3300034</b>	R68003010	1/2" 10 11 12 13 14 15 16 17 19 mm   34 mm Chuck   80 mm	10	0,95	60,02

**R19153000**  
 Bolt extractor set  
 14 pieces


- > For slackening and removing bolts and damaged screws
- > Anticlockwise cutting thread with 6 cutting edges tapering together
- > Internal square drive according to DIN 3120 - C 10, ISO 1174, with ball retaining groove
- > Hexagonal outer edges on the inserts as alternative drive

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301563</b>	R19153000	6,4 mm (1/4") 8 mm (5/16") 9,5 mm (3/8") 10 mm 11 mm (7/16") 12 mm 12,5 mm (1/2") 13 mm 14 mm (9/16") 16 mm (5/8") 17 mm 17,5 mm (11/16") 19 mm (3/4") Punch   74 mm	14	0,73	121,26

**R19101001**  
 Hook set  
 4 pieces


- > Assembly/disassembly of O-rings, seals in the areas of engine, transmission, steering and hydraulic systems
- > For work on the car body interior

Code	No.	Pieces	kg	€ excl. VAT
<b>3301548</b>	R19101001	4	0,114	12,74

**R68003013**  
 Crow's foot  
 socket set  
 13 pieces


- > Square plug-in handle with swivel square drive according to DIN 3120 - C 12.5, ISO 1174, with ball catching groove
- > Open screw profiles for repairs on cables, for instance

Code	No.	Contents	Pieces	kg	€ excl. VAT
<b>3301589</b>	R68003013	Crow's foot socket spanner SW 20 21 22 23 24 25 26 27 28 30 32 mm Square socket 383 mm Extension 125 mm	13	3	92,22

**A**

Adapter- and extension set 6in2	42
Adapter set	34
Adjustable fuel sender key set	96
Adjustable spanner	29
Assembly tool set TX 1/4" + 1/2"	57

**B**

Bit adaptor 1/2" x 5/16"	43
Bit adaptor 1/4"	34
Bit box 1/4"	68, 69
Bit holder 1/4"	35
Bit ratchet 1/4"	31
Bit screwdriver 1/4"	67
Bit set 10 mm SK / XZN / TX	69
Bit-ratchet-Set 1/4" with adaptor compact	52
Bolt cutters	73
Bolt-extractor-set	99
Bricklayers' chisels	79

**C**

Carbide scriber	83
Carpenter's hammer	78
Centre punches	80
Circlip pliers for external retaining rings	73
Circlip pliers for internal retaining rings	73
Claw hammer, American pattern	78
Club hammers	77
Combination pliers	71
Combination ratchet spanner	23

Combination ratchet spanner set	5, 8, 23, 24
Combination ratchet spanner set, reversible	24
Combination spanner	28
Combination spanner set	28, 29
Combination spanner set and hexagon socket key set	8
Convertor 1/2" to 3/4"	42
Convertor 3/4" to 1"	44
Convertor 3/8" to 1/2"	37
Cross-cut chisels	79
Crow's foot socket set	99
Curved jaw locking pliers set	75
Cutting wheel	88
Cylinder head drilling jig set	96

**D**

Digital measuring calliper	83
Dismantling and assembly fork set	95
Double ended ring spanner set	5
Double open ended spanner	26, 27
Double open ended spanner set	5, 27
Double ring ratchet spanner	25
Double ring ratchet spanner set	25
Drift punch set	81
Drift punches	80
Drive adapter 1/4"	34, 35

**E**

Electricians' chisels	80	Impact extension 1/2"	46
Engineer's ball pein hammer	78	Impact extension 3/4"	48
Engineers' hammer	77	Impact socket 1"	49
Extendable shank screwdriver 13in1	65	Impact socket 1/2"	45, 46
Extension 1/2"	42	Impact socket 3/4"	48
Extractor set 1/2"	99	Impact socket 3/4"	47

**F**

Feeler gauge set	83	Impact socket extension piece 1/2" - 3/4"	47
File kit	87	Impact socket extension piece 3/4" - 1"	48
Files	87	Impact socket reducer 1/2" - 3/8"	47
Flat cold chisels	79	Impact socket reducer 3/4" - 1/2"	48
Flexible head combination ratchet spanner	24	Impact socket set 1/2"	45
Flexible head combination ratchet spanner set	24	Impact socket set 1/2" in 1/3 module	6
		Impact universal joint 1/2"	46

**G**

Grip wrench	75
-------------	----

**H**

Hacksaw	86	Key file set	87
Half-moon ring spanner	26		
Hammer/chisel set	7		
Heavy-duty utility knife	85		
Hexagon allen key	66		
Hexagon allen key set	66, 67		
Hook assortment	99		

**I**

Ideal pattern snips	86
Impact extension 1"	49

**K**

Key file set	87
--------------	----

**L**

Label scraper	97
Long nose locking pliers	75

**M**

(De)magnetiser	67
Magnetic tray	98
Mini-Pipe cutter	88
Multifunction saw	86
Multifunction tool	86
Mushroom head / connecting square	61

**N**

Nylon hammer	78
Nylon spare head	78

**O**

Oil filter wrenches	95
Oil filter-Strap wrench	95
Oil service wrench set 3/8"	96
Open ended ratchet spanner set	25

**P**

Parallel vice	89
Pencil	83
Pin punch set	81
Pin punches	80
Pincer	72
Pipe cutter	88
Pipe wrench	74, 75
Pliers	70
Pliers set	7, 72, 74
Pocket knives	85
Point chisels	79
Power side cutter	71
Pry-Bar-Set	98
Puller with clamping yoke	97

**Q**

Quick-change bit holder 1/4"	35
------------------------------	----

**R**

2C swivel head bit ratchet	31
2C swivel head reversible ratchet	31, 36, 37
2C swivel-head telescopic ratchet	38
2C-Ratchet handle with coupler 1/2"	37
Ratchet screwdriver 1/4"	65
Ratchet with accessories 1/2"	6
Reducer 1" to 3/4"	44
Reducer 1/2" to 3/8"	43
Reducer 3/4" to 1/2"	44
Reducer 3/8" to 1/4"	37
Retaining ring pliers set	7
2C reversible ratchet 1/2"	37, 38
Reversible ratchet 1/4"	31
Reversible ratchet 3/4"	43
Reversible ratchet 3/8"	35
Rubber mallet	77

**S**

2C-Screwdriver	63, 64
2C-T-Screwdriver set	66
Safety ring / 9in 1/2"	47, 48
Safety ring and safety pin	49
Scrapers	89
Screw remover set	68
Screwdriver bit socket 1/2"	38, 41
Screwdriver bit socket 1/4"	32, 33
Screwdriver bit socket set 1/2"	6, 59
Screwdriver bit sockets 1/2" on holding rail	58, 59
Screwdriver bit sockets 1/4" on holding rail	58

## S

Screwdriver bit sockets 3/8"	53	Socket set 1/2" on holding rail	58, 59
Screwdriver set	13, 63, 64	Socket set 1/2" TX®	56
Screwdriver, pliers, hammer and chisel set	9	Socket set 1/2"-3/8"-1/4"	55
Screwdrivers	62, 63	Socket set 3/8" + 1/2"	56
Set of lengthwise dividers for the MECHANIC workshop trolley	20	Socket set 1/2"	12, 53, 54, 56
Set of Plastic Chisels	80	Socket set 1/4"	6, 51, 52
Set of screwdriver inserts 1/2" IN	56	Socket set 3/4"	57
Set of screwdriver inserts 1/2" XZN	57	Socket set 3/8"	52, 53
Set of screwdriver sockets 1/2" TX	57	Socket wrench inserts 3/8" + 1/2"	58
Set-of-hose-clamp-pliers	96	2C-Socket wrench	67
Side cutters	71	Socket wrenches	30
Single open ended spanner	29	Socket wrench inserts 1/4" on socket strip	58
Sledge hammer	77	Sockets/Screwdriver bit sockets 1/2"	59
Sliding T bar 1/2"	42	Spanners	22
Sliding T bar 3/4"	43	Spare strap	97
Sliding T bar with slider 3/8"	36	Spare-blades	93
Sliding T-bar with slider 1/4"	33	Spark plug socket 1/2"	40
Socket 1/2"	39, 41	Special set ELECTRO-TECHNICS	11
Socket 1/4"	32	Spirit level	83
Socket 3/4"	43	Splitting chisels	79
Socket 3/8"	36		
Socket extension 1/4"	33		
Socket extension 3/4"	44		
Socket extension 3/8"	36		
Socket holder	59		
Socket set	50		
Socket set 1/2" + 1/4"	53, 54, 55		

**S**

Square plug-in handle 1/4"	33
----------------------------	----

Strap wrenches	97
----------------	----

Striking tool set	8, 10, 11, 12, 13, 81
-------------------	--------------------------

**T**

Tape measure	83
--------------	----

Telephone pliers	71, 72
------------------	--------

Telescopic magnetic lifter with scribe	98
----------------------------------------	----

Tire tread depth gauge, brass	98
-------------------------------	----

tool assortment	12
-----------------	----

Tool box	17
----------	----

Tool cases	17
------------	----

Tool chest WINGMAN	21
--------------------	----

Tool Roll Bag	17
---------------	----

Tool set in workshop trolley MECHANIC	18, 19
---------------------------------------	--------

Tool set in workshop trolley WINGMAN	21
--------------------------------------	----

Tool set measuring and cutting	9
--------------------------------	---

Tool set pliers, hammers, chisels	8
-----------------------------------	---

Tool set ratchet wrenches, open ended spanners	9
------------------------------------------------	---

Tool set screwdrivers, files	9
------------------------------	---

Tool trolley MECHANIC PLUS	19
----------------------------	----

Tool trolley MECHANIC with 6 drawers	18
--------------------------------------	----

Tool trolley WINGMAN	21
----------------------	----

Tool trolley WINGMAN with 4 drawers	20
-------------------------------------	----

Tool/laptop bag	17
-----------------	----

Torch	89
-------	----

Torque wrench	61
---------------	----

Twist drill set	88
-----------------	----

Tyre levers	98
-------------	----

**U**

Universal ball joint puller	95
-----------------------------	----

Universal joint 1/2"	42
----------------------	----

Universal joint 1/4"	34
----------------------	----

Universal joint 3/4"	44
----------------------	----

Universal protective hand guard	78
---------------------------------	----

Universal scissors	86
--------------------	----

Universal set ALL-IN	11, 15
----------------------	--------

Universal set BASIC	13, 14
---------------------	--------

Universal set MECHANIC	10, 15
------------------------	--------

Universal tool set basic	10
--------------------------	----

Universal voltage tester	93
--------------------------	----

Universalset ALLROUND	10, 14
-----------------------	--------

Utility knives	85
----------------	----

**V**

VDE Cable knife	93
-----------------	----

VDE Screwdriver	91
-----------------	----

VDE Screwdriver set	7
---------------------	---

VDE Side cutter	92
-----------------	----

VDE Telephone pliers	92
----------------------	----

VDE Tool assortment	93
---------------------	----

VDE Water pump pliers	92
-----------------------	----

Voltage tester max 250 V	65
--------------------------	----



**W**

Washer nozzle needle	97
Water-pump-pliers	74
Wire brush	87
Wire stripper	72
Wood sectioned folding ruler	83
Work gloves	97
Work lamp	89
Workshop trolley MECHANIC	19, 20
Workshop trolley WINGMAN with tool set	21

R0110XXXX	26	R19101000	98	R21650057	15
R0135XXXX	26	R19101001	99	R21650059	14
R01700057	29	R19101002	98	R21650072	14
R0310XXXX	29	R19101003	98	R21650108	15
R0380XXXX	29	R19102000	98	R22041004	21
R0391XXXX	29	R19153000	99	R22071004	21
R0510XXXX	27	R19201000	98	R22150000	5
R05126008	27	R1935XXXX	97	R22150001	5
R0512XXXX	26, 27	R19991019	97	R22150002	5
R05905010	25	R20150006	18	R22150003	5
R0710XXXX	23	R20152006	19	R22150006	6
R0710XXXX	23	R20200004	20	R22150008	6
R07203012	24	R20200007	21	R22150009	6
R07203016	24	R20240003	21	R22150011	6
R0720XXXX	23, 24	R20400006	19	R22150012	6
R07305005	24	R20600073	17	R22150013	7
R0730XXXX	24	R20650066	17	R22150014	7
R07405006	25	R20702069	17	R22150015	7
R0740XXXX	25	R20802012	17	R22150016	7
R07501002	25	R2085 / R2094	59	R22150017	7
R07501019	25	R20901500	20	R22150018	7
R0910XXXX	28	R21000042	11	R22150019	7
R09115016	29	R21000057	10	R22250000	8
R0911XXXX	28	R21000059	10	R22250001	8
R11201002	95	R21000072	10	R22350000	8
R11203003	95	R21000108	11	R22350001	8
R15151000	96	R21010000	11	R22350002	9
R15151001	96	R21010001	12	R22350004	9
R15203000	96	R21010002	12	R22350005	9
R15551000	95	R21010004	13	R22350006	9
R15551001	95	R21560001	18	R2710XXXX	74
R15553004	96	R21560002	19	R2714XXXX	74
R17151000	97	R21560004	18	R2716XXXX	75
R18101000	97	R21562002	20	R27202003	75
R18201000	97	R21600072	13	R2720XXXX	75

R27220065	75	R38004006	68	R45200022	33
R2760XXXX	73	R38005906	64	R45300005	34
R2765XXXX	73	R3810XXXX	63	R45603172	55
R2770XXXX	73	R38120000	93	R46003092	54
R2775XXXX	73	R38120312	65	R46003094	54
R28002003	72	R38120419	65	R46003100	55
R28002004	74	R38121312	65	R46004049	53
R2810XXXX	74	R3820XXXX	63	R47001004	34
R28154010	74	R3830XXXX	63	R47100003	35
R28202176	72	R38402006	64	R47100103	34
R2830XXXX	71	R3840XXXX	64	R47110009	34
R28402160	71	R3850XXXX	67	R4711XXXX	32, 35
R2842XXXX	71	R38672006	66	R47120011	35
R2850XXXX	71	R3867XXXX	66	R48008013	58
R2851XXXX	72	R38910000	65	R49003016	51
R2880XXXX	73	R38920000	65	R49003033	51
R28904201	72	R38950000	67	R49003046	52
R2892XXXX	72	R38950001	33	R49004033	51
R29100010	92	R38990000	67	R49005023	52
R2930XXXX	91	R39002005	93	R49005037	52
R29400180	92	R3910XXXX	91	R49014033	51
R29500200	92	R3920XXXX	91	R49044033	51
R29510200	92	R3930XXXX	91	R50000027	35
R33005007	68	R40000027	31	R50050009	35
R33005009	68	R40050009	31	R50120027	36
R33005014	69	R40120027	31	R5100XXXX	36
R33005031	69	R40150027	31	R5510XXXX	36
R35003040	69	R40170027	31	R55200039	36
R36405009	67	R41008012	58	R57300008	37
R36605009	66	R4100XXXX	32	R57500004	37
R3660XXXX	66	R4120XXXX	32	R5800XXXX	53
R36675009	66	R4245XXXX	33	R58018012	58
R38002006	63	R4246XXXX	33	R59003026	52
R38002012	64	R4255XXXX	32	R59003059	53
R38002106	63	R4510XXXX	33	R60000027	38

R60010027	38	R68003010	99	R90200006	81
R60050009	37	R68003013	99	R90200106	81
R60110009	38	R68003016	56	R9020XXXX	80
R60120027	37	R68003020	56	R90610075	98
R60600006	37	R68003026	57	R90900020	83
R61003114	56	R68003030	56	R90950012	83
R6100XXXX	39	R68003032	57	R9114XXXX	79
R61021612	40	R68003075	57	R9125XXXX	79
R61022112	40	R68008009	59	R9129XXXX	79
R6110XXXX	40, 41	R69003024	53	R91310041	80
R61208007	58	R69004024	53	R91370039	79
R6120XXXX	39	R69008012	59	R9140XXXX	79
R62458017	59	R69013024	54	R9149XXXX	79
R6245XXXX	41	R70000003	43	R91901004	80
R62558010	58	R7100XXXX	43	R91990000	78
R62558110	59	R7300XXXX	47, 48	R9210XXXX	77
R6255XXXX	38	R73981005	48	R9212XXXX	77
R6270XXXX	41	R7510XXXX	44	R9216XXXX	78
R63003008	45	R75200091	43	R9220XXXX	77
R63003012	45	R75300021	44	R92300083	77
R6300XXXX	45, 46	R7610XXXX	48	R92402024	78
R63043003	45	R77300011	44	R9243XXXX	78
R6304XXXX	46	R77400011	48	R9250XXXX	77
R6398XXXX	47	R77500009	44	R92600030	78
R6510XXXX	42	R77600010	48	R92950030	78
R65200049	42	R78004014	57	R93000005	87
R65300012	42	R8300XXXX	49	R93000006	87
R6610XXXX	46	R8300XXXX	49	R931XXXXX	87
R66300014	46	R83981105	49	R93200010	85
R67100006	43	R86100059	49	R93200018	85
R67131002	42	R87500012	44	R93200025	85
R6730XXXX	42	R90000006	81	R93210000	85
R67400008	47	R90100006	81	R93220028	93
R6750XXXX	43	R9010XXXX	80	R93220128	93
R67600005	47	R9015XXXX	80	R93250008	85

---

R93300031	86
R9331XXXX	86
R93350051	86
R93400060	89
R93500025	88
R93500170	88
R93510025	88
R93600022	88
R93600035	88
R93700043	87
R93710043	87
R93710143	87
R93800125	89
R93800150	89
R93970004	93
R93980005	88
R93XXXXXX	86
R9410XXXX	83
R94420021	83
R94500002	83
R9455XXXX	83
R94650013	83
R95300017	89
R95700023	89
R9911XXXX	97
R99210000	89
R99800000	86
RX890XXXX	61
RX899XXXX	61

# DISCLAIMER

This catalogue replaces all previous editions.  
The photographs and technical details are of the articles offered at present.

Since we are constantly updating and improving our products to keep them at the present state of the art, we reserve the right to make modifications and changes with regard to appearance, dimensions (always in "mm", if not otherwise stated), weights and properties, as well as in performance. No claim for correction or replacement supplies may thus be made with regard to products already delivered. Cancellations may be made at any time without there being any grounds for legal claim.

All information on use or safety is non-binding; nor does it replace any legal regulations or those made by professional or trade associations.

We do not accept any liability for printing errors. No supplemental items (tools etc.) are included in the scope of supply.

Reprinting, even of excerpts, requires the previous permission in writing by GEDORE. All rights reserved worldwide.

We refer to our current general agreements and commercial conditions as well as our delivery and payment conditions in the imprint under [www.gedore.com](http://www.gedore.com).

## **GEDORE Werkzeugfabrik GmbH & Co. KG**

Remscheider Straße 149  
42899 Remscheid · GERMANY

## **Brands of the GEDORE Group**

[gedore.com](http://gedore.com) · [ochsenkopf.com](http://ochsenkopf.com)

## **Overall concept, design and layout:**

GEDORE GmbH  
Remscheider Straße 149  
42899 Remscheid · GERMANY

© Copyright by GEDORE Remscheid  
This catalogue was printed on recyclable and chlorine-free bleached paper.



# GEDORE

TOOLS FOR LIFE

## GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheid-er Straße 149  
42899 Remscheid · GERMANY  
Tel. + 49 (0) 21 91- 596 - 0  
Fax + 49 (0) 21 91- 596 - 230  
info@gedore.com  
www.gedore.com

Vertrieb Deutschland  
Tel. + 49 (0) 21 91- 596 - 900  
Fax + 49 (0) 21 91- 596 - 999

## GEDORE Automotive GmbH

Breslauer Straße 41  
78166 Donaueschingen · GERMANY  
Tel. +49 771 83223-0  
Fax +49 771 83223-90

## GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12  
71665 Vaihingen/Enz · GERMANY  
T +49 7042 9441-0  
F +49 7042 9441-41  
info@loesomat.de

## GEDORE AUSTRIA GmbH

Gedore-Str. 1  
8190 Birkfeld / Stmk. · AUSTRIA  
Tel. +43 (0) 3174 / 363 64 00  
Fax +43 (0) 3174 / 363 83 20  
sales.austria@gedore.com  
www.gedore.at

## GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,  
New Germany, 3610 - South Africa  
PO Box 68, New Germany, 3620  
SOUTH AFRICA  
Tel. +27 (0) 31 / 705 3587  
Fax +27 (0) 31 / 705 32770  
esales@gedore.co.za  
www.gedore.co.za

## GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Jundiz  
01015 Vitoria Alava · SPAIN  
Tel. +34-945-29 22 62  
Fax +34-945-29 21 99  
gedore@gedore.es  
www.gedore.es

## Gedore Torque Ltd

(Formerly Gedore UK)  
North Office, Unit 3B Enterprise Way  
Airedale Business Centre  
Skipton , North Yorkshire  
BD23 2FJ · UNITED KINGDOM  
Tel. +44 (0) 1756 / 70 67 00  
sales@gedoreuk.com  
www.gedoreuk.com

## GEDORE France SARL

Parc d'activités des Béthunes - La Mare II  
10, avenue du Fief - Bât. 12  
BP 79144 Saint-Ouen-l'Aumône  
F-95074 Cergy Pontoise Cedex · FRANCE  
Tél. +33 (0)1 34 40 16 60  
Fax +33 (0)1 34 40 16 61  
jadore@gedore.fr  
www.gedore.fr

## GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV  
Alphen aan den Rijn · NETHERLANDS  
Tel. +31 (0) 172 / 42 73 50  
Fax +31 (0) 172 / 42 73 60  
technag@gedore.nl  
www.gedore.nl

## GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar  
Gurgaon – 122051  
Haryana · INDIA  
Tel. +91 (0) 124 22910 – 65/66/67  
Fax +91 124 2341067  
sales@gedoreindia.com  
www.gedore.in

## GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a  
43-190 Mikołów · POLAND  
Tel. +48 (0) 32 / 738-40 10  
Fax +48 (0) 32 / 738-40 20  
gedore@gedore.pl  
www.gedore.pl

## Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275  
Bairro Vicentina |  
São Leopoldo - RS | 93025-340 · BRAZIL  
Tel. +55 51- 3589 9200  
Fax + 55 51- 3589 9222  
export@gedore.com.br  
www.gedore.com.br

## GEDORE TOOLS INC

4055 Faber Pl Dr  
North Charleston SC, 29405 · USA  
Phone: +1 (843) 225 5015  
Fax: +1 (843) 300 0315  
info@gedorettools.com  
www.gedorettools.com

## GEDORE Tool Trading (Shanghai) Co., Ltd.

1/F., Block 2, 1358 Pingan Road,  
Minhang, Shanghai · CHINA 201109  
Tel. +86-21-3388 7258  
Fax +86-21-3388 7259  
Service Hotline: 400 880 1858  
info@gedore.cn  
www.gedore.cn

## GEDORE TOOL CENTER OOO

per. 2-0j Likhachevskiy 7/1  
Moscow, 125438 · RUSSIA  
Tel. 8 800 100 58 96 (free from Russia)  
Tel. +7 (499) 754 7000  
Fax +7 (8) 985 22 99 88 0  
sales@gedorettools.ru

Your dealer:

Brands of the GEDORE Group  
gedore.com · oxsenkopf.com

gedore.com